

UNICORN
FLEA AND TICK POWDER I
FOR DOGS & CATS

ACTIVE INGREDIENTS:

Carbaryl (1-naphthyl N-methylcarbamate) 10.00%
Methoxychlor, 1,1,1-trichloro-2, 2-bis
(p-methoxyphenyl) ethane 0.25%

INERT INGREDIENTS: 89.75%

Total: 100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Back Panel for Additional Cautions

NEW WEIGHT: 10 OUNCES

MANUFACTURED BY:

Unicorn Laboratories
13535 Feather Sound Drive, Suite 400
Clearwater, Florida 34622-5587
(813) 578-4545

REC'D L.A. / P/P/DPD1
96 NOV -6 P 1:01

ACCEPTED
FEB 11 1997
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 28293-102

2013

- READ ENTIRE LABEL BEFORE EACH USE.
- USE ONLY ON DOGS OR CATS.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: May be harmful if swallowed. Avoid breathing of dust when you apply powder. Avoid contact with eyes, skin or clothing. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals on medication. Sensitivities may occur after using **ANY** pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

USER SAFETY REQUIREMENTS
<ul style="list-style-type: none"> ■ Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product. ■ Change clothing as soon as possible after use. ■ Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.

Statement of Practical Treatment

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching finger down throat.

IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush with plenty of water.

Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. However, flea and tick collars may be immediately replaced.

NOTE TO PHYSICIAN and VETERINARIAN: Carbaryl is a cholinesterase inhibitor. Atropine is antidotal.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOW TO USE: Use product only outside or in a well-ventilated area. Wearing household latex or rubber gloves, dust entire animal, avoiding pet's eyes, nose, mouth and genital areas. Rub or

3 of 3

brush pet's hair to work dust down to the skin. This product should not be applied by children. Do not use on pregnant dogs. Do not use on kittens or puppies under twelve (12) weeks of age. Repeat as needed, but not more often than once weekly.

STORAGE AND DISPOSAL

Storage: Store in original container in a cool, locked storage area away from heat and open flame.

Disposal: Do not reuse container. Rinse thoroughly before discarding in trash. Securely wrap original container in several layers of newspaper and discard in trash.