

UNICORN

LIQUID INSECT KILLER NO. 2

A synthetic Pyrethroid for controlling the following household flying and crawling insects: Houseflies, Mosquitoes, Gnats, Roaches, Ants, Earwigs, Spiders, Grain Insects (Adults of confused flour beetles, Saw Toothed grain beetles, Shiny spider beetles), Grain Mites, Sowbugs and Centipedes.

ACTIVE INGREDIENTS:

Resmethrin* [5-(phenylmethyl)-3-furanyl] methyl	
2,2-dimethyl-3-(2-methyl-1-propenyl)	
cyclopropanecarboxylate	0.250%
Petroleum distillate	99.750%

INERT INGREDIENTS:

*Cis/trans isomers ration: max. 30% (+) cis and 70% (+) trans.

ACCEPTED

28293-107

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautions

Net Contents: 1 gallon

Manufactured By

UNICORN LABORATORIES

1000 118th Avenue North
St. Petersburg, FL 33716

BEST AVAILABLE COPY

ACCEPTED

MAR 5 1987

28293-107

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call Physician or Poison Control Center at once. Do not induce vomiting unless directed by Physician. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove victim to fresh air, respire if necessary.

IN ON SKIN: Remove contaminated clothing, wash skin with soap and water.

IN IN EYES: Flush with plenty of water, if irritation persist get medical attention.

PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

BEST AVAILABLE COPY

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE IN HOTELS, MOTELS, HOMES, INSTITUTIONS, PACKAGING AND PROCESSING PLANTS, SEED HOUSES AND HORSE STABLES.

Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation. Do not use in horse stables if horses are to be for food.

SPACE SPRAY: To kill flies, mosquitoes and gnats: Close room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove fish and pets. Apply undiluted as a very fine mist spray through manually operated equipment or with electrical and other powered applicators. Avoid staining by holding the spray nozzle at least five feet from objects. Direct the fine spray mist toward the upper corner of the room. Fill the room with a fine mist space spray at the rate of 5 fluid ounces per 5,000 cubic feet. Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Sweep up and destroy insects.

CONTACT SPRAYS: To kill roaches, ants, earwigs, grain mites, sawbugs, spiders and centipedes: Adjust spray to produce large wetting type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets, and other harborages. Spray these infested areas until thoroughly wet. Repeat as necessary.

TO KILL SPIDERS: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

TO KILL ANTS: Spray doors, around window frames, ant trails and hills.

TO KILL GRAIN INSECTS: Adults of confused flour beetles, sawtoothed grain beetles, skiny spider beetles: Remove infested grain cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the areas by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding. In homes, dispose of all infested products. The shelves and drawers should be cleansed and thoroughly sprayed so as to contact all pests and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using. Repeat as necessary.

STORAGE AND DISPOSAL


Do not contaminate water, feed or foodstuff by storage or disposal. Store in original container away from heat or open flame, in locked storage area.

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

E.P.A. REG. NO. 28293-107

E.P.A. EST. NO. 28293-FL-1





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PESTICIDES AND TOXIC
SUBSTANCES

0 15 1991

Mr. Barry Santerre
Unicorn Laboratories
1000 118th Avenue North
St. Petersburg, FL 33716

Re: Resmethrin Registration Standard
Unicorn Liquid Insect Killer #2
EPA Reg. No. 28293-107
Submission received June 6, 1989

Dear Mr. Santerre:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Refer to the Standard concerning the declaration of Resmethrin as an active ingredient.

You should contact your supplier concerning the regulatory status of the petroleum distillate in your product.

Also, our files indicate that you must submit, in accordance with the Resmethrin Registration Standard, a Generic Data Exemption Statement (EPA Form 8580-3) and a new Confidential Statement of Formula (EPA Form 8570-4) for your product.

Sincerely,

RFM
Richard Mountfort
Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (H7505C)

UNICORN

LIQUID INSECT KILLER NO. 2

A synthetic Pyrethroid for controlling the following household flying and crawling insects: Houseflies, Mosquitoes, Gnats, Roaches, Ants, Earwigs, Spiders, Grain Insects (Adults of confused flour beetles, Saw Toothed grain beetles, Shiny spider beetles), Grain Mites, Sowbugs and Centipedes.

ACTIVE INGREDIENTS:

Resmethrin* [5-(phenylmethyl)-3-furanyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate 0.250%
Petroleum distillate 99.750%

INERT INGREDIENTS:

*Cis/trans isomers ration: max. 30% (+) cis and 70% (+) trans.

ACCEPTED
28293-107

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautions.

Net Contents: 1 gallon

Manufactured By

UNICORN LABORATORIES

1000 118th Avenue North
St. Petersburg, FL 33716

ACCEPTED
MAR 5 1987
28293-107

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call Physician or Poison Control Center at once. Do not induce vomiting unless directed by Physician. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove victim to fresh air, respire if necessary.

IN ON SKIN: Remove contaminated clothing, wash skin with soap and water.

IN IN EYES: Flush with plenty of water, if irritation persist get medical attention.

PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE IN HOTELS, MOTELS, HOMES, INSTITUTIONS, PACKAGING AND PROCESSING PLANTS, SEED HOUSES AND HORSE STABLES.

Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation. Do not use in horse stables if horses are to be fed for food.

SPACE SPRAY: To kill flies, mosquitoes and gnats: Close room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove fish and pets. Apply undiluted as a very fine mist spray through manually operated equipment or with electrical and other powered applicators. Avoid staining by holding the spray nozzle at least five feet from objects. Direct the fine spray mist toward the upper corner of the room. Fill the room with a fine mist space spray at the rate of 5 fluid ounces per 5,000 cubic feet. Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Sweep up and destroy insects.

CONTACT SPRAYS: To kill roaches, ants, earwigs, grain mites, sowbugs, spiders and centipedes: Adjust spray to produce large wetting type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets, and other harborages. Spray these infested areas until thoroughly wet. Repeat as necessary.

TO KILL SPIDERS: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

TO KILL ANTS: Spray doors, around window frames, ant trails and hills.

TO KILL GRAIN INSECTS: Adults of confused flour beetles, sawtoothed grain beetles, skiny spider beetles: Remove infested grain cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the areas by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding. In homes, dispose of all infested products. The shelves and drawers should be cleansed and thoroughly sprayed so as to contact all pests and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using. Repeat as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, feed or foodstuff by storage or disposal. Store in original container away from heat or open flame, in locked storage area.

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

E.P.A. REG. NO. 28293-107

E.P.A. EST. NO. 28293-FL-1

