


US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 28293-122	DATE OF ISSUANCE MAY 8 1986
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT Unicorn Coumaphos Fly and Louse Dust	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
Unicorn Laboratories P.O. Box 90014 Houston, TX 77090		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:		
1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.		
2. Make the labeling changes listed below before you release the product for shipment:		
a. Add the phrase "EPA Registration No. 28293-122."		
b. The Note to Physician statement is normally placed below the Statement of Practical Treatment paragraph.		
c. Revise the Environmental Hazard statement, Do not apply to lakes, etc., to read, "Do not apply to any body of water."		
d. Add "If Swallowed - Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person."		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE
		5/19/86

160 / 16064 7
18

e. Under Directions for Use add:

Use Restrictions

For external insecticide use only on above specified animals. Provide thorough ventilation while dusting. Use caution when dusting in area of face to avoid exposure to eyes.

f. Revise Pesticide Disposal statement in accordance with PR Notices 83-3 and 84-1.

3. In regard to the Product Chemistry:

- a. You must provide specific certified limits for the components in your product.
- b. You must provide a description of your formulation process including order and conditions of mixing and quality control sampling procedures.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

UNICORN
COUMAPHOS
FLY & LOUSE DUST

Controls Horn Flies & Lice on Beef and Dairy Cattle
Aids in reducing Face Flies
Controls Lice on Swine

Active Ingredients:

(0,0-diethyl 0-(3-Chloro-4-methyl-2-ox-(2H)-1-benzopyran-7-yl) phosphorothioate) .. 1.0%

Inert Ingredients: 99.0%

Use in Dust Bags, Shaker Cans or Mechanical Duster

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautions

Net Contents: 12.5 pounds


Manufactured By
UNICORN LABORATORIES
HOUSTON, TX. 77090

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAY 8 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticides
registered under DDA Reg. No.

26293-122



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes or on skin. Do not breathe dust. Wash thoroughly with soap and water after handling. Do not contaminate feed or foodstuffs. Do not contaminate feed or water troughs. Avoid repeated direct contact with skin.

NOTE TO PHYSICIAN: Atropine Sulfate is antidotal. 2 PAN may also be administered in conjunction with Atropine.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush with plenty of water. If irritation persists, get medical attention.

IF ON SKIN: Wash with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply to lakes, ponds or streams. Do not contaminate water by cleaning equipment or disposal of waste.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BEEF & DAIRY CATTLE: Horn Flies, Lice, Face Flies: Place contents of this package in any commercially available dust bag. Suspend bags in areas frequented by cattle or in gateways or lanes through which the animals pass daily for water, food, or minerals. Bags may also be suspended in loafing sheds or in front of protected mineral feeders. For lactating dairy cows, bags may be suspended in the exit through which cows leave the milking barn. In all cases the bags should be adjusted so that the bottom of the bag will hang four to six inches below the topline of the cattle. For reduction of face flies, the bags must be located so the animals will be forced to use them daily and hung at a height to insure that the faces of the cattle will be dusted.

Horn Flies, Lice - Direct Application: Apply 2.0 ounces of dust per animal by shaker can over the head, neck, shoulders, back and tailhead. Repeat as necessary.

SWINE: Lice on Swine - Direct Application: Apply not more than 1 ounce (3 level tablespoonfuls) per head as a uniform coat to the head, shoulders and back by use of a shaker can or suitable mechanical dust applicator. Repeat as necessary but not more often than once every ten days.

Bedding Treatment: Apply 2 ounces (6 level tablespoonfuls) uniformly over each 30 square feet of fresh, dry bedding by use of a shaker can or suitable mechanical dust applicator. Repeat as necessary but not more often than once every ten days.

In severe infestations both individual animals and the bedding may be treated as directed above.

No interval is required between treatment and slaughter or between treatment and use of milk as food.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Store in dry protected place to prevent cross contamination with other pesticides, fertilizers or feedstuffs. Preferable in locked storage area.

DISPOSAL: Completely empty bag into applicator equipment. Then dispose of empty bag in a sanitary landfill or by incineration. If burned, stay out of smoke.

E.P.A. REG. NO. 28293-X

E.P.A. REG. NO. 28293-TX-1

