

UNICORN

DURSBAN ROOM FOGGER

One Unit Treats Up to 5,000 Cu. Ft.

Kills Fleas and Ticks, Houseflies, Mosquitoes, Cockroaches, Spiders, Centipedes, Wasps, Small Flying Moths, Crickets and Silverfish.

Controls Adult Fleas & Larvae for up to Four Weeks

For Use in the Inedible Product Areas of Official Establishments Operating Under the Federal Meat, Poultry, Shell Egg Grading, and Egg Products Inspection Program.

ACTIVE INGREDIENTS:

Chlorpyrifos (0,0,-Diethyl 0-(3,5,6,-Tri-chloro-2-Pyridyl) Phosphorothioate).....	1.000%
Pyrethrins.....	0.050%
Piperonyl Butoxide, Technical*.....	0.100%
N-Octyl Bicycloheptene Dicarboximide.....	0.16%

INERT INGREDIENTS:..... 98.684%
100.000%

* Equivalent to 0.08% (Butylcarbityl) (6-Propyl-piperonyl) Ether and 0.02% related compounds.

Dursban^(R) is a Registered Trademark of DowElanco

For Homes, Apartments, Attics, Basements, Campers, Boats, Garages, Kennels, and Pet Sleeping Areas.

Keep Out of Reach of Children


CAUTION

See Additional Precautions of Left Panel

NET WEIGHT: 6 OUNCES

MANUFACTURED BY:

Unicorn Laboratories
1002 133th Avenue North
St. Petersburg, Florida 33716



PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and foodstuffs. Wash hands with soap and water after using and before eating or smoking. Do not allow children to lie or sleep in treated areas until at least six hours following treatment.

Do not use in commercial food processing preparation, or serving areas or in household storage areas. In home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover or remove exposed food.

Remove pets, birds, and cover fish aquariums before spraying.

Statement of Practical Treatment

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Get medical attention, if irritation persists.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Atropine by injection is antidotal only if symptoms of cholinesterase inhibition are present.


Physical and Chemical Hazards

Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is acceptable as a residual pesticide for use in the inedible product areas of official establishments operating under the Federal meat, poultry, shell egg grading, and egg products inspection programs. This product must be used in a manner that precludes entry into edible product areas through open windows, ventilating systems, etc.



Use one canister for each 5,000 cu. ft. of unobstructed area. Example 25' long x 20' wide x 10' high = 5,000 cu. ft. Use additional units for remote rooms or where free flow of the mist is not assured. Do not use in an area less than 3,000 cu. ft.

PREPARATION: Cover exposed foods, dishes, and food handling equipment. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames except pilot light. Remove pets and cover fish tanks or fish bowls with paper, or remove from area. Close exterior doors and windows.

TO START FOGGING: Place Fogger on table, chair or stand, in center of area, at least six feet from pilot light. Place several thicknesses of newspapers under canister to prevent marring of surface. Hold can at arm's length, with top of can pointing away from face and eyes. Push down on finger pad until it locks - this will start fogging action. Set canister in upright position on table, etc., and leave building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS, then open exterior doors and windows and allow to air for one hour before reoccupying area. If additional units are used for remote rooms or where free flow of mist is not assured, increase airing out time accordingly.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container in cool, locked storage area away from heat or open flame.

Disposal: Replace cap and discard containers in trash. Do not incinerate or puncture.

