

ACCEPTED
SEP 29 1992
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 28293-142

UNICORN KENNEL SPRAY

Kills Fleas and Ticks Fast

Kills Pre-Adult Fleas Up to 42 Days

Kills Adult Fleas Up to 35 Days

Kills Ticks Up to 14 Days

Residual Action

For Use in Homes and Non-Food Areas of Kennels, Hotels, Motels, Preschools, Nurseries, Day Camps, Food Handling Establishments, Packaging and Processing Plants, Commercial, Industrial, Office, Institutional and Storage Buildings, Dairies, Milk Storage Rooms, Egg Processing Plants, Canneries, Flour and Feed Mills, Bakeries, and Hospitals

ACTIVE INGREDIENTS:

d-trans Allethrin (Allyl homolog of Cinerin I).....	0.050%
Related compounds.....	0.004%
■ N-Octyl bicycloheptene dicarboximide.....	0.400%
* Chlorpyrifos [o,o,-diethyl 0-(3,5,6-trichloro 2-pyridyl) phosphorothioate].....	0.500%

INERT INGREDIENTS:**.....	99.046%
	100.000%

- MGK-264, Insecticide Synergist
- * Contains Dursban^(R), a registered trademark of DowElanco
- ** Contains petroleum distillates.


Keep Out of Reach of Children

CAUTION

See Back Panel for Additional Precautionary Statements.

NET CONTENTS: 12 OUNCES

MANUFACTURED BY:
Unicorn Laboratories
1000 118th Avenue North
St. Petersburg, FL 33716



EPA REG. NO. 28293-142 (E:6/29/92)

EPA EST. NO. 28293-FL-1

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: May be harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. In case of contact immediately flush skin and eyes with plenty of water. Wash thoroughly with soap and water after handling. If poisoning occurs, get prompt medical aid.

DO NOT USE THIS PRODUCT IN FOOD AREAS OF FOOD COMMERCIAL HANDLING ESTABLISHMENTS, RESTAURANTS OR OTHER AREAS WHERE FOOD IS PREPARED OR PROCESSED. DO NOT USE IN SERVING AREAS WHILE FOOD IS EXPOSED OR FACILITY IS IN OPERATION. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, mop closets and storage (after canning or bottling).

DO NOT ALLOW CHILDREN OR PETS IN THE TREATED AREAS UNTIL THE SPRAY HAS DRIED.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

Statement of Practical Treatment

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.


IF INHALED: Remove to fresh air if effects occur, and call a physician.

IF SWALLOWED: Drink one to two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician.

Remove pets, birds and cover fish aquariums before spraying.

Physical and Chemical Hazards

Contents under Pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. **DO NOT use this product in or on electrical equipment due to the possibility of shock hazard.**



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STAINLESS: Test spray in an inconspicuous area of the application site (i.e., as with carpeting) for potential staining.

General: Use as a spot treatment to residually control cockroaches, waterbugs, silverfish, ticks, adult fleas and larvae, and other insects listed below. Apply this product to localized areas where pests are found or may occur. Spray surfaces until wet.

Spot Treatment: To Kill Ants, Cockroaches, Crickets, Silverfish, Sowbugs, Spiders and Earwigs: Spray into cracks, crevices, around baseboards, and other places where these insects hide. Apply behind and beneath cabinets refrigerators, sinks, stoves, and in and around waste container.. Directly contact as many as possible. For ants, spray trails and places where ants enter premises. Repeat as necessary for control.

To Kill Brown Dog Ticks, Adult Fleas and Larvae: Remove and destroy pet's old bedding. Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as necessary. Fresh bedding should be placed in animal quarters after spray has dried. Do not spray animals. Animals should be treated with a registered product to kill fleas and ticks before reentering treated areas.

To Kill Carpet Beetles and Dermestids: Spray along baseboards, edges of carpeting, under carpets and rugs, under furniture, in closets, on shelving, and in other places of harborage. Repeat as necessary.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

For use in homes and non-food areas of Kennels, Hotels, Motels, Preschools, Nurseries, Day Camps, Food Handling Establishments, Packaging and Processing Plants, Commercial, Industrial, Office, Institutional and Storage Buildings, Dairies, Milk Storage Rooms, Egg Processing Plants, Canneries, Flour and Feed Mills, Bakeries and Hospitals.

STORAGE AND DISPOSAL

STORAGE: Store in cool dry area away from heat or open flame.

DISPOSAL: Do not reuse empty container. Replace cap, and discard container in trash. Do not incinerate or puncture.

