

UNICORN 14-DAY FLEA & TICK AEROSOL SPRAY

Pressurized Spray Residually Kills Ticks and Fleas on Dogs and Cats.

ACTIVE INGREDIENTS:

Pyrethrins	0.056%
Permethrin (1-(3-Phenoxyphenyl) methyl (±) cis-trans-3-(2,2-dichloroethyl) 2,2-dimethylcyclopropanecarboxylate)	0.050%
Related compounds	0.004%

INERT INGREDIENTS:

	99.890%
	100.000%

cis-trans isomer ratio: Min. 35% (±) cis  
 Max. 65% (±) trans

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

See Back Panel for Additional Precautionary Statements

Net Weight 12 ounces

EPA Reg. No. 28293 - 150

EPA Est. No. 28293-FL-1

**BEST AVAILABLE COPY**

**ACCEPTED**

**22 MAY 1992**

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 28293-150

BACK PANEL

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**HOLD CONTAINER UPRIGHT. SHAKE WELL BEFORE USING.**

On dogs this product kills fleas up to 14 days and ticks up to 4 days. On cats this product kills fleas up to 14 days and ticks up to 9 days.

Use protective gloves (mitts) to prevent contact with hands. Spray the animal from a distance of 8-12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered, including the legs and under the body. Fluff the hair as you spray so the spray will penetrate to the skin. The spray should wet the ticks thoroughly. Do not spray in the face, eyes or on genitalia. Repeat as needed.

For cats apply at a rate of 1 second per pound of body weight. For dogs apply at the rate of 2 seconds per pound of body weight for thin or short-haired dogs and up to 8 seconds per pound of body weight for heavy or long-haired dogs.

**PRECAUTIONARY STATEMENTS**

Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed. Avoid breathing vapors. Do not spray in eyes, face or on genitalia. Do not use on nursing puppies or kittens under three months of age. Do not use this or any other pesticide on sick, old, or debilitated pets.

Physical or Chemical Hazards

**FLAMMABLE:** Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Statement of Practical Treatment

**IF SWALLOWED:** Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED:** Remove affected person to fresh air. Apply artificial respiration if indicated.

**BEST AVAILABLE COPY**

**IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in cool area away from heat and open flame.

**DISPOSAL:** Do not puncture or incinerate. Do not reuse empty container. Wrap original container in several layers of newspaper and discard in trash.

**BEST AVAILABLE COPY**