

UNICORN

FLEA & TICK LAWN SPRAY NO. 1

**Kills Fleas and Other Outdoor Pests listed
on Back Panel of Label**

ACTIVE INGREDIENT:

*Cyano (3-phenoxyphenyl) methyl 4-chloro-alpha-
(1-methylethyl) benzeneacetate..... 1.72%

INERT INGREDIENTS:..... 98.28%

100.00%

Contains Aromatic Petroleum Distillates

*Licensed under U.S. Patent No. 4.062.968 of Sumitomo Chemical
Company.

EVERCIDE_(R) - Registered Trademark of McLaughlin Gormley
King Company.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side/Back Panel for Additional Precautionary Statements

NET CONTENTS: 16 OZ.

MANUFACTURED BY:

Unicorn Laboratories
1000 118th Avenue North
St. Petersburg, Florida 33716

EPA REG. NO. 28293-151-AA(E)

EPA EST. NO. 28293-FL-1

ACCEPTED

17 AUG 1995

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 28293-151

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with water and get medical attention if irritation persists.

Do not spray plants used for food or feed.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

Environmental Hazards

This product is extremely toxic to fish and other aquatic animals. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not apply to any body of water. Do not contaminate water by disposal of equipment washwaters.

Statement of Practical Treatment

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LAWN FLEA CONTROL:

To kill fleas harboring in lawns use this concentrate in a hose-end sprayer. Place required amount of concentrate in sprayer jar (see chart below) and fill with water to the recommended level. Mix well. Attach to sprayer and spray as recommended. For best results lawn should be mowed a day or two before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary at 7 to 14 day intervals.

Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding area should be treated with a registered flea control product in conjunction with this application.

Amount of Product to Use - Fluid Ounces*	Amount of Water to Use	Area to be Treated
1-1/3 Fluid Ounces	3 Gallons	500 Sq. Ft. (50' x 10')
2-2/3 Fluid Ounces	6 Gallons	1,000 Sq. Ft. (50' x 20')
5-1/3 Fluid Ounces	12 Gallons	2,000 Sq. Ft. (50' x 40')

*Note: 1 fluid ounce = 2 Tablespoonsful = 6 Teaspoonsful

FOR OUTDOOR PESTS:

Mix concentrate in a compressed air sprayer or watering can at the rate of sixteen (16) fluid ounces per one (1) gallon of water to control on contact cockroaches, palmetto bugs, ants, crickets, sowbugs, spiders, and ticks. Use at the rate of one (1) gallon (diluted spray) per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

Building Perimeter Treatment:

To help prevent infestations of buildings by ants, crickets, spiders, centipedes, and sowbugs (pillbugs), treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation in a height of 2 to 3 feet where these pests are active and may find entrance. Use sixteen (16) fluid ounces of concentrate per gallon of water and apply as a coarse wet spray at the rate of one (1) gallon per 1,000 square feet.

Hose-End Sprayer:

The hose-end sprayer is calibrated to deliver the correct dilution rate. No mixing or measuring necessary. Screw hose into back of sprayer. Insert dip-tube. Remove bottle cap (save for storage after use). Secure sprayer cap by turning bottle counter-clockwise. Turn on water supply. TO START FLOW OF INSECTICIDE, place index finger over hole on RIGHT side of sprayer cap. Spray evenly and completely over lawns and other infested areas, giving special attention to areas frequented by pets. Hold about 3 feet above surface moving at a steady pace to insure consistent, thorough coverage. When treatment is complete, or you wish TO STOP FLOW OF INSECTICIDE for any reason, simply remove finger from hole to brake siphon action. TO STORE REMAINING INSECTICIDE: Turn off water supply and remove bottle from sprayer unit and hose by turning bottle clockwise. Replace cap on bottle and tighten securely. Unscrew hose from sprayer unit and rinse unit in clear water. Store in cool place.

STORAGE AND DISPOSAL

STORAGE: Store in cool, dry place. Keep container closed

DISPOSAL: Do not reuse empty container. Rinse thoroughly and securely wrap original container in several layers of newspaper and discard in trash.