

Hand Sanitizing — In food handling and meat cutting operations: Rinse hands and immerse in a 1 oz. HPI 7900 per 5 gals. of water solution (25 ppm titratable iodine).

Retort Cooling Water — For canning operations — add 1 oz. HPI 7900 per 5-10 gallons of retort water prior to starting up operation to control slime and odor causing bacteria.

Poultry Drinking Water Sanitization — 1 oz. HPI 7900 per 10 gallons of drinking water.

Shoe Bath Sanitizer — To prevent tracking harmful organisms into animal areas, scrape shoes and place in a 3 oz. per gallon solution of HPI 7900 for 30 seconds prior to entering area.

Apply HPI 7900 with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when use solution becomes visibly dirty.

HPI 7900 is a proven "one-step" cleaner-disinfectant-sanitizer-deodorizer in the presence of moderate amounts of organic soil and 400 ppm hard water.

Disinfection — Hospitals, Veterinary Clinics, Other Health Care Institutions, Institutions, Industry, Schools, Farm Premises and Poultry Houses:

Apply 1/2 oz. per gallon HPI 7900 to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, tile, porcelain, sinks and bedframes. For heavily soiled areas, a preliminary cleaning is required.

For farms and poultry use, prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry, or other animals or employ equipment until treatment has been absorbed, set or dried.

Precautionary Statements

Hazards to Humans and domestic animals

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Do not breathe spray mist. Avoid contamination of food.

HPI 7900

Disinfectant-Cleaner-Sanitizer-Deodorizer
With Organic Soil and 400 ppm
Hard Water Tolerance
for Hospital, Institutional, Industrial,
School, Dairy, and Other Farm Use

Active Ingredients

Iodine* 1.75%

Inert Ingredients 98.25%

*From (Alpha-(P-nonylphenyl)-Omega-hydroxypoly(oxyethylene)). 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of egg whites, gelatin solution; or if these are not available drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 44616-1
EPA Establishment No. 44616-MO-1
Net Contents 28293-168 5/89

MANUFACTURED BY:
HPI, Inc.

417 So. 4th St. St. Joseph, MO 64501

Directions: See Us

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ACCEPTED

JUL 11 1988

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

PRECAUTIONARY STATEMENTS HAZARD TO HUMAN AND DOMESTIC ANIMALS

DANGER:

Keep Out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, skin or clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL:

- DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL:

Pesticides that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide or buried in a safe place.

CONTAINER DISPOSAL:

Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

~~with COMMENTS~~
~~in EPA Letter Dated~~

~~MAR 4 1988~~

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

7/11/88

PM 3/1

28293-168 P3 181