

OCT 16 1991

Mr. Barry J. Santerre
Unicorn Laboratories
1002 18th Avenue North
St. Petersburg, FL 33716

Dear Mr. Santerre:

Subject: Amendment to Change Label Statement
Unicorn Flea & Tick Spray
EPA Registration Number 28293-174
Submission dated September 26, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely,

RFM

Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division

UNICORN

FLFA & TICK SPRAY

For Use on Dogs and Cats, Puppies and Kittens
and on Premises to Kill Fleas and Ticks.

An Aqueous, Stable, Micro Emulsion

ACTIVE INGREDIENTS:

Pyrethrins.....	0.06%
*Piperonyl Butoxide, Technical.....	0.60%

INERT INGREDIENTS:.....	<u>99.34%</u>
-------------------------	---------------

100.00%

*Equivalent to 0.48% (butylcarbityl) (6-propylpiperonyl) ether and 0.12% related compounds.

Keep Out of Reach of Children


CAUTION

See Side/Back Panel for Additional Precautions

NET CONTENTS:

MANUFACTURED BY:

Unicorn Laboratories
1002 118th Avenue North
St. Petersburg, Florida 33716



EPA REG. NO. 28293-174(E:1/10/86)

EPA EST. NO. 28293-FL-1

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin. Wash contaminated skin promptly with soap and water. Avoid spraying food or foodstuffs. Remove birds and cover fish aquariums before spraying.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE

ON PETS:

Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and under body. While spraying, fluff the hair so that spray will penetrate to the skin. Make sure spray wets thoroughly. Do not spray into eyes or face. Repeat as necessary.

ON PREMISES:

To Control Fleas and Brown Dog Ticks on Premises: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals is recommended. Repeat treatment as needed.

STORAGE AND DISPOSAL

STORAGE: Store in original container in a cool, locked storage area.

DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash. Do not reuse container. Rinse thoroughly before discarding in trash.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.