UNICORN BACKUP POUR-ON INSECTICIDE

Pour-On for Beef, Lactating and Non-Lactating Dairy Cattle and Sheep

Kills Lice and Flies on Cattle; Keds on Sheep

ACTIVE INGREDIENT

Permethrin*	
INERT INGREDIENTS**	99.0%
Total:	100.0%

* Cis/trans ratio:

Min. 35% (±) cis

Max. 65% (±) trans

Keep Out of Reach of Children CAUTION

See Side Panel for Additional Precautionary Statements

NET CONTENTS: ONE U.S. GALLON (3.785 Liters)

Manufactured by:

Unicorn Laboratories 12385 Automobile Blvd. Clearwater, Florida 33762

ACCEPTED

JAN 23 2002

Under the Federal Insecticide, Fungicide, and Rodenticitide Aut as amended, for the pesticide registered under EPA Est. No. 62476-FL-1A 4467C-MC-1B Subscript used is first letter of run code on container.

^{**} Contains petroleum distillate

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION:

Avoid contact with eyes.

FIRST AID	
If in Eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If Swallowed:	 Call poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
Have the product conta treatment.	ainer or label with you when calling a poison control center or doctor, or going for
	NOTE TO PHYSICIAN
Solvent presents aspir	ation hazard. Gastric lavage is indicated if material was taken internally.

Environmental Hazards

This pesticide is extremely toxic to fish. Use with care when applying to areas adjacent to any body of water. Do not add directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Physical and Chemical Hazards

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READY TO USE - No dilution necessary.

APPLICATION INSTRUCTIONS: Apply 1/2 fl. oz. per 100 lbs. body weight of animal, up to a maximum of 5 fl. oz. for any one animal to kill Lice, Horn Flies and Face Flies. Aids in the insecticidal control of Horse Flies, Stable Flies, Mosquitoes, Black Flies and Ticks on lactating and non-lactating dairy cattle, beef cattle, calves and sheep. **Pour-On:** Pour along back line and down face. **Ready-To-Use Spray:** Use undiluted in a mist sprayer to apply correct dose. Apply directly to neck, face, back, legs and ears. **Back Rubber Use:** Mix one pint per gallon #2 diesel or mineral oil. Keep rubbing device charged. Results improved by daily forced use.

For Keds on sheep, pour along back line over neck, shoulders and rump. Apply 1/4 fl. oz. per 50lbs body weight of animal, up to a maximum of 3 fl. oz. for any one animal.

Repeat treatment as needed, but not more than once every 2 weeks. For optimum insecticidal effectiveness against lice, a double treatment at 14 day intervals is recommended.

NOTE: This product is not effective for grub control on cattle.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep container sealed when not in use. Do not store near food or feed.

<u>Pesticide</u> Wastes resulting from the use of this product may be disposed of on site

Disposal: or at an approved waste disposal facility.

Container Triple rinse (or equivalent). Then offer for recycling or reconditioning,

Disposal: or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by State and

local authorities, by burning. If burned, stay out of smoke.

Container One Gallon and Under: Do not reuse empty container. Rinse thoroughly,

wrap in several layers of newspaper and place in trash.