Revise the Precautionary Statements as follows: b.

...and wash before re-use. In case of contact with eyes, flush with plenty of water. Obtain medical attention if irritation persists. Avoid contamination...

Since there is no established tolerance for the residue of s-fenvalerate on lettuce, you must delete that commodity from the crop listing.

ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL	DATE	
	j	

EPA Form \$570-4 (Rev. 5-74)

PREVIOUS EDITION MAY BU USE T UNTIL SUPPLY IS EXHAUSTED.

- d. Add "Do not contaminate water, food, or feed by storage or disposal." to the beginning of the Storage and Disposal section.
- e. Expand the Directions for Use by identifying the type of equipment used to apply the product (i.e., 1 1/2 gal. sprayer, power sprayer, etc.)
- f. The proposed name "Unicorn Vegetable Spray" must be revised since it is misleading in that it implies use on vegetables only. We suggest "Unicorn Vegetable and Ornamental Spray #2" or simply "Unicorn Spray #2."
- 3. The storage stability data for one year at room temperature and 100°F in glass and fluorinated HDPE containers as cited in MRID No. 410739-01 are acceptable and comply with the ambient one year storage stability requirement of 40 CFR Part 158.190, Guidelines Reference No. 63-17.

Note that the storage stability data in PET and HDPE plastic containers are <u>not</u> acceptable.

- 4. The CSF must be amended to reflect the upper and lower certified limits of deionized water.
- 5. Submit 5 copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (N75050)

Enclosures

UNICORN

VEGETABLE SPRAY #2

Ready-To-Use Spray Kills Listed Insects on Vegetable and Ornamental Plants

ACTIVE INGREDIENT:

Reep Jut of Reach of Children

CAUTION

See Side/Back Panel for Additional Precautionary Statements

NET CONTENTS: 8 ounces

MANUFACTURED BY:

Unicorn Laboratories 1002 118th Avenue North St. Petersburg, Florida 33716

EPA REG. NO. 28293-

EPA EST. NO. 28293-YL-1

25'29'

iditi 28293. 191

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Environmental Hazards

This pesticide is highly toxic to fish and other wildlife. Do not apply directly to any body of water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

Statement of Practical Treatment

- IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throad with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN ON CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE ON THE FO	LLOWING VEGETABLES
CROP	DAYS TO HARVEST
Artichoke	7
Broccoli	3
Cabbage	3 3 7
Carrots	7
Cauliflower	3
Collards	3 7
Cucumber	3
Dry Beans	21
Dry Peas	21
Eggplant	7
Green Peas	3
Lettuce	7
Melons	3
Peppers	7 3 7
Potatoes	7 3
Pumpkins	3
Radishes	7
Snap Beans	3
Squash	3
Sweet Corn	1
Tomatoes	ī
	-

FOR USE ON ORNAMENTAL PLANTS: Such as African Violet, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Gladiolus, Marigold and Roses.

TO CONTROL THE POLLOWING INSECTS: Alfalfa Caterpillar, Alfalfa Looper, Aphid, Armyworm, Artichoke Plume Moth, Beet Armyworm, Buckthorn Aphid, Cabbage Looper, Carrot Weevil, Celery Looper, Chinch Bug, Colorado Potato Beetle, Corn Earworm, Corn Rootworm (adults), Cowpea Curculio, Cucumber Beetle (adults) - spotted and striped, Cutworm, Diamondback Moth, European Corn Borer, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Leafhopper, Looper, Lygus, Bug, Mexican Been Beetle, painted Lady Caterpillar, Pea Aphid, Pea Weevil, Pepper Weevil, Pickleworm, Potato Leafhopper, Potato Psyllid, Potato Tuberworm, Rindworm, Saltmarsh Caterpillar, Sap Beetle, Southwestern Corn Borer, Squash Bug, Squash Vine Borer, Stalk Borer, Stink Bug, Tarnished Plant Bug, Tobacco Hornworm, Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm, Vegecable Leafminer, Velvetbean Cater llar, Western Bean Cutworm, and Whitefly.

To control listed insects, apply the spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed throughout the growing season up to days of harvest given for each crop.

STORAGE AND DISPOSAL

ETORAGE: Store in a cool, dry place. Keep container closed.

<u>PISPOSAL</u>: Securely wrap original container in several layers of newspaper and discard in trash.

أسانا أحموا أأفروها فجرين