

Reg # 28293 - 188

PM - 13

10/3

**UNICORN**

**FOGGER #6**

**For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas and Cabins.**

**One Unit Treats Up to 6,000 Cubic Feet.**

**Kills: Cockroaches, Confused Flour Beetles, Crickets, Fleas, Houseflies, Pill Bugs, Rice Weevils, Saw-toothed Grain Beetles, Silverfish, Small Flying Moths, Spiders, Ticks and Wasps.**

**ACTIVE INGREDIENTS:**

Tetramethrin [(1-Cyclohexene-1, 2-dicarboximide) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate].....	0.20%
(S)-cyano (3-phenoxyphenyl) methyl-(S)-4-chloro-alpha-(1-methylethyl) benzeneacetate.....	0.10%

<b>INERT INGREDIENTS:*</b> .....	<u>99.70%</u>
	100.00%

\* Contains Petroleum Distillate

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**


**See Side/Back Panel for Additional Precautionary Statements.**

**NET CONTENTS: 7.5 OUNCES**

**MANUFACTURED BY:**

Unicorn Laboratories  
1000 118th Avenue North  
St. Petersburg, FL 33716

EPA REG. NO. 28293-188 (E:9/25/81) EPA EST. NO. 28293-PL-1



**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed or inhaled. Causes moderate eye injury. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Remove pets, birds, and cover fish aquariums before spraying.

Do not use in commercial food processing, preparation, food storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed.

**Physical and Chemical Hazards**

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

**Statement of Practical Treatment**

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration hazard.

**IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

**IF ON SKIN OR CLOTHING:** Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product will kill cockroaches, confused flour beetles, crickets, fleas, houseflies, pill bugs, rice weevils, saw-toothed grain beetles, silverfish, small flying moths, spiders, ticks and wasps.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before reentry.

**TO OPERATE VALVE:** Place several layers of newspaper or pad on a stand or table in the center of the room. Point valve opening away from face. To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or stable with valve locked open. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

**To Kill Ticks and Fleas:** Destroy pet's old bedding and replace with clean, fresh bedding after treatment is completed. Use product as above. Pets should be treated with a registered flea and tick control product prior to reentering treated premises.

#### STORAGE AND DISPOSAL

**STORAGE:** Store in cool, dry area away from heat or open flame.

**DISPOSAL:** Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.