

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

SEP 16 1993

345436401
173

Mr. Barry J. Santerre
Unicorn Laboratories
1000 118th Avenue North
St. Petersburg, FL 33716

Dear Mr. Santerre:

Subject: Amendment-Label Update. Authorization to Use product in
Federal Food Establishments
Unicorn Fogger # 7
EPA Registration No. 28293-189
Your Submission dated February 23, 1993

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided you make the labdling changes listed below before you release the product for shipment:

a. Delete the paragraph titled, "For Use in USDA Official Establishment". Since you have received approval to use this product in USDA inspected meat and poultry plants, this should be stated only as follows:
.....Authorized for Use in All Product Areas of Official Establishments operating under the Meat, Poultry Shell Egg Grading and Egg Products Inspection Programs.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

CONCURRENCES

SYMBOL							
SURNAME	Moats						
DATE	9/13/93						

UNICORN FOGGER #7

Recommended for Commercial/Industrial Use

For Use in the Home and Food and Non-Food Areas of Food Processing Plants, Restaurants, Industrial Buildings: Schools, Warehouses, Offices, Theatres, Garages, Hotels, Motels, Hospitals and Kennels.

One Unit Treats Up to 6,000 Cubic Feet

This product is acceptable as a pesticide for use in all areas of official establishments operating under the Federal meat, poultry, shell egg grading, and egg products inspection programs.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.050%
Piperonyl Butoxide, Technical*.....	0.100%
N-Octyl bicycloheptene dicarboximide.....	0.167%
(S)-Cyano (3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl) benzeneacetate.....	0.100%

<u>INERT INGREDIENTS:**</u>	<u>99.583%</u>
	100.000%

* Equivalent to 0.08% (butylcarbityl) (6-propylpiperonyl) ether and 0.02% related compounds.

** Contains Petroleum Distillate

BEST AVAILABLE COPY

Keep Out of Reach of Children

CAUTION

See Side/Back Panel for Additional Precautionary Statements.

NET CONTENTS: 7.5 OUNCES

MANUFACTURED BY:

Unicorn Laboratories
1000 118th Avenue North
St. Petersburg, Florida 33716

ACCEPTED
with COMMENTS
in EPA Letter Dated

EPA REG. NO. 28293-189 (E:12/7/92)

EPA EST. NO. 47000-IA-1

SEP 16 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

28293-189

(
(
35

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Do not breathe vapors or spray mist. Avoid contact with skin, eyes or clothing. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contamination of food or feedstuffs.

Remove pets, birds and cover fish aquariums before spraying. Do not treat establishments where livestock feed is present.

Statement of Practical Treatment

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration hazard.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

**IF ON SKIN
OR CLOTHING:** Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

Physical or Chemical Hazards

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply when food processing facility is in operation or when food is exposed. Cover or remove all food and food processing equipment before application. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination. Do not exceed more than one application every fourteen (14) days in food handling establishments.

BEST AVAILABLE COPY

47

For Use in USDA Official Establishments: This product is acceptable as a pesticide for use in all areas of official establishments operating under the Federal meat, poultry, shell egg grading, and egg products inspection programs. Before using this pesticide compound, exposed food products and packaging materials must be removed from the room or protected. After using this compound, equipment and utensils must be washed with an effective cleaning compound and thoroughly rinsed with potable water before operations are resumed. Before food product may be placed in the area where the material is being used, the area should be sufficiently free of odor to prevent product contamination.

Do not use in feed handling establishments or where livestock feed is present.

In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Food areas include areas for receiving, storage, packaging (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are places where prepared foods are served, such as dining rooms, but not excluding areas where foods may be prepared or held. Non-food areas include entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

This product will kill cockroaches, confused flour beetles, crickets, fleas, houseflies, pill bugs, rice weevils, saw-toothed grain beetles, silverfish, small flying moths, spiders, ticks and wasps.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before reentry.

TO OPERATE VALVE: Place several layers of newspaper or pad on stand or table in the center of the room. To lock fogger valve in open position for automatic discharge, press valve button all the way down hooking in catch. Then place fogger on the stand or table. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet.

TO KILL TICKS AND FLEAS: Destroy pet's old bedding and replace with clean fresh bedding after treatment is completed. Use product as above. Pets should be treated with a registered flea and tick control product prior to reentering treated premises.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

EPA REG. NO. 28293-189(E)

EPA EST. NO. 47900-1A-1

BEST AVAILABLE COPY