

11/13 2002
1 3 4

AFTER

UNICORN LAWN SPRAY #2

Kills Fleas and Other Listed Outdoor Pests ✓

**Emulsifiable Concentrate for Use on Residential Lawns
and Around Residential Premises Only** ✓

ACTIVE INGREDIENT:

(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-
alpha-(1-methylethyl)benzeneacetate..... 0.44%

INERT INGREDIENTS:*..... 99.56%

100.00%

) * Contains Petroleum Distillate

✓
Keep Out of Reach of Children

CAUTION

See Side/Back Panel for Additional Precautionary Statements

✓
NET CONTENTS: 8 OUNCES

MANUFACTURED BY:

Unicorn Laboratories
1000 118th Avenue North
St. Petersburg, Florida 33716

BEST AVAILABLE COPY

EPA REG. NO. 29293-190-AA(E:5/27/92)

EPA EST. NO. 28293-PL-1

ACCEPTED
SEP 29 1993
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 29293-190

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if swallowed, absorbed through skin or inhaled. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes, or clothing. In case of contact, flush with plenty of water. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

Avoid contamination of food and feedstuff. Do not spray plants used for food or feed.

Environmental Hazards ✓

This product is extremely toxic to fish and other aquatic animals. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not apply to any body of water. Do not contaminate water by disposal of equipment washwaters. ✓

Physical and Chemical Hazards

Do not use or store near heat or open flame. ✓

Statement of Practical Treatment

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air or if not breathing give artificial respiration, preferably mouth to mouth. Get medical attention.

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LAWN FLEA CONTROL: To kill fleas harboring in lawns use this concentrate in a hose-end sprayer. Place required amount of concentrate in sprayer jar (see chart below) and fill with water to the recommended level. Mix well. Attach to sprayer and spray

EPA REG. NO. 28293-190(E)

EPA EST. NO. 28293-17-1

BEST AVAILABLE COPY

using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary at 7 to 14 day intervals.

Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennels or bedding area should also be treated with a registered flea control product in conjunction with this application.

Amount of Product to Use Fluid Ounces*	Amount of Water To use	Area to Be Treated
1-1/3 fl. oz.	3 gallons	500 sq. ft. (50'x10')
2-2/3 fl. oz. ✓	6 gallons ✓	1000 sq. ft. (50'x20')
5-1/3 fl. oz.	12 gallons	2000 sq. ft. (50'x40')

* NOTE: 1 fluid ounce = 2 Tablespoons = 6 Teaspoons ✓

FOR OUTDOOR PESTS: Mix concentrate in a compressed air sprayer or watering can at the rate of sixteen (16) fluid ounces per one (1) gallon of water to control on contact cockroaches, palmetto bugs, ants, crickets, sowbugs, spiders, and ticks. Use at the rate of one (1) gallon (diluted spray) per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

BUILDING PERIMETER TREATMENT: To help prevent infestations of buildings by ants, crickets, spiders, centipedes, and sowbugs (pillbugs), treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use sixteen (16) fluid ounces of concentrate per gallon of water and apply as a course wet spray at the rate of one (1) gallon per 1,000 square feet.

Hose-End Sprayer:

The hose-end sprayer is calibrated to deliver the correct dilution rate. No mixing or measuring necessary. Screw hose into back of sprayer. Insert dip-tube. Remove bottle cap (save for storage after use). Secure sprayer cap by turning bottle counter-clockwise. Turn on water supply. TO START FLOW OF INSECTICIDE, place index finger over hole on RIGHT side of sprayer cap. Spray evenly and completely over lawns and other infested areas, giving special attention to areas frequented by pets. Hold about 3 feet above surface moving at a steady pace to insure consistent,

thorough coverage. When treatment is complete, or you wish TO STOP FLOW OF INSECTICIDE for any reason, simply remove finger from hole to brake siphon action. TO STORE REMAINING INSECTICIDE: Turn off water supply and remove bottle from sprayer unit and hose by turning bottle clockwise. Replace cap on bottle and tighten securely. Unscrew hose from sprayer unit and rinse unit in clear water. Store in cool place.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: Do not reuse empty container. Wrap container in several layers of newspaper and discard in trash.