

28293-190

3/8/2001

1/4

MAR - 8 2001

Ms. Barbara J. Varner
Unicorn Laboratories
12385 Automobile Blvd.
Clearwater, FL 33762

Dear Ms. Varner:

Subject: Amendment - revised in accordance with PR Notice 2001-1
Unicorn Lawn Spray #2
EPA Registration No. 28293-190
Your Submission dated February 13, 2001

The amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(a), is acceptable provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a) Under First Aid If Swallowed change "n Do not give anything by mouth to an unconscious person." to "Do not give anything by mouth to an unconscious person."
3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager 13
Insecticide Branch
Registration Division (7505C)

Enclosure

2/4

UNICORN LAWN SPRAY #2
Kills Fleas and Other Listed Outdoor Pests

Kills Fleas and Ticks on Lawns
Also Kills Deer Ticks that Carry and Transmit Lyme Disease

Emulsifiable Concentrate for Use on Residential Lawns
and Around Residential Premises Only

ACTIVE INGREDIENT:

(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-
alpha-(1-methylethyl)benzeneacetate.....0.44%

INERT INGREDIENTS:*.....99.56%

Total:.....100.00%

* Contains Petroleum Distillate

Keep Out of Reach of Children
CAUTION

See Side/Back Panel for Additional Precautionary Statements

NET CONTENTS: 8 OUNCES

MANUFACTURED BY:

Unicorn Laboratories
12385 Automobile Blvd.
Clearwater, Florida 33762

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if swallowed, absorbed through skin or inhaled. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes, or clothing. In case of contact, flush with plenty of water. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

Avoid contamination of food and feedstuff. Do not spray plants used for food or feed.

EPA Reg. No. 28293-190-AA (E: 3/30/98)
(PRN 2001-1 2/12/01)

ACCEPTED
with COMMENTS
1 MAR 8 2001
EPA Est. No. 62478-FL-1A

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 44616-WO-1B
Subscript used is first letter of Run code on container.

28293-190

Environmental Hazards

This product is extremely toxic to fish and other aquatic animals. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not apply directly to water. Do not contaminate water by disposal of equipment washwaters.

Physical and Chemical Hazards

Do not use or store near heat or open flame.

FIRST AID	
If In Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If On Skin:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN	
Contains petroleum distillate – vomiting may cause aspiration pneumonia.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LAWN FLEA CONTROL: To kill fleas harboring in lawns use this concentrate in a hose-end sprayer. Place required amount of concentrate in sprayer jar (see chart below) and fill with water to the recommended level. Mix well. Attach to sprayer and spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary at 7 to 14 day intervals.

Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennels or bedding area should also be treated with a registered flea control product in conjunction with this application.

Amount of Product to Use Fluid Ounces*	Amount of Water To use	Area to Be Treated
1-1/3 fl. oz.	3 gallons	500 sq. ft. (50'x10')
2-2/3 fl. oz.	6 gallons	1000 sq. ft. (50'x20')
5-1/3 fl. oz.	12 gallons	2000 sq. ft. (50'x40')

* NOTE: 1 fluid ounce = 2 Tablespoons = 6 Teaspoons

FOR OUTDOOR PESTS: Mix concentrate in a compressed air sprayer or watering can at the rate of sixteen (16) fluid ounces per one (1) gallon of water to control on contact cockroaches, palmetto bugs, ants, crickets, sowbugs, spiders, and ticks. Use at the rate of one (1) gallon (diluted spray) per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

BUILDING PERIMETER TREATMENT: To help prevent infestations of buildings by ants, crickets, spiders, centipedes, and sowbugs (pillbugs), treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use sixteen (16) fluid ounces of concentrate per gallon of water and apply as a course wet spray at the rate of one (1) gallon per 1,000 square feet.

Hose-End Sprayer:

The hose-end sprayer is calibrated to deliver the correct dilution rate. No mixing or measuring necessary. Screw hose into back of sprayer. Insert dip-tube. Remove bottle cap (save for storage after use). Secure sprayer cap by turning bottle counter-clockwise. Turn on water supply. TO START FLOW OF INSECTICIDE, place index finger over hole on RIGHT side of sprayer cap. Spray evenly and completely over lawns and other infested areas, giving special attention to areas frequented by pets. Hold about 3 feet above surface moving at a steady pace to insure consistent, thorough coverage. When treatment is complete, or you wish TO STOP FLOW OF INSECTICIDE for any reason, simply remove finger from hole to brake siphon action. TO STORE REMAINING INSECTICIDE: Turn off water supply and remove bottle from sprayer unit and hose by turning bottle clockwise. Replace cap on bottle and tighten securely. Unscrew hose from sprayer unit and rinse unit in clear water. Store in cool place.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: Do not reuse empty container. Wrap container in several layers of newspaper and discard in trash.

EPA Reg. No. 28293-190-AA (E: 3/30/98)
(PRN 2001-1 2/12/01)

EPA Est. No. 62478-FL-1A
44616-MQ-1B
Subscript used is first letter of
Run code on container.

