MAR 6 1992

Mr. Barry J. Santerre
Unicorn Laboratories
1900 118th Avenue North
St. Petersburg, FL 34643

Dear Mr. Santerre:

BEST AVAILABLE COPY

Oubject: Additional use

Unicorn Dursban 2.5%C Grinules EPA Registration No. 28293-201

animinat application of Movember 27, 1931

We have reviewed the revised Confidential Statement of Sprouls. This information in accordable and will be placed in our Sile for your product. The remain, the Spy Registersian So. 464-519 have once transfer to the new Son Dog. No. is 60710-69.

The amendment referred to among, submitted in connection with registration under section 3(c)(7)(A) of the Rederal Insectionse, Fungicide, and Rodenticide Act (FIFRA), is non-ptable provided that you:

- Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submi such data.
- Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes accomplance of these conditions.

				CURCUPRENC	Ł:			
SYMBOL								
SURNAME				ļ				
DATE					**********	**********		• • • • • • • • • • • • • • • • • • •
EPA Ba-	1320-1 (12.70)	<u></u>	<u></u>	<u> </u>			OFFICE	AL EILE CORY

5 B 5 5

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr. Product Manager (19) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure

BEST AVAILANT CORPY!

3 4 6

ACCEPTED

*IO COMMENTS

IN FILE COMME

MAR 6 1992

UNICORN

DURSBAN* 2.5%G GRANULES

Contains 2.5% Chlorpyrifos

control of insecticide, control of the distinct Acts of the distinct Acts of the pesticide registered under LPA Reg. No. 28293-261

Controls Chinch Bugs, Sod Webworms (Lawn Noths), Ants, Fleas, Cockroaches, Brown Dog Ticks, Crickets, Certain White Grubs, **Cutworms, Earwigs, Sowbugs (Pillbugs) and Hyperodes (Turfgrass) Weevils***Infesting Home Lawns and Other Ornamental Turf Areas.

Controls the Imported Fire Ant in Mursery Bench and Potting Media and in Field Grown Ornamentals Intended for Use on Ornamental Plants Grown Outdoors in Containers.

ACTIVE INGREDIENT:	
Chlorpyrifos (0,0,-diethyl 0-(3,5,6-trichloro- 2-pyridyl) phosophorothioate)	2.58
INERT INGREDIENTS:	97.59
*Durshan trademark of the Dow Chemical Company	100.09

Keep Out of Reach of Children

CAUTION

See Side/Back Panels for Additional Precautionary Statements

MANUFACTURED BY:

Unicorn Laboratories 1002 118th Avenue North St. Petersburg, Florida 33716

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before reuse. Keep away from food, feedstuffs and domestic water supplies. Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Statement of Practical Treatment

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

IF ON SKIN: In case of contact, remove contaminated clothing and immediately wash skin with plenty of soap and water. Thoroughly launder clothing before wearing again.

NOTE TO PHYSICIAN: Chlorpyrifos is a Cholinesterase inhibitor. Treat symptomatically. Atropine, by injection, is antidote of choice. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply granules uniformly to home lawns and other ornamental and recreational turf areas using any hand or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear, using granules at the rate of 40 pounds per acre.

To help obtain uniform distribution, apply one-half the required amount of product in one direction; then apply the balance at a right angle. Immediately after application, sprinkle the turf with 1300 gallons of water per acre so as to wash the granules into the zone of insect infestation. Consult the following table to determine the amount of granules and water needed for small sized areas. Re-treat as necessary.

RATES TO USE

Areas to be Treated	Pounds DURSBAN* 2.5%G	Gals. of Water to Sprinkle on Turf after Treatment		
1,000 sq. ft.	1	30		
5,000 sq. ft.	5	150		
10,700 sq. ft.	10	325		

<u>Fleas and Brown Dog Ticks:</u> Thoroughly apply granules as a spot treatment to infested areas such as:

PETS BEDS: Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. Do not apply this product indoors. To control the source of your flea infestation, treat pets with an E.P.A. approved product registered for direct application to pets.

YARD AREAS: Apply granules uniformly to home lawns, under shrubbery and other ornamental recreational turf grass areas. Treat when insects first appear using Granules at the rate of one pound per 1,000 sq. ft. To help obtain uniform distribution, apply one-half required amount of product in one direction, then apply the balance at a right angle. Immediately after application, sprinkle the turf with 50 gallons of water per 1,000 sq. ft. so as to wash the granules into the zone of insect infestation. Retreat as necessary.

DO NOT TREAT PETS WITH THIS PRODUCT

<u>Cockroaches</u>: To help prevent infestation of buildings by cockroaches, treat a band 6 to 10 feet wide around and adjacent to the building where pets are active and may find entrance. Treat at a rate of one pound per 1,000 square feet.

EPA REG. NO. 28293-201(E)

BPA EST. NO. 28293-FL-1

**To Control Certain White Grubs (larvae of European chafer and Japanese Beetle): Use two to four times the amounts of granules shown in the table (i.e., 2-4 lbs. per 1,000 sq. ft.). After application, apply enough water to thoroughly wash the insecticide into the turf. For best results, treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service for

***To Control Hyperodes (Turfgrass) Weevils: Use twice the rate of granules shown in the table. Treat suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialist for best time to treat in your area.

proper time to treat in your area.

Apply for the control of Imported Fire Ants in nursery bench and potting media: Thoroughly mix 1 pound of this product per cubic yard of media. Use equipment suitable to give uniform distribution of granules.

To treat Field Grown Woody Ornamentals (Bailed and Burlapped Stock):

- To be used as a preharvest treatment on non-food bearing field drown woody ornamentals. Use this product in combination with an imported fire ant bait approved by USDA (APHIS/PPQ) for use in fire ant quarantine program.
- 2. Apply this product 3-5 days after approved bait application, with equipment capable of uniform distribution at a rate of 250 lbs. per acre or 4 lbs. per 750 sq. ft. (6 lbs. A.1.per acre). This application will provide a 60-day certification period following a 30-day exposure period.
- 3. To extend certification period, re-treat areas with this product every 90 days.
- 4. Use this product only in accordance with USDA quidelines.
- 5. Do not use plants for food or feed purposes which have been exposed to soil treated with this product.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area inaccessible to children and domestic animals.

DISPOSAL: Do not re-use container. Wrap and put in trash.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY of FITNESS FOR A PARTICULAR PURPOSE, express or implied extends to the use of this product contrary to label instruction or under abnormal conditions or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

THIS CONTAINER IS FILLED BY WEIGHT NOT BY VOLUME. YOU CAN BE ASSURED OF THE PROPER WEIGHT EVEN THOUGH SOME SETTLING OF CONTENTS NORMALLY OCCURS DURING TRANSPORTATION AND HANDLING.

6 02 6