

Pg 134

ACCEPTED  
APR 13 1994  
Under the  
Fungicide, Insecticide,  
or acaricide, for the use of  
registered under  
EPA Reg. No. 28293-208

**UNICORN  
GARDEN SPRAY CONCENTRATE**

**A PYRENONE<sup>(R)</sup> INSECTICIDE CONCENTRATE**

**A Fast Acting Effective Way to Kill Aphids, Beetles,  
Webworms, Leafhoppers and many other Yard  
and Garden Insects.**

**Dilute with water for use on Vegetable and Ornamental Plants**

**Mixes readily with water to make an Easy-to-Use Spray**

**Use Outdoors on Flowers, Roses, Trees, and Shrubs,  
Ornamentals and Vegetables**

**Can be used on Vegetables till Day of Harvest**

**Provides Effective, Fast-Acting, Killing Power**

**ACTIVE INGREDIENTS:**

Pyrethrins.....	1.00%
Piperonyl Butoxide, Technical*.....	10.00%

INERT INGREDIENTS:**.....	89.00%
	100.00%

\* Equivalent to min. 8.0% (butylcarbityl)(6-propylpiperonyl) ether and 2.0% related compounds.

\*\* Contains petroleum Distillate

**PYRENONE - Registered Trademark of Fairfield American Corporation.**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**See Side/Back Panel for Additional Precautionary Statements**

**NET CONTENTS:**

**MANUFACTURED BY:**

**Unicorn Laboratories  
1002 118th Avenue North  
St. Petersburg, Florida 33716**

**EPA REG. NO. 28293-208 (E:10/15/93)  
(WPS)**

**EPA EST. NO. 28293-FL-1**

269

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes.

**Personal Protective Equipment:** Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

**Applicators and other handlers must wear:** Long-sleeved shirt and long pants, Chemical-resistant gloves, such as barrier laminate or nitrile rubber or neoprene rubber or viton and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**User Safety Recommendation:** Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

**Statement of Practical Treatment**

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard.

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

**IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

**IF ON SKIN OR CLOTHING:** Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water.

**Environmental Hazards**

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, Chemical-resistant gloves, such as barrier laminate or nitrile rubber or neoprene rubber or viton and shoes plus socks.

This insecticide may be used outdoors or in greenhouses throughout the entire growing season or as a preharvest treatment when other insecticides are prohibited due to residue restrictions and use limitations. To control insects named on the plants listed below, apply concentrate at a rate of 12 to 24 fluid ounces per acre, in sufficient water for thorough coverage (normally 100 gallons per acre). For smaller gardens, use 1/2 to one tablespoon of concentrate per gallon of water which is sufficient for 300 to 600 square feet. Apply to insure thorough coverage of upper and lower leaf surfaces. Use caution on new growth and tender foliage.

Prepare only the amount of spray required. Holding dilute spray more than 24 hours is not recommended.

<u>CROP</u>	<u>TO CONTROL</u>
Asparagus	Asparagus Beetle
Beans	Aphids, Leafhoppers, 12-Spotted Cucumber Beetle, Whitefly, Mexican Bean Beetle.
Broccoli, Cabbage, Brussels Sprouts, Cauliflower	Aphids, Cabbage Looper, Cross-Striped Cabbage worm, Diamond-back Moth Larvae, Flea Beetle, Harlequin Bug, Imported Cabbageworm, Stinkbug.

434

<b>CROP</b>	<b>TO CONTROL</b>
Celery	Green Peach Aphid, Leaf-tier, Cabbage Looper.
Cranberries	Fireworms, Leafhopper
Eggplants	Blister Beetle, Colorado Potato Beetle, Flea Beetle, Green Peach Aphid.
Lettuce	Cabbage Looper, Green Peach Aphid, Diamond-back Moth Larvae, Imported Cabbageworm.
Mustard Greens, Kale, Collards Turnips	Imported Cabbageworm, Diamond-back Caterpillar, Aphids, Cabbage Looper.
Peppers	Green Peach Aphid
Potatoes	Aphids, Colorado Potato Beetle, Flea Beetle, Leafhoppers.
Radish	Aphids, Flea Beetle
Spinach	Aphids, Cabbage Looper, Webworm.
Tomatoes	Green Peach Aphid, Stinkbug, Colorado Potato Beetle, Flea Beetle.
ORNAMENTALS (African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwoods, Geraniums, Gladioli, Marigolds, Roses, Rubber Plants, Wandering Jew, etc.)	Aphids, Flea Beetles, Leafhopper.

#### **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

#### **CONTAINERS ONE GALLON AND SMALLER:**

**STORAGE:** Store upright at room temperature.

**DISPOSAL:** Do not reuse container. Securely wrap container in several layers of newspaper and discard in trash.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.