

PU 19 28293-211 P7 174  
ACCEPTED  
NOV 10 1994  
EPA REG. NO. 28293-211

UNICORN  
TERMI-CHLOR  
TERMITE CONCENTRATE

A Concentrate that Effectively Controls Subterranean Termites.

ACTIVE INGREDIENT:

Chlorpyrifos (O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate..... 12.6%

INERT INGREDIENTS:\*\*..... 87.4%  
100.0%

Contains 1 pound chlorpyrifos per gallon.

\*\* Contains petroleum distillates.  
Contains Dursban<sup>(R)</sup>, registered trademark of DowElanco

KEEP OUT OF REACH OF CHILDREN

WARNING

See Side/Back Panel for Additional Precautionary Statements.

This Product Treats 30 Linear Feet per 1/2 Gallon Container

Do not ship or store with food, feed, drugs or clothing.

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

NET CONTENTS:

MANUFACTURED BY:  
Unicorn Laboratories  
One Corporate Drive, Suite 400  
Clearwater, FL 34622

EPA REG. NO. 28293-211

EPA EST. NO. 32478-FL-1A  
44616-MO-1B

Subscript used is first letter  
of run code on container.

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**WARNING:** Causes eye irritation - Harmful if swallowed. Do not take internally. Do not get in eyes, on skin or clothing. Wash contaminated clothing before reuse. Avoid breathing vapors and spray mist. Keep away from food, feedstuffs, and domestic water supplies. Keep container closed. Handle concentrate in a ventilated area.

**Statement of Practical Treatment**

**IF SWALLOWED:** Do not induce vomiting. Contains aromatic petroleum solvent. Call a physician immediately.

**IF ON SKIN:** In case of contact, remove contaminated clothing and immediately wash skin with plenty of soap and water.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician.

**IF INHALED:** Remove to fresh air if symptoms of cholinesterase inhibition appear and get medical attention.

**NOTE TO PHYSICIAN:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is antidotal.

**Environmental Hazards**

This pesticide is extremely toxic to fish, birds, and other wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

**Physical or Chemical Hazards**

**COMBUSTIBLE:** Do not use or store near heat or open flame. Do not cut container.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in original container only, and in locked storage area. Store in areas inaccessible to children.

**DISPOSAL:** Do not reuse container. Rinse thoroughly and wrap securely in several layers of newspaper and discard in trash.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**SUBTERRANEAN TERMITES - DIRECTIONS FOR HOMEOWNER USE  
TERMITE CONTROL AROUND EXISTING STRUCTURES  
Buildings with Basements or Crawl Spaces**

First remove all wood debris and wood forms. Outside, around piers, pipes, chimney bases and along foundations of poured concrete, dig a trench 6 inches wide and 4 inches deep. For brick and block foundations, dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or rod about 1 foot apart that extend from the trench bottom to the top of the footing. Make holes closer in hard-packed clay soils. **NEVER DIG BELOW THE TOP OF THE FOOTING.** Apply the emulsion (or solution) in the trench at a rate of 4 gallons per 10 linear feet per foot of depth. Apply half of this to the back-fill. Termi-Chlor Termite Concentrate should be applied as a 1/2% water emulsion. Mix 1 gallon of concentrate in 24 gallons of water to produce a 1/2% emulsion. Cover treated soil with a thin layer of untreated soil.

For raised porches, terraces and outdoor entrance slabs, drill holes at 1 foot intervals, 6 inches from the foundation, and pour 1/2 gallon of emulsion (or solution) into each hole. Refill holes. Slabs with heat ducts or radiating heat pipes, should be treated by a commercial pest control operator.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. For severe infestations or treatment under slabs, in basements and buildings with insufficient crawl space, etc., contact a licensed pest control operator or termite control service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use anti-back-flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-back-flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), State, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water, or if the soil to be treated around the perimeter of the structure is at a grade lower than surrounding yard or property area. If this is the situation, apply as follows: **DO NOT APPLY UNDER PRESSURE.** Soil should be removed

to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for 2-4 hours, then returned to the trench which has been lined with 4 mil. plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns or wells.

**RETREATMENT RESTRICTIONS**

1. Retreatment for subterranean termites should only be made when there is evidence of re-infestation subsequent to the initial treatment, or there has been a disruption of the chemical barrier in the soil due to construction, excavation, landscaping, etc.
2. Retreatments may be made to critical areas in accordance with the application techniques described above. This application should be made as a spot treatment to these areas.

Annual treatment of the entire premises must be avoided.