



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

February 16, 2012

Ms. Rebecca M. Horton
Consultant/Agent for PHAETON CORPORATION
c/o Registrations by Design, Inc.
P.O. Box 1019
Salem, VA 24153-1019

Subject: Acceptance of Amended Reregistration Label
Product Name: UNICORN® IGR TOTAL RELEASE FOGGER
EPA Registration Number: 28293-214
EPA Decision Number(s): D412099, D413420 & D414339
Your Resubmission Dated February 16, 2012

Dear Ms. Horton:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the referenced product in connection with the **REDs for Pyrethrins, Permethrin, and MGK-264 Insecticide Synergist**, and has concluded that your submission is acceptable.

In accordance with the Agency's guidance documents entitled "Required Label Language for Indoor Total Release Fogger (TRF) Products," dated March 23, 2010, and "Update On Required Label Language for Indoor Total Release Fogger Products," dated July 6, 2011, please consider the following regarding the subject product: (1) Avoid multipacks for consumer use; (2) Adopt smaller unit sizes (*e.g.*, 2 oz. versus the standard 6 oz.); (3) Utilize a time-delayed release mechanism (3-5 seconds); and (4) Switch to non-flammable propellants.

In addition, please note that the record for this product currently contains the CSF listed below. Any previously dated CSFs are superseded.


- Basic CSF, dated August 15, 2011

PLEASE NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

A copy of your label stamped "Accepted" is enclosed for your records. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with section 6(e) of FIFRA.

If you have any questions about this letter, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 or via e-mail at Rodia.Carmen@epa.gov or Mr. Richard J. Gebken at (703) 305-6701 or via e-mail at Gebken.Richard@epa.gov during the hours of 9:00 A.M. to 5:30 P.M. EST.

Sincerely Yours,


Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

Enclosure: *Label stamped "Accepted"*
028293-00214 D412099, D413420 & D414339

3/16

ACCEPTED

February 16, 2012

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

[MASTER LABEL - COMMERCIAL USE]

UNICORN®
IGR TOTAL RELEASE FOGGER EPA Reg. No: 28293-214

Optional Marketing Statements:

Total Release Fogger for Fleas with NYLAR® Insect Growth Regulator
 Kills Adult and Preadult Fleas.
 Prevents Reinfestation for 7 Months [210 Days] [30 weeks]
 One Unit (6 oz) Treats Up to 6,000 Cubic Feet of unobstructed space (27 x 27 x 8)
 Water-based
 An insect growth regulator similar to the naturally occurring insect growth hormones which interferes (stops) their growth and development.
 Stops (prevents) the flea from developing into egg laying adults.
 Can be used as part of an integrated pest management program.
 Can be a biorational approach to insect control
 Keeps working in areas exposed to the sun.
 Prevents fleas from developing into the biting adult stage.
 Stops (prevents) hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults.
 One treatment works for [210 days] [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)].
 Kills present (today's) fleas and prevents new (tomorrow's) fleas from growing up to bite.
 Activity keeps working for [210 days] [30 weeks] [7 months].
 Kills [stops (prevents)] stages of fleas that don't look like fleas.
 Prevents [stops] the emergence of adult fleas.
 Flea eggs deposited on treated areas will not develop into adult fleas.
 Larvae crawling onto treated areas will not develop into adult fleas.
 Acts on the immature life stage of the flea, preventing it from developing into biting adults.
 Kills cockroaches, ticks, spiders, ants, and other listed insects.
 Also kills Deer Ticks and other Ixodid species that may carry and transmit Lyme Disease.
 Effective long term control.

ACTIVE INGREDIENTS:

2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.10%
Pyrethrins	0.05%
N-Octyl bicycloheptene dicarboximide*	0.38%
Permethrin**	0.40%

OTHER INGREDIENTS:	<u>99.07%</u>
TOTAL	100.00%

*MGK® 264 Insecticide Synergist
 **Cis/trans ratio: Min. 35% (+/-) cis and max. 65% (+/-) trans

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back/side/other panel(s) for additional Precautionary Statements & First Aid.

NET WEIGHT: _____

4/16

FIRST AID	
If On Skin or Clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call xxx-xxx-xxxx, twenty-four (24) hours per day, seven (7) days per week.	

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if absorbed through skin. Breathing spray mist may be harmful. Avoid inhalation of vapor or spray mist. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear the following: Long-sleeve shirt; Long pants; Shoes and socks; and Chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber or vitron.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run-off into storm drains, drainage ditches, gutters or surface waters. Do not apply directly to or near water. Drift and run-off may be hazardous to aquatic organisms in water adjacent to treated areas. See Directions for Use for additional precautions and requirements.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause fire or explosion if not used properly. Follow the "Directions for Use" on this label carefully.



Highly Flammable Ingredient
Ingrediente Altamente Inflamable

NYLAR®, an insect growth regulator, is similar to growth hormones that occur naturally in insects. It inhibits development of the immature stages of the flea for [210 days][30 weeks][7 months], preventing them from reaching the biting adult stage.

This product contains a combination of three insecticides that stops [blocks (interrupts) (terminates)] the flea life cycle in three ways and controls other listed insects. The first insecticide is NYLAR®, an insect growth regulator that will not allow the flea to reproduce thereby providing long term (residual) control. The second insecticide is the botanical Pyrethrum, (an extract of a Chrysanthemum flower), which provides effective, quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control (kill). Permethrin, the third active insecticide, provides activity until NYLAR® takes effect.

This product contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas][hatching eggs (larvae)]. Kills hatching fleas [preadult (larval) fleas][hatching eggs (larvae)] before they grow up to bite. The insect growth regulator in this product continues to kill (control) hatching fleas [preadult (larval) fleas][hatching eggs (larvae)] for [210 days][30 weeks][7 months] by preventing their development into adults. The product reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

To protect pets against and to minimize the reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, in conjunction with this application and prior to re-entry. As part of a complete flea control program use an EPA registered outdoor spray.

Kills the following listed insects:

- | | | |
|--|------------------|--|
| Cockroaches [adults](nymphs)] | Warehouse Beetle | Wood Borer (exposed) |
| Smokey Brown Cockroach [adults](nymphs)] | Red Flour Beetle | Fleas [adults (larvae) (eggs)(preadult)] |
| Brown Banded Cockroach [adults](nymphs)] | Grain Mite | Ticks [that may carry and transmit Lyme Disease] |
| Asian Cockroach [adults](nymphs)] | Cheesemite | Brown Dog Ticks |
| German Cockroach [adults](nymphs)] | Sowbugs | Lone Star Ticks |
| American Cockroach [adults](nymphs)] | Millipedes | Deer Tick |
| Australian Cockroach [adults](nymphs)] | Beetles | Other Ixodid species |
| Waterbugs [adults](nymphs)] | Ground Beetles | American Dog Tick |
| Palmetto Bugs [adults](nymphs)] | Elm Leaf Beetle | Gulf Coast Tick |
| Dermestids [Carpet Beetles (Trogoderma)] | Boxelder Bug | Flying Moths (small) |
| Foraging Ants [Fire Ants][Pharaoh Ants] | Earwigs | Almond Moth |
| Carpenter Ants [Easter (Western)] | Lice | Chocolate Moth |
| Granary Insects | Pillbugs | Tobacco Moth |
| Flat Grain Beetle | Clover Mites | Indian Meal Moth |
| Cadelle | Centipedes | Indian Mealworm |
| Rice Weevil | Midge | Angoumois Grain Moth |
| Flour Beetle | Flies | Hornets |
| Cigarette Beetle | Gnats | Carpenter Bees |
| Drugstore Beetle | Cluster Fly | Wasps |
| Lesser Grain Borer | Mosquito | Yellowjackets |
| Merchant Grain Beetle | Sciarid Fly | [Eastern stages] |
| Sawtoothed Grain Beetle | Firebrat | (Western)] |
| Grain Weevil | Silverfish | |
| | Booklice | |

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Treehouses, Trucks, Verandas, Warehouses, and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions

Apply this product only as specified on this label. Do not contaminate food or feedstuffs. This product is not for use in outdoor residential misting systems. Do not use in aircraft cabins. Do not apply this product directly to domestic animals (pets). Do not apply this product in a way that will contact adults, children or pets, either directly or through drift. Only protected handlers may be in the area during application. Do not remain in treated area. Exit area immediately and remain outside the treated area until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated. Do not use in food/feed areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where food is served such as dining rooms, but excluding areas where foods may be prepared or held. Commercial food/feed areas where this product cannot be used include areas for receiving, serving, storage (dry, cold, frozen, raw), packaging (cleaning, slicing, cooking, grinding), edible waste storage and/or enclosed processing systems (mills, dairies, edible oils, syrups). Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and/or storage (after canning or bottling). When used in dairy barn or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking. Application of this product is prohibited directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow this product to enter any drain during or after application. Remove pets and birds, and cover fish aquariums and turn aquarium systems off prior to use.


For use in apartments, attics, basements, boats, cabins, campers, closed barns, condominiums, day camps, dormitories, drive-ins, drugstores, factories, food plants, garages, homes, horse stables, household storage areas, kennels, pet sleeping areas, poultry houses, rooms, greenhouses (noncommercial), enclosed porches, ship cabins, lathouses, seed houses, tents, washrooms, and the non-food/feed areas of schools, theaters, trucks, warehouses, boxcars, hospitals, hotels, industrial plants, motels and preschools. **Does not control bed bugs.**

One 6 ounce canister fogger will treat a room up to 27' x 27' with an 8 foot ceiling. [One 5 ounce canister fogger will treat a room up to 25' x 25' with an 8 foot ceiling or 5000 cubic feet.] [One 4 ounce canister fogger will treat a room up to 22' x 22' with an 8 foot ceiling or 4000 cubic feet.] [One 3 ounce canister fogger will treat a room up to 20' x 20' with an 8 foot ceiling or 3000 cubic feet.][One 2 ounce canister fogger will treat a room up to 16' x 16' with an 8 foot ceiling or 2000 cubic feet.]

To Use This Product Correctly:




Do not use more than one fogger per room. Do not use in small confined areas (e.g., a room 5' x 5' or smaller). Instead, allow fog to enter from other rooms.



Do not use in small, enclosed spaces such as closets, cabinets or under counters or tables. **Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property.**



Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.



Before You Fog

Open cupboards, cabinets, trunks and doors to area to be treated to allow maximum kill in all areas where insects can hide and breed. Close outside doors and windows and shut off fans and air conditioning to maximize killing power of fog. Immediately before activating the canister, complete the door hang-tag by filling in th time and date to instruct family and other people with access to the treated area (premises) not to enter for at least two (2) hours following the time of activation. Hang the tag on the door to the entrance.



Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use. Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger (newspaper may be used). Cover or remove plants.


Remove pets, birds, and cover fish bowls and aquariums before spraying. Remove poultry before treating poultry houses.

To Start Fogging

SHAKE WELL JUST BEFORE USING. Place a section of newspaper on floor in center of room to be treated. **NOTE:** Do not place fogger on water-stainable surface. Tilt can opening away from face and depress tab firmly with thumb until it clicks in locked position. Aiming spray away from face, set fogger on newspaper. **Vacate the treated house, individual apartment unit, or other structure immediately.** Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours (30 minutes for flying insects).

8/16


Do Not Re-enter



For 2 Hours.

Close door and keep area closed for 2 hours (30 minutes for flying insects) before airing out.

Airing Out



Do not allow adults, children, or pets to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated. Wait two (2) hours after application, and open windows, vents, and doors for two (2) hours. If an odor is still detected, additional ventilation is required.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in a cool, dry area inaccessible to children and pets and away from heat, sparks or open flame.

Pesticide Disposal & Container Handling: Do not puncture or incinerate!

If empty –Place in trash or offer for recycling if available. *If partly filled* – Call your local solid waste agency or for disposal instructions.

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning this use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this product when such use and/or handling is contrary to label instructions.

Phaeton Corporation
P.O. Box 290, Madison, GA 30650

[Lot No. added at production.]

[Note to EPA: Spanish translation to be completed on label approval by Agency.]

MGK® and NYLAR® - registered trademarks of McLaughlin Gormley King Company

9/16

Door Knob Hang Tag to be provided at the point-of-sale:

FRONT:

<p>DO NOT ENTER UNTIL</p> <p>_____</p> <p>(insert time)</p> <p>ON</p> <p>_____</p> <p>(insert date)</p>

BACK:

<p>Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours (30 minutes for flying insects).</p>

10/16

[SUB LABEL - RESIDENTIAL USE]

UNICORN® IGR TOTAL RELEASE FOGGER

Optional Marketing Statements:

Total Release Fogger for Fleas with NYLAR® Insect Growth Regulator
 Kills Adult and Preadult Fleas.
 Prevents Reinfestation for 7 Months [210 Days] [30 weeks]
 One Unit (6 oz) Treats Up to 6,000 Cubic Feet of unobstructed space (27 x 27 x 8)
 Water-based
 An insect growth regulator similar to the naturally occurring insect growth hormones which interferes (stops) their growth and development.
 Stops (prevents) the flea from developing into egg laying adults.
 Can be used as part of an integrated pest management program.
 Can be a biorational approach to insect control
 Keeps working in areas exposed to the sun.
 Prevents fleas from developing into the biting adult stage.
 Stops (prevents) hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults.
 One treatment works for [210 days] [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)].
 Kills present (today's) fleas and prevents new (tomorrow's) fleas from growing up to bite.
 Activity keeps working for [210 days] [30 weeks] [7 months].
 Kills [stops (prevents)] stages of fleas that don't look like fleas.
 Prevents [stops] the emergence of adult fleas.
 Flea eggs deposited on treated areas will not develop into adult fleas.
 Larvae crawling onto treated areas will not develop into adult fleas.
 Acts on the immature life stage of the flea, preventing it from developing into biting adults.
 Kills cockroaches, ticks, spiders, ants, and other listed insects.
 Also kills Deer Ticks and other Ixodid species that may carry and transmit Lyme Disease.
 Effective long term control.

ACTIVE INGREDIENTS:

2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.10%
Pyrethrins	0.05%
N-Octyl bicycloheptene dicarboximide*	0.38%
Permethrin**	0.40%

OTHER INGREDIENTS:	<u>99.07%</u>
TOTAL	100.00%

*MGK® 264 Insecticide Synergist
 **Cis/trans ratio: Min. 35% (+/-) cis and max. 65% (+/-) trans

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back/side/other panel(s) for additional Precautionary Statements & First Aid.

NET WEIGHT: _____

FIRST AID	
If On Skin or Clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call xxx-xxx-xxxx, twenty-four (24) hours per day, seven (7) days per week.	

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if absorbed through skin. Breathing spray mist may be harmful. Avoid inhalation of vapor or spray mist. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run-off into storm drains, drainage ditches, gutters or surface waters. Do not apply directly to or near water. Drift and run-off may be hazardous to aquatic organisms in water adjacent to treated areas. See Directions for Use for additional precautions and requirements.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause fire or explosion if not used properly. Follow the "Directions for Use" on this label carefully.



Highly Flammable Ingredient
Ingrediente Altamente Inflamable

NYLAR®, an insect growth regulator, is similar to growth hormones that occur naturally in insects. It inhibits development of the immature stages of the flea for [210 days][30 weeks][7 months], preventing them from reaching the biting adult stage.

This product contains a combination of three insecticides that stops [blocks (interrupts) (terminates)] the flea life cycle in three ways and controls other listed insects. The first insecticide is NYLAR®, an insect growth regulator that will not allow the flea to reproduce thereby providing long term (residual) control. The second insecticide is the botanical Pyrethrum, (an extract of a Chrysanthemum flower), which provides effective, quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control (kill). Permethrin, the third active insecticide, provides activity until NYLAR® takes effect.

This product contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas][hatching eggs (larvae)]. Kills hatching fleas [preadult (larval) fleas][hatching eggs (larvae)] before they grow up to bite. The insect growth regulator in this product continues to kill

(control) hatching fleas [preadult (larval) fleas][hatching eggs (larvae)] for [210 days][30 weeks][7 months] by preventing their development into adults. The product reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize the reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, in conjunction with this application and prior to re-entry. As part of a complete flea control program use an EPA registered outdoor spray.

Kills the following listed insects:

- | | | |
|--|------------------|--|
| Cockroaches [adults](nymphs)] | Warehouse Beetle | Wood Borer (exposed) |
| Smokey Brown Cockroach [adults](nymphs)] | Red Flour Beetle | Fleas [adults (larvae) (eggs)(preadult)] |
| Brown Banded Cockroach [adults](nymphs)] | Grain Mite | Ticks [that may carry and transmit Lyme Disease] |
| Asian Cockroach [adults](nymphs)] | Cheesemite | Brown Dog Ticks |
| German Cockroach [adults](nymphs)] | Sowbugs | Lone Star Ticks |
| American Cockroach [adults](nymphs)] | Millipedes | Deer Tick |
| Australian Cockroach [adults](nymphs)] | Beetles | Other Ixodid species |
| Waterbugs [adults](nymphs)] | Ground Beetles | American Dog Tick |
| Palmetto Bugs [adults](nymphs)] | Elm Leaf Beetle | Gulf Coast Tick |
| Dermestids [Carpet Beetles (Trogoderma)] | Boxelder Bug | Flying Moths (small) |
| Foraging Ants [Fire Ants][Pharaoh Ants] | Earwigs | Almond Moth |
| Carpenter Ants [Easter (Western)] | Lice | Chocolate Moth |
| Granary Insects | Pillbugs | Tobacco Moth |
| Flat Grain Beetle | Clover Mites | Indian Meal Moth |
| Cadelle | Centipedes | Indian Mealworm |
| Rice Weevil | Midge | Angoumois Grain Moth |
| Flour Beetle | Flies | Hornets |
| Cigarette Beetle | Gnats | Carpenter Bees |
| Drugstore Beetle | Cluster Fly | Wasps |
| Lesser Grain Borer | Mosquito | Yellowjackets |
| Merchant Grain Beetle | Sciarid Fly | [Eastern stages] |
| Sawtoothed Grain Beetle | Firebrat | (Western)] |
| Grain Weevil | Silverfish | |
| | Booklice | |

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches and Verandas, Condominiums, Dormitories, Garages, Homes, Kitchens, Pet Sleeping Areas, Storage Areas, and Treehouses.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions

This product is intended for indoor residential use only. Apply this product only as specified on this label. Do not contaminate food or feedstuffs. This product is not for use in outdoor residential misting systems. Do not apply this product directly to domestic animals (pets). Do not apply this product in a way that will contact adults, children or pets, either directly or through drift. Only protected handlers may be in the area during application. Do not remain in treated area. Exit area immediately and remain outside the treated area until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated. Do not use in food handling establishments, restaurants or other areas where food is

commercially prepared or processed. Do not use in serving areas (dining rooms, kitchens) while food is exposed. Application of this product is prohibited directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow this product to enter any drain during or after application. Remove pets and birds, and cover fish aquariums and turn aquarium systems off prior to use.


For use in apartments, attics, basements, boats, cabins, campers, closed barns, condominiums, dormitories, garages, homes, horse stables, household storage areas, pet sleeping areas, rooms, greenhouses (noncommercial), enclosed porches, tents, washrooms. **Does not control bed bugs.**

One 6 ounce canister fogger will treat a room up to 27' x 27' with an 8 foot ceiling. [One 5 ounce canister fogger will treat a room up to 25' x 25' with an 8 foot ceiling or 5000 cubic feet.] [One 4 ounce canister fogger will treat a room up to 22' x 22' with an 8 foot ceiling or 4000 cubic feet.] [One 3 ounce canister fogger will treat a room up to 20' x 20' with an 8 foot ceiling or 3000 cubic feet.][One 2 ounce canister fogger will treat a room up to 16' x 16' with an 8 foot ceiling or 2000 cubic feet.]

To Use This Product Correctly:




Do not use more than one fogger per room. Do not use in small confined areas (e.g., a room 5' x 5' of smaller). Instead, allow fog to enter from other rooms.



Do not use in small, enclosed spaces such as closets, cabinets or under counters or tables. **Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property.**



Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.



Before You Fog

Open cupboards, cabinets, trunks and doors to area to be treated to allow maximum kill in all areas where insects can hide and breed. Close outside doors and windows and shut off fans and air conditioning to maximize killing power of fog. Immediately before activating the canister, complete the door hang-tag by filling in the time and date to instruct family and other people with access to the treated area (premises) not to enter for at least two (2) hours following the time of activation. Hang the tag on the door to the entrance.




Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use. Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger (newspaper may be used). Cover or remove plants.

Remove pets, birds, and cover fish bowls and aquariums before spraying. Remove poultry before treating poultry houses.

To Start Fogging

SHAKE WELL JUST BEFORE USING. Place a section of newspaper on floor in center of room to be treated. **NOTE:** Do not place fogger on water-stainable surface. Tilt can opening away from face and depress tab firmly with thumb until it clicks in locked position. Aiming spray away from face, set fogger on newspaper. **Vacate the treated house, individual apartment unit, or other structure immediately.** Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours (30 minutes for flying insects).


Do Not Re-enter



For 2 Hours.

Close door and keep area closed for 2 hours (30 minutes for flying insects) before airing out.

Airing Out



Do not allow adults, children, or pets to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated. Wait two (2) hours after application, and open windows, vents, and doors for two (2) hours. If an odor is still detected, additional ventilation is required.

15/16

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in a cool, dry area inaccessible to children and pets and away from heat, sparks or open flame.

Pesticide Disposal & Container Handling: Do not puncture or incinerate!

If empty –Place in trash or offer for recycling if available. *If partly filled* – Call your local solid waste agency or for disposal instructions.

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning this use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this product when such use and/or handling is contrary to label instructions.

Phaeton Corporation
P.O. Box 290, Madison, GA 30650

[Lot No. added at production.]

[Note to EPA: Spanish translation to be completed on label approval by Agency.]

MGK® and NYLAR® - registered trademarks of McLaughlin Gormley King Company

16/16

Door Knob Hang Tag to be provided at the point-of-sale:

FRONT:

<p>DO NOT ENTER UNTIL</p> <p>_____</p> <p>(insert time)</p> <p>ON</p> <p>_____</p> <p>(insert date)</p>

BACK:

Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours (30 minutes for flying insects).