10

28293-220

poper 1 of 6

United States Environmental Protection Agency Washington, D.C. 20460

> Office of Prevention, Pesticides and Toxic Substances

007 1 5 193:

Barry J Santerre UNICORN LABS & PHAETON CORP 1000 118TH AVE N ST. PETERSBURG FL 33716

Subject: Label Amendment Submission of 06/10/93 in Compliance with WPS Labeling Requirements EPA Reg No. 28293-220 UNICORN PRESSURIZED GARDEN SPRAY

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is accepted subject to the comments listed below.

Based on your certification, the Agency has accepted only those changes to your labeling which are necessary to comply with PR Notices 93-7 and 93-11, which reflect the WPS labeling requirements of 40 CFR part 156, subpart K. Any other labeling changes submitted in connection with this amendment application and not directly related to compliance with PR Notice 93-7 or 93-11 have neither been reviewed nor accepted by the Agency. If you wish to make any such changes, you must submit a separate amendment application proposing them. If your product registration is currently suspended, acceptance of this labeling amendment does not affect the suspension in any way.

A copy of your proposed labeling stamped "Accepted with comments" is attached. Make any required changes described in the attached and send three copies of final labeling as soon as it is available to:

Document Processing Desk (FIN-LABEL)

Office of Pesticide Programs (H-7504C) U.S. Environmental Protection Agency 401 M Street SW Washington, DC 20460-0001

Hand or courier deliveries of final labels may be made to:

Document Processing Desk (FIN-LABEL) Room 266A Crystal Mail 2 1921 Jefferson Davis Highway Arlington, VA 22202

Please correct the typographical errors circled on the draft before printing final labeling.

In your final labeling the "Agricultural Use Requirements" text must be contained in a clearly separate box. This box may be set apart by a line, by another graphical device, by a different color background, or in any other way that clearly distinguishes it from surrounding text.

Sincerely, ning

James Tompkins, Deputy Chief Registration Suppc t Branch Registration Division (7505W) 76

Э

376

UNICORN

PRESSURISED GARDEN SPRAY

Kills Japanese Beetles, Gypsy Moths, and Tent Caterpillars.

An Effective Fast Acting Insecticide for Use on Vegetable and Ornamental Flants.

Accepted for Use to Day of Harvest on Edible Plants.

Contains Natural Pyrethrum

ACTIVE INGREDIENTS:

Pyrethrins Piperonyl Butoxide, Technical*	0.050% 0.500%
INERT INGREDIENTS:	<u>99.450%</u>
	100.000%

Equivalent to min. 0.40% (butylcarbityl)
(6-propylpiperonyl) ether and 0.10% related compounds.

KEEP CUT OF REACH OF CHILDREN

CAUTION

See Side/Back Panel for Additional Precautionary Statements

NET CONTENTS:

Manufactured By: Unicorn Laboratories 1000 118th Avenue North St. Petersburg, FL 33716

EPA REG. NO. 28293-220 (PRN93-7)

EPA EST. NO. 28293-FL-1

ACCEPTED with COMMENTS In EPA Letter Dated

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the perticide registered under EPA Rog. No. 28293-220

PRECAUTIONARY STATEMENTS

496

•

Hazards to Humans & Domestic Animals

CAUTION: Keep out of reach of children. Avoid breathing of spray or contact with eyes or skin. Wash thoroughly after use. Do not contaminate feed and foodstuffs.

Personal Protective Equipment: Applicators and other handlers must wear long-sleeved shirt and long pants, waterproof gloves and shoes plus socks. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Statement of Practical Treatment

<u>IF IN EYES:</u> Flush with plenty of water. Get medical attention if irritation persists.

<u>IF INHALED:</u> Remove victim to fresh air. Apply artificial respiration if indicated.

Environmental Hazards

This product is toxic to fish. Do not use near fishbowls or aquaria. Do not apply directly to water.

Physical Hazards

Contents under pressure. Do not puncture. Do not store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not throw container into fire or incinerator.

STORAGE AND DISPOSAL

<u>PESTICIDE STORAGE:</u> Do not store below 32° F.

<u>CONTAINER DISPOSAL</u>: Do not incinerate. Wrap container in several layers of newspaper and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE CAN WELL BEFORE USING.

EPA REG. NO. 28293-220 (PRN93-7)

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, Waterproof gloves and Shoes plus Socks.

This insecticide may be used outdoors in gardens or in greenhouses throughout the growing season or as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

. . . .

For best results, use throughout the growing season to prevent buildups of insect infestations. Spray plants from a distance of $1\frac{1}{5}$ to 2 feet using short bursts of 1 second. To prevent injury to plants, avoid visibly wetting the foliage.

Apply in the early morning or late evening when the air is still, treating all foliage with particular attention to the undersides of leaves. Contact insects directly whenever possible. Repeat treatment every 7-10 days or as reinfestation occurs.

USE ON ORNAMENTALS: African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, dogwood, geraniums, gladioli, marigolds, roses, rubber plants, and wandering Jew.

TO CONTROL: Aphids, flue beetles, leafhoppers, whiteflies, gypsy moth caterpillars and adults, tent caterpillars, and adult Japanese beetles.

EPA REG NO 28293-220 (PRN93-7)

USE ON: asparagus, beans, broccoli, cabbage, brussels sprouts, cauliflower, colery, cranberries, cucumbers, melons, squash, eggplants, lettuce, mustard greens, kale, collards, turnips, peppers, potatoes, radishes, spinach, sweet corn and tomatoes.

TO CONTROL: <u>asparagus bestles. aphids. leafhoppers. whiteflies.</u> Mexican bean bestles. 12-spotted cucumber bestles. Cabbage loopers. <u>cross-striped Cabbageworms. diamondback moth caterpillars. flea</u> bestles. harlequin bugs. imported <u>cabbageworms. stink bugs. green</u> peach <u>aphids. leaftiers. fireworms. leafhoppers. blister bestles.</u> Colorado potato bestles. webworms. Japanese bestles.

EPA REG. NO. 28293-220 (PRN93-7)

•••

• • •

EPA EST. NO. 28293-FL-1