

PM03

28293-220

7/22/98

1/3

# UNICORN PRESSURIZED GARDEN SPRAY

Kills Japanese Beetles, Gypsy Moths, and Tent Caterpillars.

An Effective Fast Acting Insecticide  
for Use on Vegetable and Ornamental Plants.

Accepted for Use to Day of Harvest on Edible Plants.

Contains Natural Pyrethrum

### ACTIVE INGREDIENTS:

Pyrethrins. ....	0.050%
Piperonyl Butoxide, Technical* . . . . .	0.500%

<b>INERT INGREDIENTS:</b> . . . . .	<u>99.450%</u>
-------------------------------------	----------------

<b>Total:</b>	100.000%
---------------	----------

\* Equivalent to min. 0.40% (butylcarbityl)  
(6-propylpiperonyl) ether and 0.10% related compounds.

## KEEP OUT OF REACH OF CHILDREN

### CAUTION

See Side/Back Panel for Additional Precautionary Statements

**ACCEPTED**  
 JUL 22 1998  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registered under  
 EPA Reg. No. 28293-220

NET CONTENTS:

Manufactured By:

Unicorn Laboratories  
12385 Automobile Blvd.  
Clearwater, FL 33762

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans & Domestic Animals**

**CAUTION:** Keep out of reach of children. Avoid breathing of spray or contact with eyes or skin. Wash thoroughly after use. Do not contaminate feed and foodstuffs.

**Statement of Practical Treatment**

**IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

**Environmental Hazards**

This product is toxic to fish. Do not use near fishbowls or aquaria. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.

**Physical Hazards**

Contents under pressure. Do not puncture. Do not store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not throw container into fire or incinerator.

**STORAGE AND DISPOSAL**

**PESTICIDE**


**STORAGE:** Do not store below 32° F.

**CONTAINER**

**DISPOSAL:** Do not incinerate. Wrap container in several layers of newspaper and put in trash collection.

**Optional label statement permitting recycling of empty metal aerosol pesticide containers:**

This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label (**DO NOT PUNCTURE!**). If recycling is not available, wrap the container and discard in the trash.



**DIRECTIONS FOR USE**

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

**Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior landscapes, ornamental gardens or lawns and grounds.**

**SHAKE CAN WELL BEFORE USING.**

This insecticide may be used outdoors in gardens or in greenhouses throughout the growing season or as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

For best results, use throughout the growing season to prevent buildups of insect infestations. Spray plants from a distance of 1½ to 2 feet using short bursts of 1 second. To prevent injury to plants, avoid visibly wetting the foliage.

Apply in the early morning or late evening when the air is still, treating all foliage with particular attention to the undersides of leaves. Contact insects directly whenever possible. Repeat treatment every 7-10 days or as reinfestation occurs.

**USE ON ORNAMENTALS:** African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, dogwood, geraniums, gladioli, marigolds, roses, rubber plants, and wandering Jew.

**TO CONTROL:** Aphids, flea beetles, leafhoppers, whiteflies, gypsy moth caterpillars and adults, tent caterpillars, and adult Japanese beetles.

**USE ON:** asparagus, beans, broccoli, cabbage, brussels sprouts, cauliflower, celery, cranberries, cucumbers, melons, squash, eggplants, lettuce, mustard greens, kale, collards, turnips, peppers, potatoes, radishes, spinach, sweet corn and tomatoes.

**TO CONTROL:** asparagus beetles, aphids, leafhoppers, whiteflies, Mexican bean beetles, 12-spotted cucumber beetles, cabbage loopers, cross-striped cabbageworms, diamondback moth caterpillars, flea beetles, harlequin bugs, imported cabbageworms, stink bugs, green peach aphids, leafhoppers, fireworms, leafhoppers, blister beetles, Colorado potato beetles, webworms, Japanese beetles.