_	TAL PROTECTION AGENCY ESTICIDES PROGRAMS	28293_226	JAN 1 1 1994
	ON DIVISION <i>(75-767)</i> NGTON, DC 2046 0	TERM OF ISSUANCE	
NOTICE OF PEST	ICIDE: REGISTRATION	NAME OF PESTICIDE PRODUCT	ration
(Under the Feder	REREGISTRATION ral Insecticide, Fungicide, cide Act, as amended)	Unicorn House Spray #9	& Carpet
	EGISTRANT (Include ZIP code)		1-12 10 /
r	Reg # 28293-	- 226	1-13 196
Z	ooratories Avenue North ourg, FL 33716		8/13/13/11
L		٦	
submitted to and accepte	ing formula differing in substance fi d by the Registration Division prior	r to use of the label in commerce.	
On the basis of informati	he above U.S. EPA registration num		Registered/Reregistered unde
•	Fungicide, and Rodenticide Act.	vintestica (Paragistration in esturn	ad basawith
	ccepted in connection with this Reg y to be construed as an indorsement		
Act is not to be construe by others.	ed as giving the registrant a right to	exclusive use of the name or to	its use if it has been covered
This FIFRA sec. 1. registration 3(c)(5) wh	product is conditional 3(c)(7)(A) provided Submit/cite a con/reregistration of the Agency required such data;	that you: ll data requires all registrant	wared for FIFRA section ts of similar
This FIFRA sec. 1. registration 3(c)(5) which is producted to require decirated for the second seco	3(c)(7)(A) provided Submit/cite a on/reregistration of nen the Agency requ to submit such data; or reregistration of	that you: Il data req your product under ires all registrant and submit accepts your product under FI	whired for FIFRA section ts of similar able responses
This FIFRA sec. 1. registration of the second seco	3(c)(7)(A) provided Submit/cite a on/reregistration of nen the Agency requ to submit such data;	that you: Il data req your product under ires all registrant and submit accepts your product under FI	whired for FIFRA section ts of similar able responses
This FIFRA sec. 1. registration 3(c)(5) which is products to the product of the	3(c)(7)(A) provided Submit/cite a on/reregistration of nen the Agency requi to submit such data; or reregistration of Make the labeling char therefor shipment:	that you: Il data req your product under ires all registrant and submit accepts your product under FI	wired for FIFRA section ts of similar able responses IFRA section 4.
This FIFRA sec. 1. registration 3(c)(5) which products to the product of the pro	Submit/cite a on/reregistration of nen the Agency required submit such data; or reregistration of Make the labeling chants for shipment: a. Add the phrase,	that you: Il data req your product under ires all registrant and submit accepts your product under Fl nges listed below before "EPA Registration No	wired for FIFRA section ts of similar able responses IFRA section 4. orewood release
This FIFRA sec. 1. registration 3(c)(5) which products to the product of the pro	Submit/cite a on/reregistration of nen the Agency required such data; or reregistration of make the labeling character shipment: a. Add the phrase, add the following add the following submit such data; or reregistration of the shipment:	that you: Il data req your product under ires all registrant and submit accepts your product under FI ges listed below befor "EPA Registration No ds to Humans and Dom ig statement: ildren or pets to compare to compare to the compare to compare the compare to compare to compare to compare the compare to compare the compar	Triffed for FIFRA section to of similar able responses IFRA section 4. orewood release 2. 28293-226".
This FIFRA sec. 1. registration 3(c)(5) where products is the product of the pro	Submit/cite a on/reregistration of the Agency required submit such data; or reregistration of the Agency required submit such data; or reregistration of the Agency remains and the phrase, and the following the Agency add the following the Agency and the	that you: Il data req your product under ires all registrant and submit accepts your product under FI nges listed below beform "EPA Registration Not ds to Humans and Dom ng statement: ildren or pets to contaces are dry. your final printed I pment. Refer to the	Triffe for FIFRA section to of similar able responses FRA section 4. The pre-you release of the contact treated labeling before A-79 Enclosure
This FIFRA sec. 1. registration 3(c)(5) where products is the product of the pro	Submit/cite a on/reregistration of the Agency required submit such data; or reregistration of the submit such data; or reregistration of the shipment: a. Add the phrase, b. Under the Hazard add the following the product for shipment surfaces until surfaces the product for shipment of files.	that you: Il data req your product under ires all registrant and submit accepts your product under FI nges listed below beform "EPA Registration Not ds to Humans and Dom ng statement: ildren or pets to contaces are dry. your final printed I pment. Refer to the	FIFRA section to of similar able responses FRA section 4. orewood release of the contact treated labeling before A-79 Enclosure g.
This FIFRA sec. 1. registration 3(c)(5) where products is the product of the pro	Submit/cite a on/reregistration of the Agency required submit such data; or reregistration of the submit such data; or reregistration of the shipment: a. Add the phrase, b. Under the Hazard add the following the product for shipment surful surfu	that you: Il data req your product under ires all registrant and submit accepts your product under Fl nges listed below befor "EPA Registration No ds to Humans and Dom ng statement: ildren or pets to co faces are dry. your final printed legent of the linal printed labeling	FIFRA section to of similar able responses IFRA section 4. orewood release of the contact treated labeling before A-79 Enclosure g.

e and the second

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca Product Manager 13 Insecticide-Rodenticide Branch Registration Division (7505C)

BEST AVAILABLE COPY

UNICORN

HOUSE and CARPET SPRAY #9

For Household, and Commercial/Agricultural Use in Non-food areas of Industrial and Institutional buildings: homes, schools, warehouses, office buildings, theatres, garages, hotels, motels.

Controls residential, industrial and garden insects.

A broad spectrum insecticide highly effective against ants, carpenter ants, bees, carpet beetles, centipedes, clover mites, cockroaches, crickets, deer ticks, earwigs, firebrats, fleas, flour beetles, grain beetles, ground beetles, millipedes, mole crickets, moths, pillbugs, scorpions, silverfish, sowbugs, spiders, ticks, wasps, and other listed pests.

ACTIVE INGREDIENTS:

Pyrethrins	0.20%
Piperonyl Butoxide, Technical*	1.00%
Permethrin**	0.10%
INERT INGREDIENTS:	<u>98.70%</u>
	·100.00%

- * Equivalent to min. 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds.
- ** (3-phenoxyphenyl) methyl (±) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate.

Cis/trans ratio:

Min. 35% (±) cis Max. 65% (±) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side/Back Panel for Additional Precautionary Statements.

NET CONTENTS

Manufactured By:

Unicorn Laboratories
1000 118th Avenue North
St. Peter SCHOOL FL 33716
with COMMENTS
LEPA Letter Dated

EPA REG. NO. 28293-

-

EPA EST. NO. 28293-FL-1

JÁN 1 1 1994

Under the Federal Innecticide. Fungicide, and Rodenticide Acidas amended, for the pupilitidal registered under EPA Reg. Nat.

BEST AVAILABLE COPT

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if inhaled. Causes skin irritation. Do not get on skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying. Vacate room after treatment and ventilate before reoccupying.

Statement of Practical Treatment

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing, apply artificial respiration, preferably mouth to mouth. Get medical attention.

Environmental Hazards

((

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in conduits, motor housing, junctions and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area. Do not transport or store below 32°F.

DISPOSAL: Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use.

SHARE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 1: inches. Remove birds and cover fish aquariums before spraying.

INDOORS:

Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before reentry. Sweep up and discard fallen insects. Repeat treatment as necessary.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spay into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray when ever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space, moving toward the door. Leave room and keep area closed for 15 minutes following treatment. Repeat application as necessary.

Exposed stages of Confused Flour Beetles, Saw-Toothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites: Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary. Infested stored food products in the home should be disposed of.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary.

BEST AVAILABLE COPY

To control Clothes Moths and Carpet Beetles on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

OUTDOOR8:

U

Point spray nozzle away from face. Hold can on slight downward angle. For best results spray when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

FLYING INSECTS: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets and Yellow Jackets. Allow fog to drift over area. Direct spray toward bushes, or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as garbage cans and compost piles. Repeat as necessary.

CRAWLING INSECTS: Ants, Cockroaches, including Asian Cockroaches, Crickets, Centipedes, and Silverfish. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

For the Control of Garden Insects: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites and Leafminers.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English Ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendroms, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

EPA REG. NO. 28293-

EPA EST. NO. 28293 - FL-1