 <p style="text-align: center;">U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460</p> <p style="text-align: center;">NOTICE OF PESTICIDE: <u> X </u> Registration <u> </u> Reregistration</p> <p>(under FIFRA, as amended)</p>	<p>EPA Reg. Number: 28293-256</p>	<p>Date of Issuance: APR 08 1994</p>
	<p>Term of Issuance: Until Reregistration</p>	
	<p>Name of Pesticide Product: Unicorn Dursban Roach & Ant Bait</p>	
<p>Name and Address of Registrant (include ZIP Code):</p> <p>Unicorn Laboratories 1000 118th Avenue North St. Petersburg, Florida 33716</p>		
<p><i>Note: Changes in labeling offering in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</i></p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p style="text-align: center;">This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4. 2. Change the label by revising the EPA Registration Number to read, "EPA Reg. No. 28293-256". 3. Submit five copies of the revised final printed label for the record. <p>If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.</p> <p style="text-align: center;">A stamped copy of the label is enclosed for your records.</p>		
<p>Signature of Approving Official:</p> <p style="text-align: center;">DENNIS H. EDWARDS</p> <p>Dennis H. Edwards, Jr. Product Manager 19 Insecticide-Rodenticide Branch Registration Division (7505C)</p>	<p>Date:</p> <p style="text-align: center;">APR 09 1994</p>	

295

ACCEPTED
with COMMENTS
in EPA Letter Dated

UNICORN DURSEAN[®]

ROACH & ANT BAIT

APR - 8 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
28293-256

**A ready-to-use bait insecticide to aid in the control of
roaches in homes, apartment buildings, stores,
restaurants (non-food areas), hospitals, hotels and motels.**

ACTIVE INGREDIENT:

Chlorpyrifos [0,0-diethyl-0(3,5,6-
trichloro-2-pyridyl) phosphorothioate]..... 0.50%

INERT INGREDIENTS:..... 99.50%
100.00%

Keep Out of Reach of Children


CAUTION

See back/side panel for additional Precautionary Statements.

NET CONTENTS:

Manufactured By:

**Unicorn Laboratories
1000 118th Avenue North
St. Petersburg, Fl 33716**



EPA REG. NO. 28293-*ELA*

EPA EST. NO. 28293-*PL-1*

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Keep out of the reach of children. May be harmful if swallowed. Do not take internally. Avoid eye and skin contact. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before reuse. Keep away from food, feedstuffs and domestic water supplies.

Statement of Practical Treatment

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention.

IF ON SKIN: In case of contact, remove contaminated clothing and immediately wash skin with plenty of soap and water.

IF IN EYES: Flush with plenty of water.

Note to Physician: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Apply this product only as specified on this label. Do not apply where runoff is likely to occur.


STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in its original labeled container in a cool, dry, locked place out of reach of children. **DISPOSAL:** Do not reuse empty container. Wrap and put in trash.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For the control of American, Oriental, Brown-Banded, Smoky Brown and German cockroaches inside buildings, use approximately 2 ounces (1/2 cup measure) of this product per 100 sq. ft. of space. Place this bait in cracks and crevices or in suitable containers behind and underneath fixtures, in closets, and other areas where roaches may hide. Place only in or near infested areas. All bait



placements should be inaccessible to children or pets. Replenish bait as necessary.

For the control of American and Smoky Brown cockroaches inside of attics, use approximately 2 ounces (1/2 cup measure) of this product per 100 sq. ft. Scatter bait in inaccessible areas of the attic.

For the control of American, Oriental, Brown-Banded, Smoky Brown and German cockroaches in food processing plants, use only when plant is not in operation and food is not exposed. Use only in suitable bait containers. Locate these bait containers on the floor near walls, in storage areas, under appliances, and other areas where roaches have been observed. Maintain strict account of location and number of bait containers. Remove all bait containers from edible product areas before resuming operations. Do not use in edible product areas of food processing plants, restaurants or other serving areas where food is commercially prepared or processed while plant is in operation. Do not use in serving areas while food is exposed.

This product is best used as a supplemental residual treatment preceded by recommended roach sprays and good sanitation practices.

For Harvester Ants, Black Crazy Ants, Little Black Ants, Pyramid Ants, Pharaoh Ants, Cornfield Ants, Thief Ants, and certain other ants, scatter 1 to 2 tablespoons of bait within 6 to 12 inches of the nest entrance. Additional bait may be scattered in the foraging area and around the foundations of the buildings. Control of the colony may take 2 to 6 weeks. Repeat treatment after 6 weeks if necessary. Treatment should be made only when ants are active.

For Millipedes and Pillbugs, scatter the bait in the foraging area around the foundation of buildings. Repeat treatment as needed.

OUTDOOR INSECT CONTROL AROUND HOMES AND BUILDING FOUNDATIONS


Scatter the bait evenly in a band 5 feet wide around the structure next to the foundation as a bait barrier against insects invading the dwelling or place of business. Use 7-1/2 ounces of product to treat a band 5 ft. wide and 20 ft. long (100 sq. ft.). One pound will treat up to 200 sq. ft. (5 ft. x 40 ft. band) which is equivalent to the rate of 4.6 lbs. per 1,000 sq. ft.

This treatment will aid in the reduction of, reduce annoyance from, and help to prevent entry into homes from commonly found insects which may feed upon the bait, such as Millipedes, Earwigs, Pillbugs (Sowbugs), Cutworms, Mole Crickets, Field Crickets, and roaches, including Asian Cockroaches.

To control Mole Crickets, and Asian and other roaches on lawns, golf courses and ornamental turf (other than pastureland), apply at a rate of 3-1/2 lbs. per 1,000 sq. ft. (150 lbs/acre). Scatter evenly over the area to be treated using a mechanical spreader or

other suitable device. Make application in the late afternoon. For best control, repeat application in one week.

Apply when insects are present and are causing problems, especially in the late spring or early fall. Repeat as necessary to keep fresh bait in the area or every 30 days when insects are a problem.



EPA REG. NO. 28293-*ELA*

EPA EST. NO. 28293-*EL-1*
fi:dursbit.new