## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

18/18/18/3590



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 MM St., S.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

\_x Registration

\_\_\_\_ Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

11

Date of Issuance:

28293-26**1** 

Term of Issuance:
Conditional

Name of Pesticide Product:

Unicorn Permethrin Pour-On Insecticide II

Name and Address of Registrant (include ZIP Code):

Unicorn Laboratories One Corporate Drive, Suite 400 Clearwater, FL 34622-5587

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Make the labeling changes listed below before you release the product for shipment:
  - a. Add the phase "EPA Registration No. 28293-263

Signature of Approving Official:

Date:

EPA Form 85/0 6

151 .

CONCURRENCES								
SYMBOL	1175050							
SURNAME	۱۱ عادی 0 اص							
DATE	3/6/95-							

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

page 2 EPA Req. No. 28293-263

b. How does the applicator apply such a small dose per animal? Is the container graduated in ml's or cc's so the correct dosage can be given? The labeling directions should reflect this.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosures

Ì

# **UNICORN**

# PERMETHRIN POUR-ON INSECTICIDE II

#### FOR

- Economical,
- Convenient, and
- Long-lasting Residual Control of Lice and Horn flies on Lactating and Non-Lactating Dairy Cattle and Beef Cattle.

#### ACTIVE INGREDIENT:

\*cis/trans ratio: Max. 65% ( $\pm$ ) cis, and Min. 35% ( $\pm$ ) trans

\*\* Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN

# CAUTION

See side/back panel for Additional Precautionary Statements.

### **NET CONTENTS:**

Manufactured by:
Unicorn Laboratories
13535 Feather Sound Drive, Suite 400
Clearwater, Florida 34622-5587

EPA REG. NO. 28293-FAG

ACCEPTED Substantia (CMMENTS) in EPA Letter Dated

EPA EST. NO. 62478-FL-1A
44610-MO-1B
Subscript used is first letter
of run code on container.

100.0%

2 - MAY 1995

Under the Federal Insectible, Fungicide, and Rodenticule Act as amended, for the pesticule replatered under EPA for No. 20293. 26.3

#### PRECAUTIONARY STATEMENTS

## Hazards to Humans and Domestic Animals

CAUTION: Harmful if inhaled. Causes moderate eye injury. Avoid breathing vapor or spray mist and contact with eyes, skin or clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling. Do not use on horses.

# Environmental Hazards

This product is highly toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

## Physical & Chemical Hazards

Do not use or store near heat or open flame. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

### Statement of Practical Treatment

IF SWALLOWED: Promptly drink a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Center immediately. Do not induce vomiting unless under a physician's care. This product contains petroleum distillate. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove victim to fresh air, apply artificial respiration if indicated. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply to Dairy Cattle (lactating and non-lactating) and Beef Cattle.

APPLICATION: For up to 6 weeks' control of susceptible horn flies, apply over shoulders and down midline of back.

EPA REG. NO. 28293-

-2-POUR-ON II

For control of lice and aid in control of face flies, stable flies, horse flies, deer flies, house flies, mosquitoes, and black flies, apply from poll down neck, over shoulders.

DOSE: 1/8 fl. oz. (3.75 ml) per 250 lbs. body wt. to maximum of 1/2 fl. oz. (15 ml) per animal. (1 ml = 1 cc). Repeat treatment as needed, but not more often than once every 2 weeks. For optimum lice control, two treatments at a 14 day interval are recommended. DO NOT USE ON HORSES.

**SPECIAL NOTE:** This product is non-systemic and will not control grubs.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

<u>Pesticide Storage and Spill Procedures:</u> Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

Pesticide Disposal: Pesticide that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

Container Disposal: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA REG. NO. 28293-

-3-POUR-ON II