U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)

401 "M" St., S.W. Washington, D.C. 20460 EPA Rog, Number:

28293-265

SEP 0 6 1995

Date of Issuance:

NOTICE OF PESTICIDE:

x Registration Reregistration

(under FIFRA, as amended)

Term of Issuance: Until Reregistration

Name of Peaticide Product: Unicorn

Dursban 6.7% Insecticide

Name and Address of Registrant (include ZIP Code):

Unicorn Laboratories 13535 Feather Sound Drive, Suite 400 Clearwater, Florida 34622-5587

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - 2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 28293-265".
 - b. In the Environmental Hazards statement, replace the phrase: "disposal of wastes" with: "disposal of equipment washwaters."
 - c. In the first line of the instructions for treatment of imported fire ants, change the word "on" to "of."

Signature of Approving Official:

Date:

DHE

SEP 0 6 1995

Dennis H. Edwards, Jr. Product Manager 19 Insecticide-Rodenticide Branch Registration Division (7505C) page 2 EPA Reg. No. 28293-265

3. Submit five copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

THE

Dennis H. Edwards, Jr. Product Manager 19 Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosure

UNICORN

DURSBAN® 6.7% INSECTICIDE

KILLS ANTS, FLEAS, BROWN DOG TICKS, GRASSHOPPERS, GRUBS AND MORE

ACTIVE INGREDIENT:

Chlorpyrifos [0,0-diethyl 0-(3,5,6 trichloro-2-pyridyl) phosphorothioate...... 6.7%

Dursban® is a registered Trademark of DowElanco

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side/Back Panel for Additional Precautionary Statements.

NET CONTENTS:

Manufactured by:

Unicorn Laboratories
13535 Feather Sound Drive, Suite 400
Clearwater, Florida 34622-5587

EPA REG. NO. 28293(P)

EPA EST. NO. 62478 FM-1A 44616-HC-1B Subscript used is first letter of run code on container.

ACCEPTED with COMMENTS in EPA Letter Dated

SEP 0 6 1995

Industria Federal Insecticide. Found in real Reductioned Act is on the posticide residenced under FFA Reg. No. 28293-265

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with eyes or clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food and feedstuffs. Do not permit children or pests onto treated areas until the spray has dried completely. Do not contaminate ornamental fish ponds. Food utensils such as teaspoons or measuring cups should not be used for food purposes after use with pesticides.

Statement of Practical Treatment

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention.

IF ON SKIN: Remove contaminated clothing and wash affected areas with plenty of soap and water.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, only by injection is the preferable antidote. Oximes, such as 2-PAM may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration.

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Protective information may be obtained from your Cooperative Agricultural Extension Services.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is for use only around the home such as on lawns, and outside the home as directed. Do not apply this product to sites or areas not listed or prohibited on this label.

DC NOT APPLY THIS PRODUCT TO VEGETABLE GARDENS OR OTHER PLANTS INTENDED FOR FOOD OR FEED PURPOSES.

LAWN PEST CONTROL: For control of Ants, Armyworms, Brown Dog Ticks, Chiggers, Chinch Bugs, Clover Mites, Mole Crickets, Dichondra Flea Beetles, Earwigs, Fleas, Grasshoppers and Sod Webworms - Apply 3 fl. oz. per 15 gallons of water [1 fl. oz. per 5 gallons water] to cover 500 sq. ft. of area. 1 pint of product will cover 2,666 sq. ft. of area.

Spray when pests first appear. Repeat treatments as necessary. Thoroughly water treated area immediately except as noted. For best results, the lawn should be moist at time of treatment. One application will usually control Chinch Bugs for up to 8 weeks.

For Sod Webworms, delay water or mowing the treated area for 12-24 hours after treatment.

For Mole Crickets, apply when early nymphs are active. Efficacy may be enhanced by applying late in the afternoon or early evening and watering the turf prior to treatment to move the mole crickets close to the soil surface.

For Turfgrass (Hyperodis) Weevil, apply 6 fl. oz. per 15 gallons water (2 fl. oz. or 4 tablespoons per 5 gallons water) to cover 500 sq. ft. 1 pint of product will cover 1,333 sq. ft. of area. Spray in mid-April and again in mid-May and follow recommended use directions.

For White Grubs (European Chafer and Japanese Beetle larvae only), apply 6 - 12 fl. oz. per 30 gallons of water (1-2 fl. oz. or 2-4 tablespoons per 5 gallons water) to cover 500 sq. ft. 1 pint of product will cover 666 to 1,333 sq.ft. of area. Use the lower rate when infestations are light and the higher rate for severe infestations. Apply when grubs are young and actively feeding near the soil surface, usually late July and August. Immediately after spraying, water treated area with 1/2 to 2" of water. Consult your local Agricultural Extension Service Specialist for the proper time to treat in your area for Hyperodis Weevil and White Grubs. Damaged leaves and ornamental turf should be fartilized to stimulate re-growth and recovery from insect injury.

OUTDOORS TO HELP PREVENT INFESTATION OF HOMES: To control Ants, Brown Dog Ticks, Chiggers, Cockroaches, Clover Mites, Crickets, Cutworms, Earwigs, Fleas, Flies, Grasshoppers, Millipedes, Mosquitoes, Sowbugs and Spiders - Apply 3 fl.oz. in 15 gallons of water (1 fl. oz. or 2 tablespoons in 5 gallons of water) as a spray or with a paint brush to outside surfaces of house, porches, screens, window frames, eaves, patios and garages. Repeat as needed. A perimeter spray may also be made by applying 2 fl. oz. in 12 gallons of water (1/2 fl. oz. or 1 tablespoon in 3 gallons of water) to a band of soil 6 to 10 feet wide around adjacent to the home and 2 to 3 feet high on the foundation. DO NOT ALLOW SPRAY TO CONTACT AZALEAS, CAMELLIAS, POINSETTIAS, ROSE BUSHES OR VARIEGATED IVY AS PLANT INJURY MAY OCCUR.

OUTDOOR CONTROL OF FLEAS & TICKS: In Yards - Apply 1% fl. oz. per 6 gallons of water to cover 200 sq. ft. (1 pint to cover 2,560 sq. ft.) of area. Retreat as necessary to maintain control. Thoroughly water immediately after treatment to wash insecticide into treated areas.

In Kennels and Dog Houses - Apply 10½ fl. oz. per 1 gallon of water to building, resting areas, walls and floors. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. DO NOT treat pets with this product. Remove pets before spraying. DO NOT return pets to treated area until spray has dried completely.

IMPORTED FIRE ANTS: Dilute 2 fl. oz. in 1 gallon or water. Apply 1 gallon of solution as a gentle rain to each mound using a sprinkle can. Thoroughly wet mound and surrounding area to a 4 foot diameter (12½ sq. ft.). For best results, apply in cool weather, 65-80°F, or in early morning or late evening hours. Treat new mounds as they appear. Do not disturb the mound prior to treatment. If possible, treat all mounds in the vicinity and treat all colonies which may not as yet have constructed a mound.

PESTS OF ORNAMENTALS (Flowers, Shrubs, Vines, Shade or Flowering Trees and Evergreens) - NOTE: Do not use this product on Azaleas, Camellias, Poinsettias, Rose Bushes or Variegated Ivy because of possible injury to these plants.

To control Aphid, Bagworm, Eastern Test Caterpillar, Fall Webworm, Grasshopper, Orangestriped Oakworm, Yellownecked Caterpillar, Mites, Spittlebug and Whiteflies: Mix 6 fl. oz. in 9 gallons of water (4 teaspoons per gallon). Avoid spraying to the point of excessive run-off. Treat when pests appear and repeat at 7 to 10 day intervals if needed.

To control Cutworm, Leafhopper, Mealybug, Mimosa Webworm, Redbumped Caterpillar and Thrips (exposed): Mix 12 fl. oz. in 9 gallons of water (8 teaspoons per gallon) and apply as directed above.

For control of Ash and Lilac Bores, Oak Pine Needle, Isa and White Peach Scale Crawlers: Mix 12 fl. oz. in 12 gallons of water (1 tablespoon per gallon) and apply as directed above.

NOTE: 1 fl. oz. = 2 tablespoons 1 tablespoon = 6 teaspoons HOSE END SPRAYER: Easy to use.

- 1. Make sure Knob is twisted fully clockwise to OFF position. Shake well before attaching to hose.
- 2. Turn Product Control Button clockwise until its point aligns with triangle, then push button all the way in. Avoid squeezing bottle.

3. Turn water on at faucet, aim nozzle toward lawn and turn Knob counterclockwise to begin spraying.

4. When finished push Product Control Button to OFF position from opposite side. Return Knob and faucet to OFF position. Discharge water pressure by turning Knob ON and OFF again. Turn Product Control Button counterclockwise away from triangle to prevent accidental discharge. Store out of reach of children.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Avoid storing at temperatures below 32°F. Keep in a locked storage area away from children and pets.

<u>DISPOSAL:</u> Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions and precautions given herewith.