UNITED STATES ENVIRONMENTAL PROTECTION AGENC

WYNDOW PROTECTO

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

28293-

Date of Issuance:

270

EPA Reg.

Number:

APR = 5 1996

NOTICE OF PESTICIDE:

x Registration Reregistration Term of Issuance: Conditional

(under FIFRA, as amended)

Name of Pesticide Product:

Unicorn Household Insect Killer WBA III

Name and Address of Registrant (include ZIP Code):

Unicorn Laboratories 13535 Feather Sound Drive, Suite 400 Clearwater, FL 34622-5587

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phase "EPA Registration No. 28293-270

Signature of Approving Official:	Date:

EPA Form 8570-6

CONCURRENCES								
SYMBOL	·							
SURNAME								
DATE)					••••••••			
EDA F	1000 14 (100)	'	<u></u>	Para J. D. J	, n		OFFICI	AL FILE COPY

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

☆ U.S. GOVERNMENT PRINTING OFFICE 1995 - 619-457

BERGERON, NOTES LAND OF STATE OF STATE

- b. The front panel must state "For Household/ Residential Use Only".
- c. Delete the precautions "Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use.". These precautions imply institutional use.
 - d. Under Dogs add statement "Use Only on Dogs".
- e. Expand the puppy precautions to read "This product is not recommended for use on puppies less than twelve weeks old, on debilitated, aged, pregnant, medicated or nursing animals. Consult a veterinarian before using.".
- 3. Submit two (2) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosures

Residendi. Mee Only

ACCEPTED WEST COMMENTS

UNICORN

HOUSEHOLD INSECT KILLER WBA III 🐣 There was the

CONTAINS PYRENONE® AND PERMANONE® for household was - non-staining - no unpleasant offer 3-540 A BROAD SPECTRUM INSECTICIDE HIGHLY EFFECTIVE AGAINST ANTS (INCLUDING CARPET, FLOUR, GRAIN, AND GROUND BETTLES) CENTIPEDES CLOVER MITES, COCKROACHES, CRICKETS (INCLUDING MOLE CRICKETS), EARWIGS, FIREBRATS, FLEAS, MILLIPEDES, MOTHS, PILLBUGS, SCORPIONS, SILVERFISH, SOWBIGS, SPIDERS, TICKS, WASPS, AND OTHER PESTS LISTED ON THE LABEL.

FOR USE ON DOGS AND ON PREMISES TO CONTROL FLEAS AND TICKS CONTROLS FLEAS AND TICKS ON DOGS FOR 14 DAYS

> WATER-BASED FORMULA CONTROLS RESIDENTIAL AND GARDEN INSECTS FOR USE ON BEDDING, FURNITURE AND OTHER INANIMATE OBJECTS INFESTED WITH LICE SEEKS OUT BUGS WHERE THEY HIDE KILLS ON CONTACT

> > KILLS LICE AND THEIR EGGS

ACTIVE INGREDIENTS:

Pyrethrins			 		0.10%
*Piperonyl Buto	xide,	Technical	 		0.50%
**Permethrin .			 • • •	• • • •	0.20%
INERT INGREDIENTS:			 		9 9 .20%
					100.00%

*Equivalent to min. 0.4% (butylcarbityl)(6-propylpiperonyl) ether and 0.1% related compounds. **(3-phenoxyphenyl) methyl (+/-)cis/trans 3-(2,2-dichloroethenyl) 2,2dimethylcyclopropanecarboxylate

Cis/Trans Ratio: Min. 35% (+/-) Cis and Max. 64% (+/-) Trans

Pyraperm®, Pyrenone® and Permanone® are Registered Trademarks of AgrEvo Environmental Health, Inc.

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

See Back (Side) Panel for Additional Precautionary Statements

NET WEIGHT

Manufactured By:

Unicorn Laboratories 13535 Feather Sound Drive, Suite 400 Clearwater, FL 34633-5587

EPA REG. NO. 28293-(P)

EPA EST. NO.28293-EL-1

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse. contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before spraying. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

Environmental Hazards

This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

Physical and Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

Statement of Practical Treatment

Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Do not use in rooms/areas while occupied by patients, the elderly or infirm. Do not apply to classrooms when in use. from a postidudion

SHAKE WELL BEFORE USING.

Remove protection cap, hold container upright and spray distance of 12 to 15 inches.

EPA REG. NO. 28293-(p)

CLUSTER FLIES, HOUSEFLIES, FRUIT FLIES, MOSQUITOES, GNATS, WASPS, HORNETS, BEES, BLACK FLIES, SKIPPER FLIES, BLOW FLIES AND SMALL FLYING MOTHS: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5 to 10 seconds for average room, moving toward the door. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Leave room and keep area closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat treatment as necessary.

COCKROACHES WATERBUGS, PALMETTO BUGS, SILVERFISH, FIREBRATS, CRICKETS, SCORPIONS, SPIDERS, MILLIPEDES, CENTIPEDES, SOWBUGS AND PILLBUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

CARPET BEETLES: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary.

BEDBUGS: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary. Allow all sprayed articles to dry thoroughly before use.

TO CONTROL CLOTHES MOTHS AND CARPET BEETLES on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

FLEAS IN BUILDINGS - SPACE SPRAY: Hold can 36 inches above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft. making sure that all floor, sofa and chair surfaces are contacted. Leave room and keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment after 7 days or as needed.

FLEAS & TICKS (ADULT AND LARVAE): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, 'entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames.' Infested upholstered furniture and mattresses may also be treated with this product. A test application should be made to upholstery, or drapery fabrics in an inconspicuous place before use'.'', ''

EPA REG. NO. 28293-(P)

-3-HHJII

TO CONTROL FLEAS, TICKS AND LICE ON DOGS: Starting at the head, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur back to the tail. Repeat application weekly if necessary to control infestations. NOTE: Not recommended for use on puppies less than four weeks old.

TO KILL LICE AND LOUSE EGGS: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

OUTDOORS: Point spray nozzle away from face. Hold can on slight downward angle. For best results, when air is calm. Allow a few minutes for product to take effect. Spray with wind if breeze is blowing.

FLYING INSECTS: Flies, Mosquitoes, Gnats, Small Flying Moths, Hornets, Wasps and Yellow Jackets. Allow fog to drift over area. Direct spray toward bushes, or grass from at least 4 to 6 feet away. Give special attention to breeding areas such as barbage cans and compost piles. Repeat as necessary.

MUD DAUBERS AND WASP NESTS: Spray mist directly on insects and their nests from approximately 2 feet away. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

CRAWLING INSECTS: Ants, Cockroaches, including Asian Cockroaches, Crickets, Mole Crickets, Centipedes, and Silverfish. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites and Leafminers.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

,,,,,,

EPA REG. NO. 28293-(p)

May also be used on other plants such as African violets, asters, azaleas, begonias, camelias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms. When spraying plants, fo not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area. Do not transport or store below 32°F.

DISPOSAL: Wrap container in several layers of newspaper and dispose of in trash. Do not incinerate or puncture.

-5₇HHTII

EPA REG. NO. 28293-(P)