

UNICORN TOTAL RELEASE FOGGER III WITH PERMETHRIN

- Seeks out bugs where they hide
 - Kills on contact
 - Non-Staining
 - No Unpleasant Odor
- Water-Based Formula
- Kills exposed or accessible stages of these insects:
 - Ants, Booklice, Carpet Beetles, Centipedes, Cockroaches, Confused Four Beetles, Crickets, Dust Mites, Earwigs, Firebrats, Fleas (Adults and Larvae), Flies, Fruit Flies, Gnats, Grasshoppers, Hornets, House Flies, Midges, Millipedes, Mole Crickets, Mosquitoes, Palmetto Bugs, Pillbugs, Rice Weevils, Sawtoothed Grain Beetles, Scorpions, Silverfish, Small Flying Moths, Sowbugs, Spiders, Stable Flies (Dog Flies), Ticks (Including those which may cause Lyme Disease), Wasps, Waterbugs and Yellow Jackets

ACTIVE INGREDIENT:

* Permethrin 0.50%

INERT INGREDIENTS:..... 99.50%
100.00%

*(3-phenoxyphenyl) methyl (±) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethyl-cyclopropanecarboxylate. Cis/trans ratio: Min 35% (±) cis, and Max 65% (±) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side/back panel for additional Precautionary Statements.

NET CONTENTS:

Manufactured by:

Unicorn Laboratories
13535 Feather Sound Drive, Suite 400
Clearwater, FL 34622

ACCEPTED

25 NOV 1996

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide use, label, and other information, see the pesticide label.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. May be absorbed through skin. Avoid inhalation of vapor or spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquariums before spraying. Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

Statement of Practical Treatment

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

IF ON SKIN: Wash affected areas immediately with soap and water. Get medical attention if irritation persists.

Environmental Hazards

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Contents under pressure. Do not puncture or store near heat or open flame. Do not puncture or incinerate container. Do not place on stove or radiator. Exposure to temperatures above 130° F may cause bursting. Do not use this unit in an area less than 100 cubic feet.

IMPORTANT! To avoid **FLAMMABILITY HAZARD**, use can as follows:

- Only one can per room.
- Do not use in small enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. X 5 ft. Or smaller, instead allow fog to enter from other rooms.
- Shut off electrical equipment.
- Turn off all ignition sources such as pilot lights (shut off gas valve), other open flames or running electrical appliances that cycle off and on, refrigerators, thermostats, etc. Call your gas utility or management company if you need assistance.

For use in Apartments, Attics, Boats, Cabins, Campers, Closed Barns, Day Camps, Garages, Homes, Horse Stables, Household Storage Areas, Kennels, Pet Sleeping Areas, Poultry Houses, Rooms, Greenhouses, Enclosed Porches, Ship cabins, Lathouses, Seed Houses, Tents, Washrooms, and the non-food/feed areas of schools, Theaters, Trucks, Warehouses, Boxcars, Hospitals, Hotels, Industrial Plants, Motels, and Preschools.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.

Commercial food/feed areas where the product cannot be used include areas for receiving, serving, storage, (dry, cold, frozen, raw), packaging (cleaning, slicing, cooking, grinding), edible waste storage, enclosed processing systems (mills, dairies, edible oils, syrups).

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers) entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Not for use in USDA meat and poultry plants.

One 6 ounce aerosol can treats up to 6,000 cubic feet of unobstructed area (a room 30 x 25 with a 8 foot ceiling).

One 12 ounce aerosol can treats up to 12,000 cubic feet of unobstructed area (a room 50 x 30 with an 8 foot ceiling).

HOW TO USE:

Step 1: PREPARATION

Open cupboards, cabinets, trunks, and doors to area to be treated to allow maximum kill in all areas where insects can hide, and breed. Close outside doors and windows and shut off fans and air conditioning to maximize killing power of fog. Remove poultry,

