UNICORN IGR PET SPRAY

- An insect growth regulator similar to the naturally occurring insect growth hormones which interferes (stops) their growth and development.
 - Kills Adult Fleas for 14 Days
 - Prevents Flea Eggs from Hatching for 45 Days
 - Can be Used as Part of an Integrated Pest Management Program.
 - FOR DOGS, CATS, PUPPIES & KITTENS
 - Also Kills Ticks & Lice
 Repels Fleas, Ticks, Gnats, Flies & Mosquitoes

ACTIVE INGREDIENTS:

2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy]	
pyridine	 0.125%
d-trans-chrysanthemum monocarboxylic acid ester	
of d-2-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one	0.100%
Permethrin*	0.150%
Piperonyl Butoxide, technical**	0.500%
N-octyl bicycloheptene dicarboximide	1.000%
Di-n-propyl isocinchomeronate***	0.200%
INERT INGREDIENTS:	 97.925%
Total:	100.000%


*Cis/Trans isomer ratio:

Min. 35%(±) cis

Max. 65%(±) trans

KEEP OUT OF REACH OF CHILDREN CAUTION

See back/side panel for additional precautionary statements.



NET CONTENTS

Manufactured by:
UNICORN LABORATORIES
12385 Automobile Blvd.
Clearwater, Florida 33762
(727) 578-4545

EPA EST. NO: 62478-FL-1A; 44616-MO-1B Subscript used is first letter of run code on container.

^{**}Equivalent to 0.4% (butylcarbityl) (6-propylpiperonyl) ether and 0.1% related compounds
*** MGK 326, Insect Repellent

- READ ENTIRE LABEL BEFORE EACH USE.
- USE ONLY ON DOGS, PUPPIES, CATS OR KITTENS.

PRECAUTIONAL STATEMENTS Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Causes moderate eye injury. Do not get in eyes or on clothing. Use in a well ventilated area. Wash thoroughly with soap and water after handling. Do not use on puppies and kittens under twelve (12) weeks of age. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals on medication. Sensitivities may occur after using **ANY** pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID	
If swallowed	Call poison control center or doctor immediately for treatment advice.
	 Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by the poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5
	minutes, then continue rinsing.
	Call a poison control center or doctor for treatment advice.
Have the produc	t container or label with you when calling a poison control center or
doctor, or going for	or treatment.

Environmental Hazards

This product is toxic to aquatic organisms. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Flammable. Keep away from heat and open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place away from children. Store above freezing (32°F) and protect from high temperatures.

DISPOSAL: If empty – Do not reuse this container. Place in trash or offer for recycling if available. If partly filled – Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA EST. NO: 62478-FL-1A; 44616-MO-1B Subscript used is first letter of run code on container.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING.

For Dogs, Cats, Puppies and Kittens: Cover animal's eyes with hand and with a firm, fast stroke, to get proper spray mist, spray head, ears and chest. With fingertips, rub into face around mouth, nose and eyes. Then spray the neck, middle and hind quarters, finishing with legs last. Apply spray until animal is uniformly damp. Animal should not be soaked or sprayed to the point of run off. For best penetration, spray against natural lay of the hair. On a heavily coated animal, rub your hand against the lay of the hair, spraying the ruffled hair directly behind your hand. Make sure spray thoroughly wets attached ticks. Repeat as necessary for control of adult fleas but not more frequently than once every 7 days. Wash hands thoroughly with soap and water after treating pet.

Use this product in a well ventilated area. This product is not a cholinesterase inhibitor. This product is not intended for application to nursing animals.

For Pet's Environment: For maximum flea control, pet's bedding and the areas they frequent should also be treated with EPA registered flea and tick control products, as part of a compelte flea control program in conjunction with this application to minimize the introduction of adult fleas.

EPA EST. NO: 62478-FL*178, 44616-MO-18* Subscript used is first letter of run code on container.