

PM 03

28293-293

4/20/98

1/5

**UNICORN
30 DAY Flea & Tick Treatment**

***For Dogs and Puppies**

Kills and Repels Fleas and Ticks for up to 30 Days.

- Easy and convenient to use
- Kills and repels the deer tick which may carry Lyme Disease
- Kills fleas before they lay eggs

ACTIVE INGREDIENT:

Permethrin [(3-phenoxyphenyl) methyl (±) -cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropane carboxylate]*.....

45%

INERT INGREDIENTS:.....

**55%
100%**

* cis/trans ratio: Max. 55% (±) Cis
 Min. 45% (±) Trans

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side/back panel for Additional Precautionary Statements.

**NET CONTENTS: 1 cc (0.03 oz)
 2 cc (0.06 oz)**

Manufactured by:

**Unicorn Laboratories
12385 Automobile Blvd.
Clearwater, FL 33762
Phone: (813) 578-4545**

EPA REG. NO. 28293-293(E:3/9/98)

ACCEPTED
APR 20 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 28293-293

EPA EST. NO. 62478-FL-1A
44516-MIO-1B
Subscript used is first letter of run code on container.

- READ ENTIRE LABEL BEFORE EACH USE.
- USE ONLY ON DOGS.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: *Humans* - Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. *Animals* - DO NOT USE ON CATS. Do not use on puppies less than six months old. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals, or animals on medication. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Environmental Hazards:

This product is toxic to fish. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

First Aid


IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

As with all flea and tick products, this product is most effective when used as part of a total program aimed at reducing fleas and ticks in your pet's environment. Be sure to treat the animal's bedding and the areas they frequent with products registered for these uses.

EPA Reg. No. 28293-XXX(P)

EPA EST. NO. 62478-FL-1A
44516-MO-1B

Subscript used is first letter
of run code on container.



DIRECTIONS FOR USE

(To be used on 1cc packaging for Dogs & Puppies 30 lbs and under)

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product contains three monthly dosages, each 1 cc,
for Dogs and Puppies 30 pounds and under.

DO NOT USE ON CATS.

- Remove applicator tube from package and hold in an upright position.
- Press cap down to break the seal of tube.
- Remove cap carefully. Position the tip of the tube on the dog's back between the shoulder blades and squeeze out the contents of the tube.
- Reapply every 30 days.

STORAGE AND DISPOSAL


Do not contaminate water, food or feed by storage and disposal. Store in a cool, dry place. Do not reuse empty tube. Wrap and discard in trash.

EPA Reg. No. 28293-XXX(P)

EPA EST. NO. 62478-FL-1A

44616-MO-1B

Subscript used is first letter
of run code on container.



4/5

DIRECTIONS FOR USE

(To be used on 2cc packaging for Dogs & Puppies over 30 lbs.)

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product contains three monthly dosages, each 2 cc,
for Dogs and Puppies over 30 pounds.

DO NOT USE ON CATS.

- Remove applicator tube from package and hold in an upright position.
- Press cap down to break the seal of tube.
- Remove cap carefully. Position the tip of the tube on the dog's back between the shoulder blades and squeeze out the contents of the tube until the contents level reaches the ½ mark on the tube..
- Invert the applicator tube upright and go to the dog's tail. Position the tip of the tube at the base of the tail and apply the remaining contents of the tube to the base of the dog's tail.
- Reapply every 30 days.

STORAGE AND DISPOSAL


Do not contaminate water, food or feed by storage and disposal. Store in a cool, dry place. Do not reuse empty tube. Wrap and discard in trash.

EPA Reg. No. 28293-XXX(P)

EPA EST. NO. 62478-FL-1A

44616-MO-1B

Subscript used is first letter
of run code on container.



REQUIRED MINIMAL LABELING
FOR EACH INDIVIDUAL TUBE

("")= According to outer container used.

UNICORN
30 DAY Flea & Tick Treatment

ACTIVE INGREDIENT:

Permethrin [(3-phenoxyphenyl) methyl (±)-cis, trans-
3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropane
carboxylate]*.....

45%

INERT INGREDIENTS.....

55%

*cis/trans ratio: Max. 55% (±) Cis

100%

Min. 45%(±) Trans

CAUTION: KEEP OUT OF REACH OF CHILDREN

Refer to container ("box", "card") for full Precautionary Statements and Directions for Use.

EPA Reg. No. 28293-293

EPA Est. No. 62478-FL-1

EPA Reg. No. 28293-XXX(P)

EPA EST. NO. 62478-FL-1A

44516-20-1B

Subscript used is first letter
of run code on container.

