		U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA Reg. Number:	Date of Issuance:	
UNIT	ED STATES	Office of Pesticide Programs Registration Division (H7505C)	28293-		
CAN T		401 "M" St., S.W. Washington, D.C. 20460	334	JUL 30 200	
on the second					
· • (	PROTE	NOTICE OF PESTICIDE:	Term of Issuance: Conditional		
		Registration		Conditional	
		Reregistration			
under F	nder FIFRA, as amended)		Name of Pesticide Product:		
			Unicorn Flying & Crawling		
	· · · · ·		Insect Killer	V	
		of Registrant (include ZIP Code):			
		pratories mobile Blvd.			
		FL 33762			
he Regi	-	beling differing in substance from that accepted in connection with sion prior to use of the label in commerce. In any correspondence	•		
In the h					
		mation furnished by the registrant, the above named pesticide is h	nereby registered/reregistered u	inder the Federal	
nsectici Registra he envii	de, Fungicid tion is in no ronment, the	e and Rodenticide Act. way to be construed as an endorsement or recommendation of this Administrator, on his motion, may at any time suspend or cancel	is product by the Agency. In c	order to protect health ar in accordance with the	
nsectici Registra he envi The acci ight to i T	de, Fungicid tion is in no ronment, the eptance of a exclusive use	e and Rodenticide Act. way to be construed as an endorsement or recommendation of this Administrator, on his motion, may at any time suspend or cancel my name in connection with the registration of a product under this e of the name or to its use if it has been covered by others.	is product by the Agency. In c the registration of a pesticide s Act is not to be construed as	order to protect health ar in accordance with the s giving the registrant a	
nsectici Registra he envi The acci ight to i T	de, Fungicid tion is in no ronment, the eptance of a exclusive use his proc ded you Subm produ simila	e and Rodenticide Act. way to be construed as an endorsement or recommendation of this Administrator, on his motion, may at any time suspend or cancel my name in connection with the registration of a product under this e of the name or to its use if it has been covered by others.	is product by the Agency. In c the registration of a pesticide s Act is not to be construed as lance with FIFRA s ration/reregistration gency requires all pmit acceptable res	order to protect health ar in accordance with the a s giving the registrant a sec. 3(c)(7)(A), n of your registrants of	
nsectici Registra he envii The accu ight to i T T DTOVI	de, Fungicid tion is in no ronment, the eptance of a exclusive use his proc ded you Subm produ simila for rei	e and Rodenticide Act. way to be construed as an endorsement or recommendation of the a Administrator, on his motion, may at any time suspend or cancel my name in connection with the registration of a product under this e of the name or to its use if it has been covered by others. duct is <u>conditionally</u> registered in accord J: it and/or cite all data required for registr ct under FIFRA sec. 3(c)(5) when the A r products to submit such data; and sub-	is product by the Agency. In c the registration of a pesticide s Act is not to be construed as lance with FIFRA s ration/reregistration gency requires all pmit acceptable res	order to protect health ar in accordance with the a s giving the registrant a sec. 3(c)(7)(A), n of your registrants of	
nsectici Registra he envii Fhe accu ight to o T DTOVÍ	de, Fungicid tion is in no ronment, the eptance of a exclusive use his proc ded you Subm produ simila for rei	e and Rodenticide Act. way to be construed as an endorsement or recommendation of the Administrator, on his motion, may at any time suspend or cancel ny name in connection with the registration of a product under thi e of the name or to its use if it has been covered by others. duct is <u>conditionally</u> registered in accord J: it and/or cite all data required for registr ct under FIFRA sec. 3(c)(5) when the A r products to submit such data; and sub registration of your product under FIFRA	is product by the Agency. In c the registration of a pesticide s Act is not to be construed as lance with FIFRA s ration/reregistration gency requires all omit acceptable res a section 4.	order to protect health ar in accordance with the is s giving the registrant a sec. 3(c)(7)(A), n of your registrants of sponses require	
nsectici Registra he envii Fhe accu ight to o T DTOVÍ	de, Fungicid tion is in no ronment, the eptance of a exclusive use his proc ded you Subm produ simila for rei Make a.	e and Rodenticide Act. way to be construed as an endorsement or recommendation of the a Administrator, on his motion, may at any time suspend or cancel my name in connection with the registration of a product under this e of the name or to its use if it has been covered by others. duct is <u>conditionally</u> registered in accord u: it and/or cite all data required for registr ct under FIFRA sec. 3(c)(5) when the A r products to submit such data; and sub registration of your product under FIFRA the following label changes: Revise the EPA Registration Number to	is product by the Agency. In o the registration of a pesticide s Act is not to be construed as lance with FIFRA s ration/reregistration gency requires all omit acceptable res a section 4.	order to protect health ar in accordance with the is signing the registrant a sec. 3(c)(7)(A), n of your registrants of sponses require No. 28293-	

.

)

1

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

Bird Would Chluf.

George T. LaRocca Product Manager (13) Insecticide Branch Registration Division (7505C)

Enclosure

j

# UNICORN FLYING & CRAWLING INSECT KILLER V

 For Household and Domestic Use Only [• Contains DeltaGard™ Insecticide and Esbiol® Insecticide Contains Deltamethrin and S-bioallethrin Water-Based [Formula] Quick Killing Action and Residual Control Rapid Knockdown Formula Long-Lasting Control For Indoor/Outdoor Use Kills Fleas-Roaches-Ants-Spiders Kills On Contact Kills Hidden Bugs . Kills Bugs You See and Even the Ones You Don't See Broad Spectrum Insect Control Highly Effective Against Ants, Bees, Carpenter Ants, Carpet Beetles, Centipedes, Cockroaches, Crickets, Firebrats, Fleas, Flour Beetles, Grain Beetles, Ground Beetles, Mole Crickets, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks and Many Other Crawling Insects In and Around Homes, Recreational Vehicles, Cabins, Tents and other Recreational Structures No Olly Residue – No Unpleasant Odor No Greasy Residue – Non-Staining Won't Stain Carpets and Floors • Protects For up to 4 Weeks . Keeps on Killing for up to 4 Weeks Keeps on Killing · Contains no CFC's or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols. • Use and you will have "Delta Blow" to your home invading bugs. Guard your home with DeltaGard<sup>™</sup>]

#### **ACTIVE INGREDIENTS:**

S-Bioallethrin	0.10%
Deltamethrin	
OTHER INGREDIENTS:	
	100.00%

DeltaGard is a trademark of AgrEvo Environmental Health, Inc. Esbiol is a registered trademark of AgrEvo S.A.

#### KEEP OUT OF REACH OF CHILDREN

## CAUTION

#### **NET CONTENTS:**

See Side Panel for First Aid and Additional Precautions

JUL 30 2001 Under the Followed Ensecticide, instantiation and children Act, is a mendiated and the pesticide registered taking EPA fleg. Nu 287, 73-334

ACCEPTED with COMMENTS

In EPA Letter Dated:

Manufactured for: UNICORN LABORATORIES 12385 AUTOMOBILE BLVD. CLEARWATER, FL 33762

FIRST AID				
IF INHALED	Move person to fresh air.			
	<ul> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> </ul>			
1	Call a poison control center or doctor for further treatment advice.			
IF IN EYES	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>			
	Call a poison control center or doctor for treatment advice.			
IF ON SKIN OR	Take off contaminated clothing.			
CLOTHING	Rinse skin immediately with plenty of water for 15-20 minutes.			
	Call a poison control center or doctor for treatment advice.			
Have the product co going for treatment.	ntainer or label with you when calling a poison control center or doctor, or			

#### PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Causes moderate eye irritation. Harmful if inhaled. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Remove pets, birds and cover fish aquariums before spraying.

# **Environmental Hazards**

This product is toxic to fish. Do not apply directly to water. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

### **Physical or Chemical Hazards**

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130<sup>0</sup>F may cause bursting. Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

# STORAGE AND DISPOSAL

**Storage:** Do not store near heat or open flame. Store in a cool, dry area away from children. **Container Disposal:** Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture. Can be disposed of with other recyclables where local law permits.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

)

This product works in two ways: 1) it kills bugs fast on contact; and 2) its residual action keeps on killing for up to 4 weeks after you spray. Contact kill gives you immediate results when spraying insects directly, while residual activity kills insects when they return to treated areas.

SHAKE WELL BEFORE EACH USE. Hold container upright. Do not spray up into air. Apply to surfaces only. Remove protective cap and direct spray away from face. Hold can 12-15 inches from surface being sprayed. Press button down and spray as directed. Spray surface until slightly wet.

This product will not stain surfaces or fabrics where water alone causes no damage.

This product is intended for use in and around residential structures and their immediate surroundings. Permitted areas of use include: apartments, atriums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandahs.

#### **INDOORS:**

)

**Cockroaches** (including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), **ants**, **booklice**, **boxelder bugs**, **centipedes**, **crickets**, **dermestids**, **firebrats**, **fleas**, **palmetto bugs**, **silverfish**, **sowbugs**, **ticks and waterbugs**: Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices, and hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. When pests are driven out, spray directly. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed.

# [ROACHES: Spray in cracks and crevices, around baseboards and other hiding places until wet. When driven out, spray bugs directly.]

**Ants:** Spray around ant trails, doors and windows and other places where ants enter the house.

**Carpenter Ants:** For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

**Ticks and Fleas on Surfaces:** Remove pet bedding and destroy or clean thoroughly Spray pet resting quarters. Adult fleas and larvae contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea [and/or tick] control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use.

**Spiders:** Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

**Centipedes, Ground Beetles, Pillbugs, Sowbugs, Scorpions and Ticks**: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

[SILVERFISH, CRICKETS, SPIDERS, EARWIGS: Apply to areas infested by these pests including bookcases, drawers, the underside of shelves and around doors and windows. Spray pests directly when seen. Spray surfaces until wet.]

PANTRY PESTS – Grain Beetles (Rusty, Merchant and Saw-toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

/Carpet Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

**Webbing Clothes Moths:** Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

#### **OUTDOORS:**

)

)

Point nozzle away from face. Hold can on a slight downward angle, approximately 12-15 inches from surface to be sprayed. For best results, spray when air is calm. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

**PESTS ON OUTSIDE SURFACES OF BUILDINGS:** For control of building infestation to **ants, clover mites, crickets and sowbugs (pillbugs).** Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet? Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps.



### CRAWLING INSECTS: ants, cockroaches (including Asian cockroaches),

centipedes, crickets, mole crickets and silverfish. Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

Ants: Spray around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray on and around debris until surface is wet.

# [ANTS: Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

**Fire Ants:** To treat mounds, use soil injector extension tube included with container. Attach tube to spray nozzle making sure it is pointed away from face. To maximize distribution, insert injector into the mound full length, if possible. Inject the mound at 3-6 sites at a rate of 5-10 seconds of spray per site. For very large mounds (over 36 inches in diameter), increase the number of injection sites. Space injection sites in a circular pattern on the mound surface with one site in the center. To quiet active ants on the surface, sweep the surface with spray from a distance of 18 inches. For best results, apply in cool weather or in early morning or late evening hours. Treat new mounds as they appear.

Lone Star Ticks, Dog Ticks, Crickets, Fleas and Earwigs: Apply thoroughly to infestation in bushes, grass or weeds.

Wasps, Mud Daubers, Hornets and Bees: Spray nests and bees directly. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest.

<sup>/</sup>FLYING INSECTS: Houseflies, gnats, mosquitoes and small flying moths: Use only on outdoor surfaces. Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

FOR THE CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese beetles hit by spray, as well as whiteflies, aphids, armyworms, lace bugs, mealy bugs, exposed thrips, pavement ants, spiders, spider and red mites, clover mites and leafminers.

May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus,

)

8/8

fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Spray insects directly whenever possible.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[Brackets indicate alternate text.]

¥