

28293-337

1-21-2002

1/10

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
Amendment  
 Other

OPP Identifier Number  
284957

Application for Pesticide - Section I

1. Company/Product Number Unicorn Laboratories/ 28293-337		2. EPA Product Manager James Tompkins		3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted	
4. Company/Product (Name) Unicorn Glyphosate Concentrate 41% Unicorn Laboratories/ Weed & Grass Killer		PM# 25			
5. Name and Address of Applicant (Include ZIP Code) Unicorn Laboratories 12385 Automobile Blvd. Clearwater, FL 33762 <input type="checkbox"/> Check if this is a new address		6. Expedited Review: In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____			

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of label change relative to ER Notice 2001-6. This notification is consistent with the guidance in ER Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of ER Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted	If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Lee Tharrington		Title Director, Regulatory Affairs		Telephone No. (Include Area Code) (772) 578-4535	
<p align="center"><b>Certification</b></p> <p>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</p>					6. Date Application Received (Stamped)
2. Signature 		3. Title Director, Regulatory Affairs			
4. Typed Name Lee Tharrington		5. Date 1/14/02			

2/10

# UNICORN Glyphosate Concentrate 41% Weed & Grass Killer

[Optional/Alternate proposed text appears in brackets [ ]– the final label may include some or all of the optional/alternate text]

[Ultra formula] [Concentrated for extra value] [Concentrated and economical][Super concentrate]

[Built in measuring cap and pour spout]

[Now/New measuring cap and pour spout included]

[Easy Measure] [Easy Pour.] [Water-based formulation]

[Low odor] [No roots] [No weeds] [No problem]

[Makes up to [21] [35] [85] gallons of spray solution [varies with container size]

[Covers up to [6,300] [10,500] [25,500] sq ft [varies with container size]

[One gallon of spray solution covers 300 sq ft] [75 sq ft per qt] [55 sq ft per 24 oz]

[Kills weeds and grasses] [in 2 to 4 weeks] [right down to the root]

[See results in 7 days]

[Kills [even] the [hardest] [toughest] of weeds and grasses]

[Multi-purpose Grass & Weed Killer]

[A general purpose broadleaf weed & grass killer]

[Kills undesirable weeds and grasses][Kills 100+ Weeds][Kills Over 100 Weeds]

[Kills the weed above and the root below]

[Kills weeds & grasses to the root]

[Kills weeds & grasses down to the root]

[Kills unwanted vegetation right down to the root]

[Apply using] [For application with] [Standard Tank Sprayer; BIG SHOT® Multi-purpose sprayer; ORTHO® Dial 'n Spray®; ORTHO SPRAY-ETTE®; or other ORTHO hose-end sprayer]

[Use for site preparation for large plantings, such as flower beds, fruit trees, ornamentals, vegetables, garden sites and to renovate or replace lawns]

[Kills many of the weeds you don't want] [Rid weeds] [Get rid of weeds] in

flowerbeds, along fences, around trees, shrubs, driveways, walkways, in and around fences, patios, paths, sidewalks and curb cracks, walkways and trails]

[Use to refill **Glyphosate Ready-to-Use** [specific product name] **Weed and Grass Killer**]

[Reseed or sod new lawns 7 days following treatment]

[Ornamentals can be planted or transplanted the day following treatment]

[Single Dose Packaging] [2.5 oz. Single Dose] [2.5 oz. to 1 Gallon water]

[Contains glyphosate]

## KEEP OUT OF REACH OF CHILDREN

## CAUTION

### ACTIVE INGREDIENT :

Glyphosate, (N-(phosphonomethyl) glycine), in the form of its isopropylamine salt.....41.0%

OTHER INGREDIENTS..... 59.0%

TOTAL 100.0%

Acid equivalent or Glyphosate content = 30.34%

READ PRECAUTIONS AND DIRECTIONS ON [BACK] [SIDE] [INSIDE] LABEL.

or

SEE {[BACK] [SIDE] [INSIDE] PANEL} [BOOKLET] FOR ADDITIONAL PRECAUTIONARY STATEMENTS

or

PEEL OPEN FOR USE DIRECTIONS AND FURTHER INFORMATION.

## NOTIFICATION

3/10

EPA REG. NO. 28293-337  
EPA EST. NO. 62478-FL-1

**NET CONTENTS:**  
2.5 oz [Single Dose]  
8 fl oz [½ pt] [237 mL]  
16 fl oz [1 pt][473 mL]  
24 fl oz [1½ pt][710 mL]  
32 oz [1 quart][946 mL]  
53.7 fl oz [0.42 gallon][ 1.5 L]  
64 fl oz [½ gal][1.89 L]  
128 fl oz [1 gal][3.7L]  
320 fl oz [2½ gal][9.45 L]

**Manufactured by:**  
**UNICORN LABORATORIES**  
12385 Automobile Blvd.  
Clearwater, FL 33762

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Keep children and pets away from treated areas until spray has dried. Avoid contamination of food. Do not contaminate water supplies.

**FIRST AID**

- IF ON SKIN:**
  - Take off contaminated clothing. Rinse skin with plenty of water for 15–20 Minutes.
  - Call a poison control center or doctor for treatment advice.
- IF IN EYES:**
  - Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-800-858-7378, National Pesticide Hot Line [or other designated medical Emergency toll free number] for emergency medical treatment information.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

**[CONSUMER INFORMATION]**

[This product will treat up to:

- 1,575 sq ft (approx. size of ¼ of a tennis court) – for 8 fl oz size *or*
- 3,150 sq ft (approx. size of ½ tennis courts) – for pint size *or*
- 4,725 sq ft (approx. size of ¾ tennis courts) – for 24 fl oz size *or*
- 6,300 sq ft (approx. size of 3 tennis courts) – for quart size *or*
- 10,500 sq ft (approx. size of 5 tennis courts) – for 53 fl oz size *or*
- 12,600 sq ft (approx. size of 6 tennis courts) – for ½ gallon size *or*
- 25,500 sq ft (approx. size of 12 tennis courts) – for 1 gallon size *or*
- 65,000 sq ft (approx. size of 30 tennis courts) – for 2½ gallon size]

4/10

[This product [product name] eliminates nearly all common weeds, grasses and unwanted vegetation.] [Illustrations]

[Add water and use along fences, in driveways, sidewalks, brick and gravel walkways, next to trees and shrubs, and around buildings to control weeds and unwanted vegetation. Use this product for edging landscapes. This product [product name] is suited for lawn renovation or to prepare large sites for planting of flower beds, vegetable gardens or wildlife food plots. This product [It] can also be used for large jobs such as lawn renovation and vegetable and flower garden preparation.] [For edging around lawns] [For lawn replacement/renovation] [For garden plot preparation]

**[Important:** This product is a non-selective herbicide that will kill all vegetation contacted. This herbicide kills unwanted plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves down to the roots. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately. Any product not absorbed by the plant is broken down into natural materials. This product has no soil activity and thus will not affect nearby untreated plants.]

[For product information and a complete list of weeds controlled] [For more information] [For questions or comments], call toll-free 1-800-xxx-yyyy or visit [www.xxxxx.xxx](http://www.xxxxx.xxx).]

**[WEEDS AND GRASSES CONTROLLED]**

**[Annual weeds and grasses:**

[Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed, black medic, blue medic, blue toadflax, brassbuttons, blue mustard, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, common groundsel, common lambsquarters, common plantain, common ragweed, crabgrass, creeping beggarweed, diffuse lovegrass, dog fennel, evening primrose, false dandelion, fall panicum, fennel, fiddleneck, field pennycress, field sandbur, filaree, Florida pusley, foxtail, garden spurge, goosegrass, green foxtail, hemp sesbania, henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, little bitter cress, London rocket, maiden cane, mallow, mayweed, mouseear chickweed\*, oxalis\*, Pennsylvania smartweed, pennywort, pigweed, prickly lettuce, prostrate spurge, puncture vine, purslane, redroot pigweed, sandspur, shepherdspurge, smartweed, smooth cat's ear, smooth pigweed, sowthistle, spotted spurge, sprangletop, spurges, tansy mustard, tansy ragwort, teaweed, Texas panicum, tumble mustard, velvetleaf, wild geranium\*, witchgrass, wild mustard, yellow nutgrass, yellow oxalis] [and many other annual grasses and weeds] [controls many unwanted plants] [kills most types of weeds and grasses].]

**[Perennial weeds, grasses and brush [Tough weed control]:**

[Alder, artichoke thistle, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, blackberries, bluegrass, broadleaf plantain, brownseed paspalum, buckhorn plantain, bull thistle, Canada thistle, cattail, ceanothus, centipedegrass, cherry, cocklebur, cogongrass, common mullein, common ragweed, coralbead, coyote brush, creeping bentgrass, creeping Charlie, creeping lanтана, curly dock, dallisgrass, dandelion, dewberry, dog fennel, elderberry, false dandelion, fescue species, field bindweed, guineagrass, hairy crabgrass, honeysuckle, horse nettle, horseradish, iceplant, Johnsongrass, Kentucky bluegrass, kikuyugrass, knapweed, knawel, kudzu, lanтана, maiden cane, milkweed, mouseear chickweed\*, multiflora rose, nimblewill,

5/10

nutgrass (nutsedge), oak species, oldenlandia, orchardgrass, oxalis\*, pampasgrass, pennywort, perennial ryegrass, plantain, poison oak, poison ivy, poison hemlock, primrose, purple cudweed\*, purple nutsedge, quackgrass, quaking aspen, ragweed, raspberry, red clover, smooth brome grass, sourdock, sowthistle, St. Augustinegrass, sumac, tall fescue, tansy ragwort, thistle, Timothy, torpedograss, trumpetcreeper, vaseygrass, Virginia creeper, white clover, whitetop, wild barley, wild blackberry, wild carrot, wild morning-glory, wild oats, wild sweet potato, willow, yarrow, yellow nutgrass, yellow starthistle, zoysia] [and many other perennial grasses, weeds, brush and sedges] [controls many unwanted weeds/plants] [kills most types of weeds and grasses].]  
 [\*Annual or Perennial]

[Optional chart – can be used on front or back panel of label]

<b>PRODUCT [USAGE] [FACTS]</b>	
<b>KILLS</b>	Kills Weeds. [Kills unwanted weeds and grasses] [Kills undesirable weeds and grasses.] [Eliminates nearly all common weeds, grasses and unwanted vegetation] [Illustrations]
<b>[USE ON] [WHERE TO USE]</b>	[Driveways, walkways, curbs, patios] [Around fruits, trees, shrubs, flowers, vegetable gardens] [Along fences and foundations] [For [large][big] areas] – [For lawn replacement [For garden plot preparation] [ For lawn renovation]
<b>AMOUNT TO USE</b>	[For best results use 2½ fl oz (5 Tbs) per gallon of water for 300 sq. ft.] [For general [easy to kill] weed control use 1½ fl oz (3 Tbs) per gallon of water for 300 sq ft]
<b>[HOW IT WORKS]</b>	[Moves systemically to the roots, killing weeds by stopping the production of a substance found only in plants. Any product not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants.]

[Optional/alternate Chart- can be used on front or back panel of full label for Single Dose (2.5 fl oz)]

<b>MIXING INSTRUCTIONS</b>	[No Measuring] [No Mess] [Makes one gallon] Use a Tank Sprayer (plastic, aluminum or stainless steel). Add entire contents [2.5 fl oz] to 1 gallon of water. Spot treat or spray evenly over 300 sq ft. ..... [For large areas consider using the Ortho® Dial'n Spray® Set dial to 2½ oz. Add entire contents (2.5 fl oz) to sprayer jar. DO NOT add water. Spray evenly over 300 sq. ft.]
<b>WHERE TO USE</b>	On patios, walkways or driveways, or along fences Around fruits, vegetables, flowers, shrubs or trees.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. [Read the entire panel before using this product.] [Use only according to label instructions observing all precautions].

6/10

**Amount to use:** For best results use 2.5 fl oz (5 Tbs) per gallon of water.

**[Alternate mixing instruction table for smaller label]**

MIXING INSTRUCTIONS
For plastic, aluminum or stainless steel tank sprayers: Add 2.5 fl oz (5 Tbs) of this product [product name] per gallon water for hard to control weeds and lawn renovation. Add 1.5 fl oz (3 Tbs) for general weed control. Covers 300 sq ft or can be used as a spot treatment.
Ortho® Dial'n Spray®: To sprayer jar add 2.5 fl oz per each 300 sq ft. DO NOT add water. Set dial to 2½ oz and spray evenly over measured area

**[How to use][How to apply]**

Apply to evenly and thoroughly wet weeds and grasses.

**Important:** Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately.

Do not mow, cut or otherwise disturb treated vegetation for at least 7 days following application.

**Do not apply with galvanized or unlined steel sprayer, or through any irrigation system or sprinkling can.**

[This product is formulated for "spot" treatment of individual weeds and grasses or for treatment of large areas as instructed on this label (see specific site areas below).]

[If weed is taller than 5 ft. or is climbing a shrub or tree, cut weed at base and spray its regrowth.]

[Use a tank-type sprayer with a coarse spray nozzle for spot treatments.] [Use the ORTHO Dial 'n Spray or other hose-end sprayer to treat large areas such as for lawn renovation or to prepare sites for planting flower beds or vegetable gardens.]

Apply this product using any of the following equipment:

- [Plastic, aluminum or stainless steel tank sprayer]
- [ORTHO Dial' N Spray®]
- [ORTHO Spray-Ette®]
- [A hose-end sprayer recommended for weed killers]
- [Hand-trigger pump sprayer]

**[Cleaning Application Equipment:]**

To clean sprayer after use, triple rinse sprayer and all sprayer parts with water. Spray rinse water on bare soil or gravel. After thorough cleaning, sprayer can be used for other products.

**[When to use] [When to apply]:**

Apply to actively growing weeds, preferably before the seed heads form. Completely spray the foliage of the weeds and grasses you want to kill until thoroughly wet. It's best to apply on a warm sunny day when daytime temperatures are above 60° F. Weed control is accelerated by warm sunny weather. Apply when the wind is calm. Reapply if it rains within 24 hours of application. Hard-to-control weeds may require a second application if not completely dead in 4 weeks.

**[Where to use] [Use sites] [Use situations]**

**General weed control:** Use near fences, in paths, patios, sidewalks, curbs and driveways, around ornamental trees, shrubs, flower beds and plantings, around buildings. Controls weeds in brick and gravel walks. Use for trimming and edging landscapes. NOT recommended for spot

weed treatment in lawns, since this product [product name] kills all green plants, including lawn grasses. If replacing a lawn or parts of a lawn, see **For lawn renovation/replacement** recommendations on this label.

**Spot treatments:** Direct spray on undesirable weeds and grasses in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Spray when air is calm. Prevent product spray from contacting the leaves, green stems, or exposed roots of plants you like. Use a cardboard or plastic shield to protect desirable plants from spray or drift. [This product [product name] will not move in or on the soil to untreated plants.] If product is used to control weeds around fruit or nut trees or grapevines, wait **21 days** before eating the fruit or nuts.

**Landscapes:** For use in preparing areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be planted **1 day** after treatment.

**Wildlife areas site preparation:** Use this product [product name] to prepare areas for planting wildlife food plots. Exotic or undesirable plants can be controlled with this product to allow for planting or recovery of native plant species. Spot treatments may be directed to selectively remove unwanted plants. Avoid spray drift to desirable plants.

**For lawn renovation/replacement:**

Use this product [product name] to kill existing vegetation (weeds and grasses and the old lawn).

Apply in spring or fall, when daytime temperatures are at least 60° F for best results.

If the lawn is dry, water lawn every other day for 7 days before applying this product [product name]. Do not mow for 7 days before or after treatment.

Use 2½ fl oz per gallon of water for each 300 sq ft of area to treat.

Wait 7 days after application to prepare the soil by raking, leveling or rototilling.

Rake up and remove loosened thatch or debris.

Work in starter fertilizer and soil amendments, if needed. Level the soil.

Sow new seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow. Use temporary mulch such as straw to conserve moisture.

Keep area moist to establish new lawn. Water as needed.

**To Control Brush or Vines:** Apply to green and actively growing brush or vines. For plants taller than 5 feet, cut them back and spray the regrowth. Fall applications to brush may delay control to the following season. A second application may be required on hard-to-control species such as blackberry, kudzu, or poison oak.

**To kill vines** growing up a pole, fence or mature tree trunk, cut vine to a height of 3 to 4 feet and spray thoroughly covering remaining vine. If vine is climbing a shrub or immature (green) tree trunk, to avoid damage to these plants, cut vine at base and treat as directed for stumps or spray regrowth. If spraying regrowth shield shrub and green trunk from drift with a sheet of plastic or cardboard.

**Stump Treatment:** Stumps can be treated to prevent regrowth. Apply this product [product name] when vegetation is actively growing or immediately (within 5 minutes) after being cut down.

- Cut stump close to the soil surface.
- Make 4-5 nail holes into the stump.
- Flood the stump with undiluted product.

This treatment will suppress or control many types of woody brush and trees, such as alder, bluegum eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum, and tan oak.

**[When to replant][Re-Planting instructions] [Reseeding and replanting in treated areas]**

**Ornamentals and Flowers:** Re-seed or replant **1 day** following application.

**Vegetables:** Wait **3 days** after spraying, before seeding or transplanting the plants listed below:

Beans	Crenshaw melon	mangos melon	Radish
beet greens	cucumber	melons	Rhubarb
broccoli	Eggplant	muskmelon	Rutabaga
Brussels sprouts	Endive	mustard greens	Spinach
Cabbage	Garlic	okra	summer squash
Cantaloupe	Honeydew melon	onions	sweet potato
Carrot	Honey ball melon	rape greens	tomatillo
Cauliflower	Horseradish	parsley	tomato*
Casaba melon	Jerusalem artichoke	parsnips	turnip
Celery	Kale	peas	watercress
chard (Swiss)	Kohlrabi	pepper	watermelon
chicory	Leeks	Persian melon	winter squash
collards	Lentils	potato	yams
corn	Lettuce	pumpkin	

\*Note: Wait 3 days before planting tomatoes from seed and **30 days** for rooted tomato transplants. For tomato transplants or vegetables not listed, wait **30 days** after spraying before planting into treated soil.

**Small Fruits and Berries:** blackberry, black raspberry, blueberry, boysenberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, ollieberry, red raspberry and strawberry may be planting by seed, rooted cutting, or transplant **7 days** after spraying this product [product name]. Wait **30 days** after spraying and before planting other small fruits and berries.

**Fruit and Nut Trees, Caneberries and Grapevines:** Allow **21 days** before eating the fruits or nuts when using this product [product name] to control weeds around fruit or nut trees, caneberries and grapevines.

**[Directions if container has a measuring cap:]**

**Measuring Cap:** To open, squeeze the sides at the points indicated while unscrewing. There are [four] or [n] levels marked inside the measuring cap. Use the following table and the measuring cap to determine the amount of product [product name] to mix. Close cap tightly after use. No need to rinse cap.

Level 1 = 1 teaspoon (tsp)

Level 4 = 2 fl oz (4 Tbs)

Level 2 = 1 Tablespoon (Tbs) = 3 tsp

Level n = n fl oz

Level 3 = 1 fl oz (2 Tbs)

[Note to reviewer: The measuring cap may have more than 4 levels or at different intervals than noted above. If necessary, additional levels will be mentioned with appropriate conversions]



9/10

APPLICATOR	MIXING INSTRUCTIONS		AREA TO TREAT
	General Weed Control Annuals	Tough Weed Control Perennials or Brush or Lawn Renovation	
Standard Tank Sprayer	Fill cap to Level 2 three times (3 Tbs) [or equivalent depending on cap size]. Add this to 1 gallon of water.	Fill cap to Level 2 five times (5 Tbs) [or equivalent depending on cap size]. Add to 1 gallon of water.	300 sq ft (30 ft x 10 ft)
ORTHO Dial 'n Spray Hose-End sprayer	Fill cap to Level 2 three times (3 Tbs) [or equivalent depending on cap size] and add to sprayer jar. DO NOT ADD WATER. Set dial to 1½ oz and spray.	Fill cap to Level 2 five times (5 Tbs) [or equivalent depending on cap size] and add to sprayer jar. DO NOT ADD WATER. Set dial to 2½ oz and spray.	300 sq ft (30 ft x 10 ft)
ORTHO Spray-Ette	Fill cap to Level 4 three times (6 oz) [or equivalent depending on cap size] and add to sprayer jar. Fill to the 4 gallon mark and spray.	Fill cap to Level 4 five times (10 oz) [or equivalent depending on cap size] and add to sprayer jar. Fill to the 4 gallon mark and spray.	1200 sq ft (30 ft x 40 ft)
Hand trigger sprayers	Fill cap to Level 1 two times (2 tsp) [or equivalent depending on cap size]. Add this to 24 oz of water.	Fill cap to Level 2 one time (1 Tbs). Add this to 24 oz of water.	Use for spot treatments or application to single weeds.

**[Directions for use when measuring cap packaging is not used]**

Use the following table to determine the amount of this product [product name] to mix with water.

Close cap tightly after use. No need to rinse cap.

1 teaspoon (tsp)

1 tablespoon (Tbs) = 3 tsp.

1 fl oz (2 Tbs)

2 fl oz (4 Tbs)

APPLICATOR	MIXING INSTRUCTIONS		AREA TO TREAT
	General weed control annuals and seedling weeds	Tough weed control perennials or brush or lawn renovation	
Tank Sprayer	Use 1½ oz (3 Tbs) product in 1 gallon of water.	Use 2½ oz (5 Tbs) product in 1 gallon of water.	300 sq ft (30 ft x 10 ft) or use for spot treatments

10/10

ORTHO Dial 'n Spray Hose-End sprayer	Add 1½ oz (3 Tbs) product to sprayer jar. DO NOT ADD WATER. Set dial to 1½ oz and spray.	Add 2½ oz (5 Tbs) product to sprayer jar. DO NOT ADD WATER. Set dial to 2½ oz and spray.	300 sq ft (30 ft x 10 ft)
ORTHO Spray-Ette	Add 6 oz product to sprayer jar. Fill to the 4 gallon mark and spray.	Add 10 oz product to sprayer jar. Fill to the 4 gallon mark and spray.	1200 sq ft (30 ft x 40 ft)
Hand trigger sprayers 24 oz capacity	Use 2 tsp in 24 oz of water.	Use 1 Tbs in 24 oz of water.	Use for spot treatments or apply to single weeds

This product can be used to refill **Glyphosate Ready-To-Use [specific product name] Weed & Grass Killer**, following mixing directions on the label. [Use the mixed solution within 2 weeks.] [For best results after mixing with water, use within 2 weeks.]

*Reviewer: Minimal container Labeling for single dose 2.5 fl o. Product will be blister packed on printed card or with booklet, which will contain complete labeling:*

**Unicorn Glyphosate Concentrate 41% Weed & Grass Killer**

**Active Ingredient:**  
 Glyphosate..... 41%  
 Other Ingredients..... 59%  
 100%

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
 Refer to card [booklet] for full **Precautionary Statements**  
 And **Directions for Use.**

**CONTENTS: 2.5 fl oz**                      **Distributed by:**  
 EPA Reg. No. 28293-337  
 EPA Est. No: 62478-FL-1

**STORAGE AND DISPOSAL**

**Storage:** Use and store this product only in its original container. Store product in a secure storage area away from sources of heat or open flame. Protect product from freezing.

**Disposal:** If empty, do not reuse. If partially filled, call your local solid waste agency or place unused product down any hole or in the trash.

**Spill or leak:** In case of spill or leak, soak up with paper towels and discard in trash.

**Notice:** Buyer assumes all responsibility for safety and use not in accordance with directions.

®ORTHO, ORTHO Dial' N Spray and ORTHO Spray-Ette are registered trademarks of The Scotts Company.