

28293-343

1-21-2002

1/10

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number
284957

Application for Pesticide - Section I

1. Company/Product Number Unicorn Laboratories/ 28293-343	2. EPA Product Manager James Tompkins	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Unicorn Laboratories/ Unicorn Glyphosate Concentrate 16.5% Weed & Grass Killer	PM# 25	
5. Name and Address of Applicant (Include ZIP Code) Unicorn Laboratories 12385 Automobile Blvd. Clearwater, FL 33762 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION JAN 21 2002
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of label change relative to PR Notice 2001-6. This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	If "Yes" Unit Packaging wgt. No. per container		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted!		If "Yes" Package wgt. No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Lee Tharrington	Title Director, Regulatory Affairs	Telephone No. (Include Area Code) (727) 573-1311
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Director, Regulatory Affairs	
4. Typed Name Lee Tharrington	5. Date 1/14/02	

2/10

UNICORN Glyphosate Concentrate 16.5% Weed & Grass Killer

[Optional/Alternate proposed text appears in brackets [] – the final label may include some or all of the optional/alternate text]

[New/Now with measuring cap and pour spout]

[Measuring cap and pour spout included]

[Easy Measure. Easy Pour]

[Water-based] [formulation]

[No odor] [No weed] [No root] [No problem]

[Makes up to [10] [20] gallons of spray solution. [varies with container size]

[One gallon of spray covers 300 sq ft]

[Kills weeds and grasses right down to the root/roots and all/ kills the root]

[Multi-purpose grass & weed killer] [Kills 100+ Weeds] [Kills over 100 Weeds]

[A general purpose weed & grass killer]

[Kills unwanted vegetation right down to the root]

[Apply using] [For application with] [Standard Tank Sprayer; BIG SHOT® Multi-purpose sprayer or other tank sprayer; ORTHO® Dial 'n SPRAY®; ORTHO® SPRAY-ETTE®; or other ORTHO hose-end sprayers] [or other optional spray equipment]

[Use for site preparation for large plantings, such as flowerbeds, fruit trees, ornamentals, vegetables, garden sites and to renovate or replace lawns]

[Kills/spray weeds you don't want] [Get rid of weeds] [in flowerbeds, mulch beds, in and around fences, trees, shrubs, driveways, walkways, patios, paths, curbs, sidewalks and walkways]

[Use to refill **Glyphosate Ready-to-Use [specific product name] Weed & Grass Killer**

[Mix xx tablespoons (depending on container size) per gallon]

[Contains glyphosate]

NOTIFICATION

JAN 21 2002

ACTIVE INGREDIENT :

Glyphosate, (N-(phosphonomethyl) glycine), in the form of its isopropylamine salt.....16.5%

OTHER INGREDIENTS.....83.5%

TOTAL100.00%

Acid equivalent or Glyphosate content = 12.20%

KEEP OUT OF REACH OF CHILDREN

CAUTION

READ PRECAUTIONS AND DIRECTIONS ON [BACK] [SIDE] [INSIDE] LABEL.

or

SEE {[BACK] [SIDE] [INSIDE] PANEL} [BOOKLET] FOR ADDITIONAL PRECAUTIONARY STATEMENTS

or

PEEL OPEN FOR USE DIRECTIONS AND FURTHER INFORMATION.

NET CONTENTS

8 fl oz [½ pt] [237 mL]
24 fl oz [1½ pt][710 mL]
64 fl oz [½ Gal][1.89 L]
128 fl oz [1 Gal] [3.78 L]

16 fl oz [1 pt][473 mL]
32 fl oz [1 quart] [946 mL]
67.6 fl oz [½ gallon 3.6 fl oz][2.0 L]
320 fl oz [2½ Gal][9.45 L]

3/10

Manufactured by:
Unicorn Laboratories
12385 Automobile Blvd.,
Clearwater, FL 33762

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Keep children and pets away from treated areas until spray has dried. Avoid contamination of food. Do not contaminate water supplies.

FIRST AID

- IF ON SKIN:**
 - Take off contaminated clothing. Rinse skin with plenty of water for 15–20 Minutes.
 - Call a poison control center or doctor for treatment advice.
- IF IN EYES:**
 - Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 - Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
You may also call 1-800-858-7378, National Pesticide Hot Line, [or other designated medical Emergency toll free number] for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

[CONSUMER INFORMATION]

[This product will treat approximately:
750 sq. ft. (approx. size of 1/3 tennis court) [½ Pint] or
1,500 sq. ft. (approx. size of ¾ tennis court) [Pint] or
2,250 sq. ft. (approx. size of 1 tennis court) [24 oz] or
3,000 sq. ft. (approx. size of 1½ tennis courts) [Quart] or
6,300 sq. ft. (approx. size of 3 tennis courts) [½ gal] or
12,600 sq. ft. (approx. size of 6 tennis courts) [1 gal] or
31,500 sq. ft. (approx. size of 15 tennis courts) [2½ gal]

[This product][Product name] eliminates nearly all common weeds and grasses. [Illustrations]
[This product can be used in driveways, brick and gravel walkways, curbs, along fences and foundations, near trees and shrubs, in flower beds, mulch beds, vegetable gardens, gravel, and other similar areas of the yard to get rid of undesirable vegetation.] [Edging around lawns] [For lawn replacement/renovation] [For garden plot preparation] [Do not use on or around edible food or food crops.]

4/10

[**Important:** This product is a non-selective herbicide that will kill all vegetation contacted. This herbicide kills unwanted plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves down to the roots. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately. Any product not absorbed by the plant is broken down into natural materials. This product has no soil activity and thus will not affect nearby untreated plants.]

[For product information and a complete list of weeds controlled] [For more information] [For questions or comments], call toll-free 1-800-xxx-yyyy or visit www.xxxxx.xxx.]

[WEEDS AND GRASSES CONTROLLED]

[Annual weeds and grasses:

Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed, black medic, blue medic, blue toadflax, brassbuttons, blue mustard, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, common groundsel, common lambsquarters, common plantain, common ragweed, crabgrass, creeping beggarweed, diffuse lovegrass, dog fennel, evening primrose, false dandelion, fall panicum, fennel, fiddleneck, field pennycress, field sandbur, filaree, Florida pusley, foxtail, garden spurge, goosegrass, green foxtail, hemp sesbania, henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, little bitter cress, London rocket, maiden cane, mallow, mayweed, mouseear chickweed*, oxalis*, Pennsylvania smartweed, pennywort, pigweed, prickly lettuce, prostrate spurge, puncture vine, purslane, redroot pigweed, sandspur, shepherdspurge, smartweed, smooth cat's ear, smooth pigweed, sowthistle, spotted spurge, sprangletop, spurges, tansy mustard, tansy ragwort, teaweed, Texas panicum, tumble mustard, velvetleaf, wild geranium*, witchgrass, wild mustard, yellow nutgrass, yellow oxalis [and many other annual grasses and weeds] [controls many unwanted plants] [kills most types of weeds and grasses].]

[Perennial weeds, grasses and brush:

Alder, artichoke thistle, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, blackberries, bluegrass, broadleaf plantain, brownseed paspalum, buckhorn plantain, bull thistle, Canada thistle, cattail, ceanothus, centipedegrass, cherry, cocklebur, cogongrass, common mullein, common ragweed, coralbead, coyote brush, creeping bentgrass, creeping Charlie, creeping lanтана, curly dock, dallisgrass, dandelion, dewberry, dog fennel, elderberry, false dandelion, fescue species, field bindweed, guineagrass, hairy crabgrass, honeysuckle, horsenettle, horseradish, iceplant, Johnsongrass, Kentucky bluegrass, kikuyugrass, knapweed, knawel, kudzu, lanтана, maiden cane, milkweed, mouseear chickweed*, multflora rose, nimblewill, nutgrass (nutsedge), oak species, oldenlandia, orchardgrass, oxalis*, pampasgrass, pennywort, perennial ryegrass, plantain, poison oak, poison ivy, poison hemlock, primrose, purple cudweed*, purple nutsedge, quackgrass, quaking aspen, ragweed, raspberry, red clover, smooth bromegrass, sourdock, sowthistle, St. Augustinegrass, sumac, tall fescue, tansy ragwort, thistle, Timothy, torpedograss, trumpetcreeper, vaseygrass, Virginia creeper, white clover, whitetop, wild barley, wild blackberry, wild carrot, wild morning-glory, wild cats, wild sweet potato, willow, yarrow, yellow nutgrass, yellow starthistle, zoysia [and many other perennial grasses, weeds, brush and sedges] [controls many unwanted plants] [kills many types of weeds and grasses].]

[*Annual or Perennial]

5/10

[Optional chart – can be used on front or back panel of label – may appear on certain final printed labels]

PRODUCT [USAGE] [FACTS]	
KILLS	Kills Weeds. [Kills unwanted weeds and grasses] [Kills undesirable weeds and grasses] [Eliminates nearly all common weeds, grasses and unwanted vegetation] [Illustrations] [Complete kill in 2 weeks, including root]
[Use On] [Where to use]	[Driveways, walkways, curbs, patios] [Around fruits, trees, shrubs, flowers, vegetable gardens] [For [large][big] areas] – [For lawn replacement] [For garden plot preparation] [For lawn renovation]
Amount to Use	[For best results:] 6½ fl oz (13 Tbs) per gallon water for 300 sq. ft. [For easy to kill weeds such as [seedling weeds] [crabgrass], [chickweed], [plantain] and [spurge] use 3½ fl oz (7 Tbs) per gallon of water for each 300 sq. ft.]
[How It Works]	[Moves systemically to the roots, killing weeds by stopping the production of a substance found only in plants.] [Any product not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire panel before using this product. Use only according to label instructions.

[Amount to use: For best results use 6½ fl oz (13 Tbs) per gallon of water.]

[Alternate mixing instruction table for smaller label]

MIXING INSTRUCTIONS
For plastic, aluminum or stainless steel tank sprayers: Add 6½ fl oz (13 Tbs) of this product [product name] per gallon of water for hard to control weeds and lawn renovation. Add 3½ fl oz (7 Tbs) for general weed control. Covers 300 sq. ft. or can be used as a spot treatment
Ortho® Dian 'n Spray: To sprayer jar add 6½ fl oz per each 300 sq ft. Do not add water. Set dial 5 1/3 oz and spray evenly over measured area.

1 tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl oz = 2 Tbs

[For easy to kill weeds such as crabgrass, chickweed, plantain and spurge use 3½ fl oz (7 Tbs) per gallon of water for each 300 sq. ft] [For easy to kill weeds such as seedling weeds use 3½ fl oz (7 Tbs) per gallon of water for each 300 sq. ft.]

[How to use] [How to apply] [Application instructions]:

Apply to evenly and thoroughly wet weeds and grasses.

Important: Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately.

Do not mow, cut or otherwise disturb treated vegetation for at least 7 days following application.

Do not apply or store in galvanized or unlined steel sprayer, or through any irrigation system or sprinkling can.

[If weed is taller than 5 ft. or is climbing a shrub or tree, cut weed at base and spray its regrowth.]

6/10

[This product is formulated for "spot" treatment of individual weeds and grasses or for treatment of large areas as instructed on this label (see specific site areas below).]

[Use a tank-type sprayer with a coarse spray nozzle for spot treatments. Use the ORTHO Dial 'n Spray or other hose-end sprayer to treat large areas such as for lawn renovation or to prepare sites for planting flowerbeds or vegetable gardens.]

To apply this product use [any of] the following equipment:

- [Plastic, aluminum or stainless steel tank sprayer]
- [ORTHO Dial' n Spray®]
- [ORTHO Spray-Ette®]
- [A hose-end sprayer recommended for weed killers]
- [Hand-trigger pump sprayer]

[One gallon [of finished spray] [diluted product] [spray mix] treats over 300 sq. ft.]

[Treated weeds begin to wilt in about 3 days with complete kill of the weed including the root in 2 to 4 weeks. This product [product name] does not move or build up in the soil to effect untreated plants growing nearby. Ornamental plantings can be made 3 days after treatment. Vegetable gardens can be seeded or planted 3 days after treatment. Lawns may be replanted 1 week after spraying.]

[Determine the correct amount of product and water to add to sprayer from the directions below.]

[Cleaning application equipment after use:]

Triple rinse sprayer and all sprayer parts with water. Spray rinse water on bare soil or gravel. After thorough cleaning, sprayer can be used for other products.

[When to use] [When to apply] [For best results]:

Apply to actively growing weeds, preferably before the seed heads form. Best to apply on a warm sunny day when daytime temperatures are above 60° F and. Weed control is accelerated by warm sunny weather. Apply when the wind is calm. Reapply if it rains within 24 hours of application. Hard-to-control weeds may require a second application if not completely dead in 4 weeks.

[Where to Use] [Use Sites] [Use Situations]

General weed control: Use [near] [along] fences, [in] paths, patios, sidewalks, curbs and driveways, around ornamental trees, shrubs, flower beds and plantings, around buildings. Controls weeds in brick and gravel walks. Use for trimming and edging landscapes. NOT recommended for spot weed treatment in lawns, since this product kills all green plants, including lawn grasses. If replacing a lawn or parts of a lawn, see **Lawn Renovation [Replacement]** recommendations on this label.

Spot Treatments: Spray directly on actively growing weeds in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Do not spray fruit and nut trees or grapevines directly. [Make sure this product does not contact the leaves, green stems, or exposed roots of plants you don't want to kill. If necessary, use cardboard or plastic to shield plants.] [This product [product name] will not move in or on the soil to untreated plants.]

Landscapes: For use in preparing areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.

7/10

To control brush: Apply to green and actively growing brush. For plants taller than 5 feet, cut them back and spray the regrowth. Brush sprayed in the fall may not be fully controlled until the following season. A second application may be required on hard-to-control species such as blackberry, kudzu, or poison oak.

To Kill Vines: If vine is growing up a pole, fence or mature tree trunk, cut vine to a height of 3 to 4 feet and spray to thoroughly cover remaining vine. If vine is climbing a shrub or immature (green) tree trunk, to avoid damage to these plants, cut vine at base and spray its regrowth. Shield shrub and green trunk from spray drift with a sheet of plastic or cardboard.

For lawn renovation/[replacement]: Use this product to kill existing vegetation (weeds and grasses and the old lawn) before re-seeding or putting down sod. For best results, apply in Spring or Fall, when daytime temperatures are at least 60° F for best results. If the lawn is dry, water lawn every other day for 7 days before applying this product and for 2 to 3 days after application.

Do not mow for 7 days before or after treatment.

Use 6.5 fl oz [6½ fl oz] per gallon of water for each 300 sq ft of area to be treated.

Wait 7 days after application to prepare the soil by raking, leveling or rototilling.

Rake up and remove loosened thatch or debris.

Work in starter fertilizer and soil amendments, if needed.

Sow new seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow. Use a temporary mulch such as straw to conserve moisture.

Keep area moist to establish new lawn. Water as needed.

[When to Replant] [RE-SEEDING AND REPLANTING IN SPRAYED AREAS]

Ornamentals and flowers: Re-seed or replant **1 day** after application.

Vegetables: Wait **3 days** after spraying, before seeding or transplanting the plants listed below. For tomato transplants or vegetables not listed below, wait **30 days** after spraying before planting into treated soil.

Beans	Crenshaw melon	Mango melon	Radish
beet greens	cucumber	Melons	Rhubarb
broccoli	eggplant	Muskmelon	Rutabaga
Brussels sprouts	endive	Mustard greens	Spinach
Cabbage	garlic	Okra	Summer squash
Cantaloupe	honeydew melon	Onion	Sweet potato
Carrot	honey ball melon	rape greens	Tomatillo
Cauliflower	horseradish	parsley	Tomato*
Casaba melon	Jerusalem artichoke	parsnips	Turnip
Celery	Kale	peas	Watercress
Chard (Swiss)	kohlrabi	pepper	Watermelon
Chicory	leeks	Persian melon	Winter squash
Collards	lentils	Potato	Yams
Corn	lettuce	Pumpkin	

*Note: Do not spray vegetables directly. Wait **3 days** before planting tomatoes from seed only. Wait **30 days** for rooted tomato transplants.

8/10

Small fruits and berries: The following listed crops may be planted (by seed, rooted cutting, or transplant) **7 days** after spraying this product: blackberry, black raspberry, blueberry, boysenberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olallieberry, red raspberry and strawberry. For unlisted small fruit and berries, wait **30 days** after spraying. Do not spray small fruits and berries directly.

Fruit and Nut Trees or Grapevines: If this product [product name] is used to control weeds around fruit or nut tree or grapevine, allow 21 days before eating the fruits or nuts. Do not spray fruit and nut trees or grapevines directly.

[Alternate replanting instructions]

[Replanting] [When to replant]

- All ornamental flowers, trees and shrubs may be planted **1 day** after application.
- The following fruits, vegetables and herbs may be planted **3 days** after application: beans, beet greens, broccoli, Brussels sprouts, cabbage, carrots, cauliflower, celery, chard (Swiss), chicory, collards, corn, cucumber, eggplant, endive, garlic, gourds, horseradish, Jerusalem artichoke, kale, kohlrabi, leek, lentils, lettuce, melons, mustard greens, okra, onion, rape greens, parsley, parsnips, peas, pepper, potato, pumpkin, radish, rhubarb, rutabaga, spinach, squash, sweet potato, tomatillo, tomato (by seed only), turnip, watercress & yams.
- Turf grasses and the following berries may be planted **7 days** after application: blackberry, black raspberry, blueberry, boysenberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olallieberry and red raspberry. [raspberry (black and red)]
- Tomatoes from transplant and fruits, vegetables and herbs not listed may be planted **30 days** after treatment/[application].

[Directions if container has a measuring cap:]

Measuring Cap: To open, squeeze the sides at the points indicated while unscrewing. There are [four] or [n] levels marked inside the measuring cap. Use the following table and the measuring cap to determine the amount of this product [product name] to mix. Close cap tightly after use. No need to rinse cap.

Level 1 = 1 teaspoon (tsp)

Level 3= 1 fl oz (2 tbs)

Level n = n fl

oz

Level 2 = 1 tablespoon (Tbs) = 3 tsp

Level 4 = 2 fl oz (4 Tbs)

[Note to reviewer: The measuring cap may have more than 4 levels or at different intervals than noted above. If necessary, additional levels will be mentioned with appropriate conversions]

APPLICATOR	MIXING INSTRUCTIONS		AREA TO TREAT
	General Weed Control Annuals	Tough Weed Control Perennials or Brush or Lawn Renovation	
Standard Tank Sprayer	Fill cap to Level 3 three times and Level two one time (7 Tbs) [or equivalent depending on cap size]. Add to 1 gallon of water.	Fill cap to Level 4 three times and Level 2 one time (13 Tbs) [or equivalent depending on cap size]. Add to 1 gallon of water.	300 sq ft (30 ft x 10 ft)

ORTHO Dial 'n Spray hose-end sprayer	Fill cap to Level 3 three times and Level 2 one time (7 Tbs) [<i>or equivalent depending on cap size</i>] and add to sprayer jar. DO NOT ADD WATER. Set dial to 4 oz. and spray.	Fill cap to Level 4 three times and Level 2 one time (13 Tbs) [<i>or equivalent depending on cap size</i>] and add to sprayer jar. DO NOT ADD WATER. Set dial to 8 oz. and spray.	300 sq ft (30 ft x 10 ft)
ORTHO Spray-ETTE	Fill cap to Level 4 seven times (14 oz) [<i>or equivalent depending on cap size</i>] and add to sprayer jar. Fill to the 4 gallon mark with water and spray.	Not recommended for ORTHO Spray-ETTE.	1200 sq ft (30 ft x 40 ft)
Hand trigger sprayers 24 oz	Fill cap to Level 1 four times (4 tsp) [<i>or equivalent depending on cap size</i>]. Add to 24 oz of water.	Fill cap to Level 2 two times and Level 1 one time (7 tsp) [<i>or equivalent depending on cap size</i>]. Add to 24 oz of water.	Use for spot treatments or application to single weeds.

[Directions for use when measuring cap packaging is not used]

Use the following table to determine the amount of this product to mix with water. Close cap tightly after use. No need to rinse cap.

- | | |
|----------------------------|-----------------|
| 1 teaspoon (tsp) | 1 fl oz (2 Tbs) |
| 1 tablespoon (Tbs) = 3 tsp | 2 fl oz (4 Tbs) |

APPLICATOR	MIXING INSTRUCTIONS		AREA TO TREAT
	General Weed Control Annuals	Tough Weed Control Perennials or Brush or Lawn Renovation	
Tank Sprayer	Use 3½ oz (7 Tbs) this product in 1 gallon of water.	Use 6½ oz (13 Tbs) this product in 1 gal of water.	300 sq. ft. (30 ft x 10 ft)
ORTHO Dial 'n Spray Hose End Sprayer	Add 3½ oz (7 Tbs) this product to sprayer jar. Do not add water. Set dial to 4 oz and spray.	Add 6½ oz (13 Tbs) this product to sprayer jar. Do not add water. Set dial to 5 1/3 oz and spray.	300 sq. ft. (30 ft x 10 ft)
ORTHO Spray-ETTE	Add 14 oz this product to sprayer jar. Fill to the 4 gallon mark and spray.	Not recommended for ORTHO Spray-ETTE.	1200 sq. ft. (30 ft x 40 ft)
Hand trigger sprayers	Use 4 tsp in 24 oz. of water.	Use 2 Tbs and 1 tsp in 24 oz of water.	Use for spot treatments or apply to single weeds.

This product can also be used to refill **Glyphosate Ready-To-Use [specific product name] Weed & Grass Killer**, following mixing directions on the label. Use the mixed solution within 2 weeks. [For best results after mixing with water, use within 2 weeks.]

10/10

STORAGE AND DISPOSAL

Storage: Use and store this product only in its original container. Store product in a secure storage area away from sources of heat or open flame. Protect product from freezing.

Disposal: If empty - Do not reuse this container. If partially filled - Call your local solid waste agency. Never place unused product down any indoor or outdoor drain.

Spill or leak: In case of spill or leak, soak up with paper towels and discard in trash.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

©ORTHO, Dial 'n Spray and Spray-Ette are registered trademarks of The Scotts Company.

