28293 Please read instructions on	-345 verse before complete		14-21	OY Form App	roved. O	MB No. 207	'0-0060 <u>.</u>	Approval expires 05-31-9
SEPA	Environmental	Protection gton, DC 20460	Agency	The Street		egistrat mendm ther _{NO}	ent	OPP Identifier Number 246731 ATION
** ***	ويوفي بهروف المائيسون	Application	for Pesti	cide - Sec	tion I	e garagari in ini		11.
1. Company/Product Number				A Product Man	_		3. Pro	oposed Classification
28293-345				nes Tompki	ns			None Restricted
4. Company/Product (Name)	Unicorn Glypn Weed & Grass		PM#	25		5 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
5. Name and Address of Appl	icent <i>(Include ZIP Cod</i>	fe)		•		**		FIFRA Section 3(c)(3)
Unicorn Laborat 12385 Automobil			(b)(i), my product is similar or identical in composition and labeling to:					
Clearwater, FL	33762		EPA	A Reg. No				
Check if this i	s a new address		Pro	duct Name				
. 74	·		Section	-	i		. }	NOTIFICATION
Amendment - Explain I	below.					n response	to	JUN 1 4 2004
Resubmission in respo	gger sprayer mixi		ons to		Application fos Con	on. centrate (d & Grass Killer labe product is a me-too.
Yes* No	Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt.		Water Solubl Yes No If "Yes" Package wgt	No. per		2. Type of C	ontainer Metal Plastic Glass Paper Other (S	
Location of Net Contents In	formation	4. Size(s) Retail	Container	<u> </u>	5. Loca	tion of Labe	l Directio	ing
	ntainer	T. Dizbio, motal	Containor			On Label		spanying product
3. Manner in Which Label is A	ffixed to Product	Lithograp Paper glu Stenciled	led	Othe	r	-	1 .	
		in the web 1995	Section -	IV				
. Contact Point <i>(Complete it</i>	ems directly below fo	or identification o	of Individual to	be contacted,	if neces	sary, to pro	cess this	application.)
lame Lee Tharringtor	1	Ti		ry Affair	3		relephon (727)	e No. (Include Area Code) 578–4545
I certify that the statem I acknowledge that any both under applicable Is	knowingly false or m	Certification this form and all isleading statem	attachments	thereto are tru unishable by fi	e, accura ne or imp	ite and com	plete. r	6. Date Application (Received
2. Signature	1/ /	3.	Title	,				* * * * * * * * * * * * * * * * * * *
Bu Mit		R	Regulatory Affairs			● 3 1 × ● ● ● < ●		
4. Typed Name		5.	Date	ate				
Lee Tharrington		5	/26/04					1
PA Form 8570-1 (Rev. 8-94)	Previous editions are	obsolete		Wh	ita . FPA	File Copy	(original)	Yellow - Applicant Cop

UNICORN Glyphosate Concentrate 27% Weed & Grass Killer

[Optional/Alternate proposed text appears in brackets [] — the final label may include some or all of the optional/alternate text]

[New/Now built-in pour spout]

[Easy pour container] [Tougher formula] [50% stronger]

[Kills the root]

[No odor] [No root] [No weed] [No problem] [Water-based formula]

[Makes over [16/33] [1/2] gallon[s] of spray solution] [values depend on container size]

[Covers 300 sq ft per gallon of spray] [Covers over 10,000 sq. ft.] [1/2 gal container size]

[Kills undesirable weeds and grasses, roots and all] [Kills down to the root]

[Use in] [Apply with] BIG SHOT™ Multi-Purpose Sprayer [or other tank sprayers] [ORTHO® Dial

'n Sprayer®] [ORTHO Spray-Ette®] [or other hose-end sprayers]]

[Use to prepare sites for large plantings, for planting flowerbeds, for planting fruit trees,

ornamentals, vegetables, garden sites and to renovate lawns]

[Kills weeds in flower beds, around fences, trees, shrubs, driveways, walkways and shrubs, patios, paths, sidewalk cracks, walkways] [Kills 100+ Weeds] [Kills over 100 Weeds]

[Economical] [Mix 4 to 8 tablespoons (2 to 4 oz.) per gallon]

[Concentrated for extra value] [Visible effects in 7 days]

[For General Weed Control] [Kills weeds and grasses in 2 to 4 weeks] [roots and all.]

[Completely kills the toughest weeds and grasses [listed on this label]]

[Multipurpose Grass & Broadleaf Weed Control]

[Can re-seed or sod lawns 7 days after treatment]

[Lawns and ornamental gardens can be re-seeded or planted 1 day following treatment]

[Use to refill Glyphosate Ready-to-Use [specific product name] Weed and Grass Killer]

[Contains glyphosate]

CAUTION

ACTIVE INGREDIENT:

Glyphosate, (N-(phosphonomethyl) glycine), in the form of its isopropylamine salt	27.0%
OTHER INGREDIENTS	<u>73.0%</u>
TOTAL	100%

Acid equivalent or Glyphosate content = 19.98%

READ PRECAUTIONS AND DIRECTIONS ON [BACK] [SIDE] [INSIDE] LABEL.

Oľ

SEE {[BACK] [SIDE] [INSIDE] PANEL} [BOOKLET] FOR ADDITIONAL PRECAUTIONARY STATEMENTS

01

PEEL OPEN FOR USE DIRECTIONS AND FURTHER INFORMATION.

EPA Reg. No. 28293-345 EPA Est. No. 62478-FL-1 NET CONTENTS:

8 fl oz [½ pint] [237 mL]

16 fl oz [pint] [473 mL]

24 fl oz [1½ pt] [710 mL]

32 fl oz [1 qt][946 mL]

64 fl oz [½ gal] [1.89 L]

67.6 fl oz [½ gal. 3.6 fl oz][2.0 L]

128 fl oz [1 gal][3.7 L]

320 fl oz [2½ gal][9.45 L]

Manufactured by: **UNICORN LABORATORIES**

12385 Automobile Blvd. Clearwater, FL 33762

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through the skin, Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Keep children and pets away from treated areas until spray has dried. Avoid contamination of food. Do not contaminate water supplies.

FIRST AID

IF ON SKIN:

- Take off contaminated clothing. Rinse skin with plenty of water for 15–20 Minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

You may also call 1-800-858-7378, National Pesticide Hot Line, [or other designated medical Emergency toll free Number] for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

[CONSUMER INFORMATION]

This Product will treat approximately:

750 sq. ft. (approx. size of 1/3 tennis court) [1/2 Pint] or

1,500 sq. ft. (approx. size of 3/4 tennis court) [Pint] or

2,250 sq. ft. (approx. size of 1 tennis court) [24 oz] or

3,000 sq. ft. (approx. size of 11/2 tennis courts) [Quart] or

5,100 sq. ft. (approx. size of 2½ tennis courts) [53 oz] or

6,300 sq. ft. (approx. size of 3 tennis courts) [1/2 gal] or

12,600 sq. ft. (approx. size of 6 tennis courts) [1 gal] or

31,500 sq. ft. (approx. size of 15 tennis courts) [21/2 gall

[This product [product name] eliminates nearly all common weeds, grasses and unwanted vegetation.] [Illustrations]

This product can be used in driveways, brick and gravel walkways, curbs, along fences and foundations, near trees and shrubs, in flower beds, mulch beds, vegetable gardens, fruit trees, gravel, and other similar areas of the yard to get rid of undesirable vegetation. It can also be used for large jobs such as lawn renovation and vegetable and flower garden preparation. [Edging around lawns] [For lawn replacement/renovation] [For garden plot preparation] [Do not use on or around edible feed or food crops.]

[Important: This product is a non-selective herbicide that will kill all vegetation contacted. This herbicide kills unwanted plants by inhibiting the production of a substance found only in plants. It

2/19

enters plants through the sprayed foliage and moves down to the rootsAny product not absorbed by the plant is broken down into natural materials. This product has no soil activity and thus will not affect nearby untreated plants.]

[[For product information and a complete list of weeds controlled] [For more information] [For questions or comments], call toll-free 1-800-xxx-xxxx or visit www.xxxxx.xxx]

[WEEDS AND GRASSES CONTROLLED]

[Annual weeds and grasses:

Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed, black medic, blue medic, blue toadflax, brassbuttons, blue mustard, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, common groundsel, common lambsquarters, common plantain, common ragweed, crabgrass, creeping beggarweed, diffuse lovegrass, dog fennel, evening primrose, false dandelion, fall panicum, fennel, fiddleneck, field pennycress, field sandbur, filaree, Florida pusley, foxtail, garden spurge, goosegrass, green foxtail, hemp sesbania, henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, little bitter cress, London rocket, maiden cane, mallow, mayweed, mouseear chickweed*, oxalis*, Pennsylvania smartweed, pennywort, pigweed, prickly lettuce, prostrate spurge, puncture vine, purslane, redroot pigweed, sandspur, shepherdspurse, smartweed, smooth cat's ear, smooth pigweed, sowthistle, spotted spurge, sprangletop, spurges, tansy mustard, tansy ragwort, teaweed, Texas panicum, tumble mustard, velvetleaf, wild geranium*, witchgrass, wild mustard, yellow nutgrass, yellow oxalis [and many other annual grasses and weeds] [controls many unwanted plants] [kills many types of weeds and grasses].]

[Perennial weeds, grasses and brush:

Alder, artichoke thistle, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, blackberries, bluegrass, broadleaf plantain, brownseed paspalum, buckhorn plantain, bull thistle, Canada thistle, cattail, ceanothus, centipedegrass, cherry, cocklebur, cogongrass, common mullein, common ragweed, coralbead, coyote brush, creeping bentgrass, creeping Charlie, creeping lantana, curly dock, dallisgrass, dandelion, dewberry, dog fennel, elderberry, false dandelion, fescue species, field bindweed, guineagrass, hairy crabgrass, honeysuckle, horsenettle, horseradish, iceplant, Johnsongrass, Kentucky bluegrass, kikuyugrass, knapweed, knawel, kudzu, lantana, maiden cane, milkwed, mouseear chickweed*, multflora rose, nimblewill, nutgrass (nutsedge), oak species, oldenlandia, orchardgrass, oxalis*, pampasgrass, pennywort, perennial ryegrass, plantain, poison oak, poison ivy, poison hemlock, primrose, purple cudweed*, purple nutsedge, quackgrass, quaking aspen, ragweed, raspberry, red clover, smooth bromegrass, sourdock, sowthistle, St. Augustinegrass, sumac, tall fescue, tansy ragwort, thistle, Timothy, torpedograss, trumpetcreeper, vaseygrass, Virginia creeper, white clover, whitetop, wild barley, wild blackberry, wild carrot, wild morning-glory, wild oats, wild sweet potato, willow, yarrow, yellow nutgrass, yellow starthistle, zoysia (and many other perennial grasses, weeds, brush and sedges) [controls many unwanted weeds/plants] [kills many types of weeds and grasses and brush].] [*Annual or Perennial]

[Optional chart – can be used on front or back panel of label – may appear on certain final printed labels]

iancial				
PRODUCT [USAGE] [FACTS]				
KILLS	Kills Weeds. [Kills unwanted weeds and grasses] [Kills undesirable weeds and grasses.] [Eliminates nearly all common weeds, grasses and unwanted vegetation] [Illustrations] [Complete kill in 1 to 2 weeks.]			
[Use On] [Where to Use]	[Driveways, walkways, curbs, patios] [Edging around lawns] [Around fruits, trees, shrubs, flowers, [flower beds] vegetables			

	gardens] [Along [around] fences and foundations] [For [large][big] areas] – [For lawn replacement] [For lawn renovation] [For garden plot preparation]
Amount to Use	[For best results:] 4 fl oz (8 Tbs) per gallon water for 300 sq. ft. [For easy to kill weeds such as seedling weeds [crabgrass, chickweed, plantain and spurge] use 2 fl oz (4 Tbs) per gallon of water for each 300 sq. ft.]
[How it Works]	[Non-selective herbicide] that kills all vegetation contacted] [Kills unwanted plants by inhibiting [stopping] the production of a substance found only in plants] [Moves systemically to the roots] [Any product not absorbed by plant is broken down into natural materials without moving in or on the soil to untreated plants]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. [Read entire label before use.] [Use only according to label directions observing all precautions.]

Amount to use: For best results use 4 fl. oz (8 Tbs) per gallon of water.

[Alternate mixing instruciton table for smaller label]

MIXING INSTRUCTIONS

For plastic, aluminum or stainless steel tank sprayers: Add 4 fl. oz (8 Tbs) of this product [product name] per gallon of water for hard to control weeds and lawn renovation. Add 2 fl. oz (4 Tbs) for general weed control. Covers 300 sq. ft. or can be used as a spot treatment.

Ortho® Dial 'n Spray: To sprayer jar add 4 fl oz per each 300 sq. ft. Do not add water. Set dial to 4 oz and spray evenly over measured area.

1 tablespoon (Tbs = 3 teaspoons (tsp)

1 fl oz = 2 Tbs

[For easy to kill weeds such as crabgrass, chickweed, plantain and spurge use 2 fl oz (4 Tbs) per gallons of water for each 300 sq. ft]

[For easy to kill weeds such as seedling weeds use 2 fl oz (4 Tbs) per gallon of water for each 300 sq. ft.

[How to use] [How to apply] [Application instructions]:

Apply [spray] to evenly and thoroughly wet weeds and grasses.

Important: Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately.

Do not mow, cut or otherwise disturb treated vegetation for at least 7 days following application. Do not apply or store in galvanized or unlined steel sprayer, or through any irrigation system or sprinkling can.

[This product is formulated for "spot" treatment of individual weeds and grasses or for treatment of large areas as instructed on this label (see specific site areas below).]

[Use a tank-type sprayer with a coarse spray nozzle for spot treatments. Use the ORTHO Dial 'n Spray or other hose-end sprayer to treat large areas such as for lawn renovation or to prepare sites for planting flower beds or vegetable gardens.]

To apply this product use [any of] [the following equipment:]

- [Plastic, aluminum or stainless steel tank sprayer]
- [ORTHO Dial' n Spray]
- [ORTHO Spray-Ette]
- [A hose-end sprayer recommended for weed killers]
- [Hand-trigger pump sprayer]

[One gallon [of finished spray] [diluted product] [spray mix] treats over 300 sq. ft.] [Determine the correct amount of product [product name] and water to add to sprayer from the directions below.]

[Cleaning application equipment:]

When finished spraying rinse spray equipment thoroughly and flush all sprayer components with water 3 times after use. Spray rinse water on bare soil or gravel surface. Do not apply rinse water to treated weeds. Only after a very thorough cleaning, can the sprayer or spray equipment be used for application of other products.

Triple rinse sprayer and all sprayer parts with water. Spray rinse water on bare soil or gravel. After thorough cleaning, sprayer can be used for other products.]

[When to use] [When to apply] [For best results]

Apply when unwanted weeds and grasses are actively growing. Weeds usually show initial symptoms within 1 week after treatment and complete kill in about 1 to 2 weeks. Larger more established weeds may take up to 4 weeks for complete kill. This product [product name] works best in warm sunny weather when daytime temperatures are above 60° F. For best results apply when weeds are small before seed heads have formed. If it rains within 24 hours after application, reapply. If hard-to-control weeds are not killed within 4 weeks, reapply this product [product name]

[Where to use] [Use situations]

General weed control: Use near fences, in paths, patios, sidewalks, curbs and driveways, around ornamental trees, shrubs, flower beds and plantings, around buildings and paths. [on wooded lots] [in recreational areas] [areas where tough weeds are invading your yard]. Controls weeds in brick and gravel walks. Use for trimming and edging landscapes. NOT recommended for spot weed treatment in lawns, since this product [product name] kills all green plants, including lawn grasses. If replacing a lawn or parts of a lawn, see For lawn renovation/replacement recommendations on this label.

Spot treatments: Direct spray on undesirable weeds and grasses in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Spray when air is calm. Prevent product spray from contacting the leaves, green stems, or exposed roots of plants you like. Use a cardboard or plastic shield to protect desirable plants from spray or drift. This product [product name] will not move in or on the soil to untreated plants. If product is used to control weeds around fruit or nut trees or grapevines, wait 21 days before eating the fruit or nuts.

Landscapes: For use in preparing areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.

Wildlife areas site preparation: Use this product [product name] to prepare areas for planting wildlife food plots. Introduced or undesirable plants can be controlled with this product to allow for planting or recovery of native plant species. Spot treatments may be directed to selectively remove unwanted plants. Avoid spray drift to desirable plants.

For lawn renovation/replacement: Use this product [product name] to remove the undesired lawn and kill weeds and grasses. For best results, apply in spring or fall, when daytime temperatures are at least 60° F. If the lawn is dry, water every other day for 7 days before applying this product [product name]. Do not mow for 7 days before or after treatment. Use 4 fl.

7/9

oz. per gallon of water for each 300 sq. ft. of area to be treated. After 7 days, prepare the soil for planting by raking or rototilling the lawn. Rake up and remove loosened thatch or debris. Mix in starter fertilizer and soil amendments, if needed. Level the soil. Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow. Keep area moist for 2 weeks, to establish new lawn, then water as needed.

To control brush: Apply to green and actively growing brush. For plants taller than 5 feet, cut them back and spray the regrowth. Fall applications to brush may delay control to the following season. A second application may be required on hard-to-control species such as blackberry, kudzu, or poison oak.

Stump treatment: To prevent regrowth from stumps, apply this product [product name] when vegetation is actively growing and immediately after being cut down.

- · Cut stump close to the soil surface.
- Make 4-5 nail holes in the stump.
- Flood the stump with undiluted product.

This treatment will control or suppress many types of woody brush and trees, such as alder, bluegum eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum, and tan oak.

Vines treatment [OR] [To Kill Vines]: If vines are growing up poles, fences or tree trunks with mature bark, cut vines to a height of 3 to 4 ft and spray vines thoroughly. If vines are climbing shrubs, or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray its regrowth. If spraying regrowth, shield shrubs and tree trunks from spray drift with a sheet of cardboard or plastic.

[When to replant] [Replanting and Re-seeding After Application]

Ornamentals and Flowers: Re-seed or replant the following day.

Vegetables: Wait 3 days after spraying, before seeding or transplanting the plants listed below. For tomato transplants or vegetables not on the below list, wait 30 days after spraying before planting into treated soil.

Beans	Crenshaw melon	Mango melon	Radish
beet greens	cucumber	melons	Rhubarb
broccoli	eggplant	muskmelon	Rutabaga
Brussels sprouts	endive	mustard greens	Spinach
Cabbage	garlic	okra	Summer squash
Cantaloupe	honeydew melon	onion	Sweet potato
Carrot	honey ball melon	rape greens	Tomatillo
Cauliflower	horseradish	parsley	Tomato*
Casaba melon	Jerusalem artichoke	parsnip	Turnip
Celery	kale	peas	Watercress
chard (Swiss)	kohlrabi	pepper	Watermelon
chicory	leeks	Persian melon	Winter squash
collards	lentils	potato	Yams
corn	lettuce	pumpkin	

*Note: Wait 3 days before planting tomatoes from seed and 30 days for rooted tomato transplants. Do not spray vegetables directly.

Small fruits and berries: blackberry, black raspberry, blueberry, boysenberry, currant, dewberry, elderberry, gooseberry, huckleberry, loganberry, olallieberry, red raspberry and strawberry may be planted by seed, rooted cutting, or transplant **7 days** after applying this product [product name]. For unlisted small fruits and berries, wait **30 days** after spraying and before planting. Do

19

not spray fruits and berries directly.

Fruit and nut trees, caneberries or grapevines: If this product [product name] is used to control weeds around fruit or nut trees, caneberries or grapevines, allow 21 days before eating the fruits or nuts. Do not treat fruits and nuts directly.

[Alternate replanting instructions] [Replanting] [When to replant]

- [All ornamental flowers, trees and shrubs may be planted 1 day after application.
- The following fruits, vegetables and herbs may be planted 3 days after application: beans, beet greens, broccoli, Brussels sprouts, cabbage, carrots, cauliflower, celery, chard (Swiss), chicory, collards, corn, cucumber, eggplant, endive, garlic, gourds, horseradish, Jerusalem artichoke, kale, hohlrabi, leek, lentils, lettuce, melons, mustard greens, okra, onion, rape greens, parsley, parsnips, peas, pepper, potato, pumpkin, radish, rhubarb, rutabaga, spinach, squash, sweet potato, tomatillo, tomato (by seed only), turnip, watercress & yams.
- Turf grasses and the following berries may be planted 7 days after application:
 blackberry, black raspberry, blueberry, boysenberry, currant, dewberry, elderberry,
 gooseberry, huckleberry, loganberry, olailieberry and red raspberry. [raspberry (black and red)]
- Tomatoes from transplant and fruits, vegetables and herbs not listed may be planted 30 days after treatment/ [application].]

[Directions if container has a measuring cap:]

Measuring Cap: To open, squeeze the sides at the points indicated while unscrewing. The measuring cap has [four] *or* [n] levels marked inside. Use the following table and the measuring cap to determine the amount of product [product name] to mix. Close cap tightly after use. No need to rinse cap.

Level 1 = 1 teaspoon (tsp) Level 2 = 1 tablespoon (Tbs) = 3 tsp Level 3= 1 fl oz (2 Tbs) Level 4 = 2 fl oz (4 Tbs) Level n = n fl oz

[Note to reviewer: The measuring cap may have more than 4 levels or at different intervals than noted above. If necessary, additional levels will be mentioned with appropriate conversions]

APPLICATOR	MIXING INST	AREA TO	
	General Weed Control Annuals	Tough Weed Control Perennials or Brush Lawn Renovation	TREAT
Standard Tank Sprayer	Fill cap to Level 4 one time (2 fl oz) [or equivalent depending on cap size]. Add to 1 gallon of water.	Fill cap to Level 4 two times (4 fl oz) [or equivalent depending on cap size]. Add to 1 gallon of water.	300 sq ft. (30 ft x 10 ft)
ORTHO Dial 'n Spray Hose-End sprayer	Fill cap to Level 4 one time (2 fl oz) [or equivalent depending on cap size] and add to sprayer jar. DO NOT ADD WATER. Set dial to 2 oz and spray.	Fill cap to Level 4 two times (4 fl oz) [or equivalent depending on cap size] and add to sprayer jar. DO NOT ADD WATER. Set dial to 4 oz and spray.	300 sq ft (30 ft x 10 ft)

ORTHO Spray-Ette	Fill cap to Level 4 four times (8 oz) [or equivalent depending on cap size] and add to sprayer jar. Fill to the 4 gallon mark and spray.	Fill cap to Level 4 eight times (16 fl oz) [or equivalent depending on cap size] and add to sprayer jar Fill to the 4 gallon mark and spray.	1200 sq ft (30 ft x 40 ft)
Hand trigger sprayers	Fill cap to Level 1 two times (2 tsp) [or equivalent depending on cap size]. Add to 24 oz of water.	Fill cap to Level 1 four times (4 Tbs) [or equivalent depending on cap size]. Add to 24 oz of water.	Use for spot treatments or apply to single weeds

[Directions for use when measuring cap packaging is not used]

To determine the amount of this product [product name] you need to mix refer to the following table. Close cap securely after use. No need to rinse the cap.

1 teaspoon (tsp)

1 fl oz (2 Tbs)

1 Tablespoon (Tbs) = 3 tsp

2 fl oz (4 Tbs)

APPLICATOR	MIXING INS	AREA TO	
	General Weed Control Annuals	Tough Weed Control Perennials or Brush Lawn Renovation	TREAT
Standard Tank Sprayer	Use 2 oz (4 Tbs) of product in 1 gallon of water	Use 4 oz (8 tbs) of product in 1 gallon of water	300 sq ft (30 feet by 10 feet)
ORTHO Dial 'n Spray Hose-end sprayer	Mix 2 oz (4 Tbs) of product into sprayer jar. DO NOT ADD WATER. Set dial to 2 oz and spray.	Mix 4 oz (8 tbs) of product into sprayer jar. DO NOT ADD WATER. Set dial to 4 oz and spray.	300 sq ft (30 ft x 10 ft)
ORTHO Spray-Ette	Add 8 oz of product into sprayer jar. Fill to the 4 gallon mark and spray.	Add 16 oz of product into sprayer jar. Fill to the 4 gallon mark and spray.	1200 sq ft (30 feet by 40 feet)
Hand trigger sprayers	Mix 2 tsp of product in 24 ounces of water.	Mix 4 tsp of product in 24 ounces of water.	Use for spot treatments or on single weeds
Hand trigger sprayers 32 oz capacity	Mix 2 2/3 tsp in 32 oz water	Mix 1 2/3 tbs in 32 oz water	Use for spot treatments or apply to single weeds.

Use this product to refill Glyphosate Ready to Use [specific product name] Weed and Grass Killer.

STORAGE AND DISPOSAL

Storage: Use and store this product only in its original container. Store product in a secure storage area away from sources of heat or open flame. Protect product from freezing.

Disposal: If empty – Do not reuse this container. Place in trash or offer for recycling if available. If partly filled – Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Spill or leak: In case of spill or leak, soak up with paper towels and discard in trash.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions. ®ORTHO, ORTHO Dial 'n Sprayer and ORTHO Spray-Ette are trademarks of The Scotts Company.