4

# UNICORN EAR MITICIDE IV

### Kills Ear Mites on Dogs, Cats & Rabbits

ACTIVE INGREDIENTS:	
Pyrethrins	0.05%
Piperonyl Butoxide, Technical*	0.50%
INERT INGREDIENTS:	
Total:	100.00%

<sup>\*</sup> Equivalent to 0.40% (Butylcarbityl) (6-propylpiperonyl) ether and 0.10% related compounds.

## KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel for Additional Precautions.

**NET CONTENTS: 2 OUNCES** 

### MANUFACTURED BY:

Unicorn Laboratories 12385 Automobile Blvd. Clearwater, FL 33762 (727) 578-4545

NOTIFICATION

JAN 2 1 2002

- READ ENTIRE LABEL BEFORE EACH USE.
- ♦ USE ONLY ON DOGS, CATS OR RABBITS.

## PRECAUTIONARY STATEMENTS Hazards to Humans

**CAUTION:** Harmful if swallowed. Avoid contact with eyes. Do not contaminate food or feedstuffs.

### **Hazards to Domestic Animals**

Do not treat kittens or puppies under twelve (12) weeks of age. Avoid contact of material with eyes and mouth of animal. For animals, discontinue use and consult veterinarian if irritation develops. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals on medication. Sensitivities may occur after using **ANY** pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID	
If Swallowed:	<ul> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not given anything by mouth to an unconscious person.</li> </ul>
If In Eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If On Skin:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
Have the product ogoing for treatment.	container or label with you when calling a poison control center or doctor, or

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

<u>Diagnosis of Ear Mites:</u> Ear mites normally cause a dry, dark, brown, waxy exudate with crusts in the ears of dogs, cats and rabbits. The mites are easily observed by placing some of the ear exudate on a dark surface and watching carefully for white specks walking away. Do not injure the delicate tissue of the ear. Inflamed, watery, or blocked ear canals indicate a more serious condition which requires the services of a veterinarian.

4/4

For control of ear mites: While holding pet firmly, fill each ear canal half full of solution and massage base of ear to insure that insecticidal action penetrates ear wax. Repeat treatment every other day until condition is relieved. Improvement is usually noted after two applications.

### STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DESCRIPTION OF THE PROPERTY OF

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

EPA REG. NO. 28293-348 (E: 8/1/01, PRN 2001-6 NOTF)

Page 3

EPA EST. NO. 62478-FI.-1A 44613 MO-1B Substript used is first letter of run cycle on container.