

STERILIZING GAS


FOR USE IN COMMERCIAL GAS STERILIZERS

ACTIVE INGREDIENT

Ethylene Oxide 100 wt %

Net Contents 1b

EPA REG. NO 28472-3



STERILIZING GAS

FOR USE IN COMMERCIAL GAS STERILIZERS

ACTIVE INGREDIENT

Ethylene Oxide 100 wt %

Net Contents lb

EPA REG. NO. 28472-3

ACCEPTED

OCT 16 1973

UNDER FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR THE FEDERAL TOXIC SUBSTANCE
CONTROL ACT POISON REGISTERED
ED UN. NO. 28472-3

DANGER!

KEEP OUT OF REACH OF CHILDREN

Extremely flammable. Exposure to temperatures above 125°F may cause bursting. Liquid and gas under pressure. Keep away from heat, sparks and open flame.

Breathing of vapor is harmful. Contact with skin or eyes may cause severe damage. Avoid contact. In case of contact, immediately remove all contaminated clothing and flush with plenty of water for at least fifteen minutes; for eyes get medical attention.

INSTRUCTIONS FOR USE AND OTHER INFORMATION,
ARE IN STERILIZING GAS BROCHURE.

Packaged and Distributed by



Specialty Gas Department
Hometown Facility
P. O. Box 351
RD 2, Tamaqua, Pennsylvania 18252