

ACCEPTED

JUN 20 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 28472-7

Protect cylinder against damage. Secure cylinder upright when discharging. Cylinder valve opens by turning to the left. Always open the valve wide. Close valve when not in use. Use and store in a cool, dry, well ventilated area. Never allow cylinder temperature to exceed 125°F. Do not empty cylinder completely. Leave a positive pressure remaining in the cylinder. Never recharge cylinder.


 *Air Products and Chemicals*
INC.

STERILIZING GAS MIXTURE
FOR USE IN COMMERCIAL GAS STERILIZERS

ACTIVE INGREDIENT
Ethylene Oxide 20 wt %

INERT INGREDIENT
Carbon Dioxide 80 wt %

NET CONTENTS 1b.
EPA REG. NO. 28472-7

 *Air Products and Chemicals*
SPECIALTY GAS DEPARTMENT
Homestead Facility
P.O. Box 351 RD 2, Tomerug, Pa. 19252

DANGER!
KEEP OUT OF REACH OF CHILDREN
Extremely flammable. Exposure to temperatures above 125°F may cause bursting. Liquid and gas under pressure. Keep away from heat, sparks and open flame. Breathing of vapor is harmful. Exposure to eyes, skin and clothing may cause severe irritation. Avoid contact. In case of contact, immediately remove all contaminated clothing and flush with plenty of water for at least fifteen minutes. For eyes get medical attention. Instructions for use and other information are in Sterilizing Gas Brochure.

RECEIVED
29 MAY 1974
REGISTRATION DIVISION
PESTICIDES, EPA

Protect cylinder against damage. Secure cylinder upright when discharging. Cylinder valve opens by turning to the left. Always open the valve wide. Close valve when not in use. Use and store in a cool, dry, well ventilated area. Never allow cylinder temperature to exceed 125 F. Do not empty cylinder completely. Leave a positive pressure remaining in the cylinder. Never recharge cylinder.


 *Air Products and Chemicals*
INC.


STERILIZING GAS MIXTURE
FOR USE IN COMMERCIAL GAS STERILIZERS

ACTIVE INGREDIENT
Ethylene Oxide 20 wt %

INERT INGREDIENT
Carbon Dioxide 80 wt %

NET CONTENTS 1b
EPA REG NO 28472-7



 *Air Products and Chemicals*
SPECIALTY GAS DEPARTMENT
Hometown Facility
P.O. Box 351 RD 2, Tamaqua, Pa. 18257

DANGER!
KEEP OUT OF REACH OF CHILDREN
Extremely flammable. Exposure to temperatures above 125°F may cause bursting. Liquid and gas under pressure. Keep away from heat, sparks and open flame. Breathing of vapor is harmful. Exposure to eyes, skin and clothing may cause severe irritation. Avoid contact. In case of contact, immediately remove all contaminated clothing and flush with plenty of water for at least fifteen minutes. For eyes get medical attention. Instructions for use and other information are in Sterilizing Gas Brochure.

ACCEPTED

JUN 20 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 28472-7

Protect cylinder against damage. Secure cylinder upright when discharging. Cylinder valve opens by turning to the left. Always open the valve wide. Close valve when not in use. Use and store in a cool, dry, well ventilated area. Never allow cylinder temperature to exceed 125°F. Do not empty cylinder completely. Leave a positive pressure remaining in the cylinder. Never recharge cylinder.

 *Air Products and Chemicals*
INC.


**STERILIZING
GAS MIXTURE**

FOR USE
IN COMMERCIAL
GAS STERILIZERS

ACTIVE INGREDIENT
Ethylene Oxide 20wt %

INERT INGREDIENT
Carbon Dioxide 80wt %

NET CONTENTS 1b.
EPA REG. NO. 28472-7

 *Air Products and Chemicals*
SPECIALTY GAS DEPARTMENT
Hometown Facility
P.O. Box 351 RD 2, Tamaqua, Pa. 18252

DANGER!
KEEP OUT OF REACH OF CHILDREN

Extremely flammable. Exposure to temperatures above 125°F may cause bursting. Liquid and gas under pressure. Keep away from heat, sparks and open flame. Breathing of vapor is harmful. Exposure to eyes, skin and clothing may cause severe irritation. Avoid contact. In case of contact, immediately remove all contaminated clothing and flush with plenty of water for at least fifteen minutes. For eyes get medical attention. Instructions for use and other information are in Sterilizing Gas Brochure.

RECEIVED
29 MAY 1974
REGISTRATION DIVISION
PESTICIDES, EPA

SPECIALTY GAS & EQUIPMENT DEPT.

733 W. BROAD STREET

EMMAUS, PA. 18049

Telephone: 215—395-8257

DENNEY-

REYBURN

DO NOT REMOVE THIS TAG

DANGER

**EXTREMELY FLAMMABLE
GAS AND LIQUID
UNDER PRESSURE**


**DO NOT USE NEAR HEATED SURFACES,
SPARKS OR FLAME**

Protect cylinder against damage. Secure cylinder upright when discharging. Cylinder valve opens by turning to the left. Always open the valve wide. Close valve when not in use. Use and store in a cool, dry, well ventilated area. Never allow cylinder temperature to exceed 125°F. Do not empty cylinder completely. Leave a positive pressure remaining in the cylinder. Never recharge cylinder.

ACCEPTED

JUN 20 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 28472-7



Air Products and Chemicals
INC.

733 W. BROAD
EMMAUS, PA

DO NOT REMOVE THIS TAG

DANGER

**STERILIZING GAS
FOR USE IN COMMERCIAL
GAS STERILIZERS**

Gross Wt _____ lb

Tare Wt _____ lb

Net Wt _____ lb

Batch No. _____

Ethylene Oxide Is Subject to Polymerization

Filling Date _____

Use Before _____

**BEFORE USING, READ STERILIZING
GAS BROCHURE _____**

A
UNDE
FUN
FOR
ED 1

 *Air Products and Chemicals*
INC.

Specialty Gas Department
Hometown Facility
P. O. Box 351
RD 2, Tamaqua, Pennsylvania 18252
Telephone: (717) 467-2981