

٠.

ERICKSON ALGAECIDE 240

NET WT.

EPA REG. NO. 30944-1

Active	Ingredien	t	•••	• •	••		• •	•••	•	• •
-	yethylene hylene di		-			-			-	
Inert I	ngredient	• •		• •		• •	• •	•	• •	•
	ght per g ght of ac									

APPLICATION

Erickson Algaecide 240 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime and other deposits. An initial slug addition of 2.9 to 7.3 fluid ounces of Erickson Algaecide 240 per 1000 gallons of water to provide a concentration of 24 to 60 parts per million of Erickson Algaecide 240 based on the total weight of water in the system is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 0.73 to 7.3 fluid ounces of Erickson Algaecide 240 per 1000 gallons of water (6 to 60 parts per million of Erickson Algaecide 240) should be employed every 2 to 5 days or as needed. The frequency of addition depends upon he relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.


CAUTION

KEEP OUT OF THE REACH OF CHILDREN

Harmful if swallowed. Avoid contact with skin and eyes. In case of contact flush with plenty of water for at least 15 minutes. If eye irritation persists get medical attention. Avoid contamination of food.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of waste. Use only as directed on label. Do not reuse container. Destroy when empty.

> Manufactured By ERICKSON CHEMICAL COMPANY 2800 Shermer Road Northbrook, Illinois 60062



. . 20.0 Percent

ninio)-20.0 Percent

. 80.0 Percent

8.69 pounds 1.74 pounds



UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND BODENTICIDE ACT FOR ECONOMIC POLICIN REGISTER ED UNDER NO.

for bacterial slime control in paper mills

WITER SERVICES

DIRECTIONS FOR CONTROLLING THE GROWTH OF BACTERIAL ORGANISMS IN WHITE WATER PAPER MILL SYSTEM. Mix OLIN 7000 in warm water and add as a water solution to the machine chest, beater, blend chest or any other convenient point at the wet end of the paper machine at the rate of 0.32 to 0.64 lbs. of OLIN 7000 (125-250 ppm sodium chlorite) per ton of paper. Repeat as often as necessary to maintain control.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

ACTIVE INGREDIENT: Sodium Chlorite*	9%
INERT INGREDIENTS: 2	1%
*AVAILABLE CHLORINE:	

EPA REG. NO. 33576-11-AA-50607

100%

1174

FOR INDUSTRIAL USE ONLY

Olin Corporation

Harmful or fatal if swallowed. May damage eyes. May cause irritation of skin, nose and throat. Strong Oxidant. Do not mix or contaminate with any other chemical or other materials. (Pine oil, paint products, soap products, dirty rags, lighted cigarette, etc.) as fire or explosion may result with chlorine dioxide (a poisonous, explosive gas) evolved. Mix OLIN 7000 only with water. If fire occurs, extinguish fire by applying large quantities of water. Any unopened drums near the fire should be cooled by spraying with water. Dispose of spilled Sodium Chlorite by flushing with water. When handling, use only a clean, dry metal scoop or cup that is reserved for OLIN 7000 only. Use only neoprene gloves. Store in a cool, dry place in the original drum. Always replace cover. Do not drop, roll or skid drum. Keep upright. Wash empty container thoroughly with water and discard in a safe place. Do not reuse empty container. Contaminated clothing should be washed quickly and thoroughly with water to avoid fire. **FIRST AID:** External—flood skin or eyes with plenty of water for 15 minutes. If irritation to skin persists, get medical attention. For eyes call physician immediately. Internal-drink large quantities of water or milk. Follow with milk of magnesia, vegetable oil, or beaten eggs. Call physician immediately.



EPA Est. Na 33576-CA-1 33576-KS-1 33576-NY-1

DANGER Keep Out of Reach of Children

Ib. Net Wt.

Chin WATER SERVICES Kansas City, Imnsas 66115

Stamford, Conn. 06904