

MITE AND LICE

DIRECTIONS FOR USE

Cage and Aviary Spray

EPA Reg. No. 29909-17 EPA Est. No. 29909-CA-1

CONTAINS NATURAL PYRETHRINS II

For Use on Caged Birds to Kill Mites and Lice

ACTIVE INGREDIENTS:

Pyrethrins..... 0.030%
*Piperonyl Butoxide
Technical..... 0.300%

INERT INGREDIENTS:..... 99.670%
100.000%

*Equivalent to 0.240% (butylcarbityl)
(6-propylpiperonyl ether and 0.06%
related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautionary
statements.

It is a violation of Federal law to use this product in a
manner inconsistent with it's labeling.

For control of bird lice on parakeets, canaries, and other
caged birds, leave birds in cage. Remove food and foodstuffs.
Spray directly on birds from a distance of 12 to 18 inches.
Avoiding the bird's eyes and face, spray lightly utilizing
3 or 4 pumps.

For cage mite control, remove bird(s) and food and water cups,
etc., and spray cage thoroughly by holding unit at least one
foot from surface utilizing 5 or 6 pumps. Repeat treatments
on cages and birds no more than two times a week. Bird cages
should be cleaned in hot water as part of weekly regimen.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open
flame.

DISPOSAL: Do not reuse empty container. Wrap container and
put in trash collection.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid
contact with skin. Wash contaminated skin promptly with
soap and water. Avoid spraying food or foodstuffs. Cover
fish aquariums before spraying.

Buyer assumes all risks of use, storage or handling of this
material not in strict accordance with directions given here-
with.

Manufactured By:

ACCEPTED
SEP 30 1985
Under Federal Insecticide,
Fungicide and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 29909-17

