PM 17
PS 10+3

	4.9	
U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WN-547) WABHINGTON, D.C. 20400	EPA REGISTRATION NO. DATE OF ISSUANCE	
	29909-18 TERM OF ISSUANCE	APR 8 1985
NOTICE OF PESTICIDE: REGISTRATION	NAME OF PESTICIDE PRODUCT	
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	Cardina: V	gotable C Plower Sora
AME AND ADDRESS OF REGISTRANT (Include ZIP code)		
Г	~~	
Cardinal Laboratories, Inc. 710 South Avon Ave. Avusa, CA 91702	,	
L	٦	•
NOTE: Changes in labeling formula differing in substance submitted to and accepted by the Registration Division priproduct always refer to the above U.S. EPA registration numbers.	or to use of the label in comme mber.	rce. In any correspondence on the
On the bears of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is her	eby .tegistered/Reregistered und
A copy of the labeling accepted in connection with this Re	egistration/Reregistration is re	turned herewith.
health and the environment, the Administrator, on his moticide in accordance with the Act. The acceptance of any nact is not to be construed as giving the remistrant a right to be others.	ame in connection with the reg to exclusive use of the name o	istrution of a product under this r to its use if it has been covere
Thin product in conditionally reside)(TI(A) provide that you:	rdistored in accordar	ice with FIFRA see.
Add the phrase, "MPA Degistration violented the goduct for sharpent.	m Ma. 29909-18", ta	your label beton
Substitute (5) refres of your to	unal printed labelin	a hafara yan ralan
The solution we continued to the solution of t	with rithy to be 60)	· Your remession
and the property of the second of the second	molecul for your rec	oraq.
	Time thy A. Carling Product Marique 1998 Constrollerer Regarding to 1999	and an order
TRE .	CT Avan	
BE	ST AVAILABLE CONT	7
ATTACHMENT IS APPLICABLE	ST AVAILABLE COPY]

CARDIN STREET, STREET,

E.P.A. Reg. No. 29909-18 E.P.A. Est. No. 29909-CA-1

RILLS MAN MAN CAMENTALISM AND PAPARESE

AN EFFECTIVE PRECYTCIDE FOR USE ON VEGE-TABLE AND ORNAMENTAL PRETS

A CONCENTRATED PYNKHONES MICHO-EMBLSION, CLEAR, SYSDEX

APPLY BITH CONVERTIONAL MECERNICAL COM-PRESSED AIR EQUIPMENT OR NON-AEROSOL PUMP

*Equivalent to min. 0.16% (butplearhity)) (6-propylpiperany)) ether and 0.04% related compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional preceutions

DO NOT TRANSPORT OR STORE UNDER 32°F

If freezing occurs, thaw and agitate vigorously.

PYRENORE - Registered trademark of Fairfield American Corponation

DIRECTIONS FOR USE

11 to a second transport to the second transport transport to the second transport tra

TO OPERATE: SRAKE REPORE USING, Bold sprayer 18 inches from foliage and spray with circular motion. Direct spray so that upper and lower less surfaces are contacted. Use taution on new growth and tender foliage. Repeat treatment as negligible as a still.

TO OPERATE: SHAKE BEFORE USING, Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. Use caption on new growth and tender foliage.

TO OPERATE: SHARZ BEFORE USING, Remove shipping cap and save, Insert aprayor hose into bottle and tighten securely, Prime sprayer by holding at cap level of bottle and pumping trigger. Turn nozzel to "spray" or "stream" position before using. Hold rump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. Remove aprayer and replace shipping cap between uses. Spray water through sprayer after each use. Sprayer should be rinsed thoroughly and pumped empty for storage,

This insecticide may be used indoors, outdoors or in greenhouses throughout the growing season, or as a pre-harvest treatment shen other insecticides are prohibited due to residue restrictions and use limitations.

To control insects named, apply this spray to provide thorough coverage of upper and lower less surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest.

Une on the following & form. Droccots, Cartilland, Broccots, Cartilland, Broccots, Cartilland, Brockets, Spinson, and To-sparagus begins, and to-sparagus begins, and whitefiles, begins betted culcumber begins better the culcumber begins better besties, color and webworms.

Use on the following o Violets, Araleas, Bego Dahlias, Dogwood, Rose Asters, Carnations, Chaniums, Gladiolis and aphids, flea beetles, whiteflies,

To kill gypsy moth cate adult Japanese howtles forest tent caterpillar

On Trees and Shrube Tr as soon as insects emer spring). Treat leaves, trunks evenly, making s dense foliage. Repeat i days as necessary for e

On Roses and in Flower and flowers as soon as Spray plants and flower penetrate dense foliage every 7 days or as necessarily to the state of the sta

PIDOORS AS A STACE SER

To control house files quitoes, gnats and smal apply using a good spal to deliver a fine mist exposed food and food I Close windows and doors tiluting systems. Directors with mist. Use 4 cubic feet of space. Reat least 30 minutes. V. and ventilate before retrestment as becassary

BEST AVAILABLE COPY

SET REVER

cornings, some theorem contents and y and the second secon

To centrol mosquito larvae, apply at the rate of 7.75 gallons per acre or .18 gallons per 1000 square feet. Apply as a coarse wetting spray to the border of, or on thallow waters of wetlands, awamps and marshes where mosquito larvae are known to breed.

DISPOSAL

Do not reuse empty container. Wrip costainer and put in trash collection.


PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, Immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists Remove pots, birds and cover fish aquaria before spraying.

ENVIRONMENTAL MAZARDS

This product is tokic to fish. Do not apply directly to lakes, streams, ponds, tidal marshes and estauries. Do not contaminate water by cleaning of equipment or disposal of wastes. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.



was a second part to be before the property and the second

BEST AVAILABLE COPY

ACCEPTED with COMMINTS in EPA 1

APR 8 1985

* moide.

ict

Under the 1
Pungleide, m. -

mended,

under Ei 909

NET CONTENTS 8 F1. Oz.