

EC-830

contains piperonyl butoxide, a chemical that increases the activity of pyrethrins. Diluted in water, it is specifically recommended for use in bottling plants, breweries, food processing houses, bakeries, markets, restaurants, stores, hotels, theaters, hospitals, institutions, and in other situations where an active fast-acting insecticide is required. As a space spray, it gives rapid kill of flying and crawling insects contacted by the mist.

**DIRECTIONS**


**A CONTACT SPRAY**

Best application for an initial clean-up is with EC-830. Dilute 1 gallon of concentrate with 9 gallons of water and apply in a good machine adjusted to deliver a coarse droplet spray, using approximately 1 gallon of diluted material to each 750 square feet of surface.

Against roaches, silverfish, crickets, scorpions, spiders, box elder bugs, clover mites and cheese mites with this water diluted concentrate, spray thoroughly all surfaces and areas where these insects are usually found including walls, baseboards, ceiling, floors, cabinets, shelves, sinks and tubs, with special attention to cracks, crevices, niches, dark corners, drains and similar hiding places. Treat ant trails, runs and nests. Repeat treatment at a dilution of 1 to 9 at same rate of application after an interval of one month or repeat as needed.

**VAPOR SPRAY**

Rapid control of flies, moths, skipper mosquitoes and gnats, dilute 1 gallon EC-830 in 9 gallons of water and apply in a good sprayer adjusted to deliver a fine mist. Direct diluted spray toward the upper portions of the enclosure, filling the room with the mist, and using approximately 2 ounces of diluted material for each 1,000 cubic feet of space. Whenever practicable, keep doors and windows closed for 10 minutes after application. Do not remain in treated areas and ventilate the area after treatment is completed. Remove pets, birds, and cover fish



29910-2

Camera man's Note

Poor Copy

EC-830

EPA Reg. No. 29910-2

Contains PYRENONE®

Properly diluted with water and applied, EC-830 kills on contact the exposed stages of:

Roaches	Spiders	Gnats	Skipper Flies
Silverfish	Flies	Mosquitoes	Cheese Mites
Crickets	Flying Moths	Box Elder Bugs	Scorpions
Ants			Clover Mites

The Insecticidal Components (Piperonyl Butoxide and Pyrethrins) are Classified as Food Additives and When This Product is Used as Directed, Allowable Tolerance Levels will not be Exceeded.

**ACTIVE INGREDIENTS:**

- Pyrethrins..... 1.0%
- Piperonyl Butoxide Technical\*..... 10.0%
- Petroleum Distillate..... 79.0%

INERT INGREDIENTS ..... 10.0%

\*Equivalent to 8.0% of (butylcarbityl) (6-propylpiperonyl) ether and to 2.0% of related compounds.

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN.**

See rear panel for additional precautions

**Net Contents                      Gallons**


PYRENONE - Registered Trademark of FMC Corporation

**MANUFACTURED BY**

**CASTLE CHEMICAL CORPORATION**

**830 GRAND BOULEVARD**

**Deer Park, NY 11729**



**VAPOR SPRAY                      Flying**

Rapid control of all of the insect species named on this label may be obtained through dispensing this concentrate as a vapor. For use as a vapor spray in conventional mechanical or compressed air applicators, dilute 1 gallon of EC-830

with 9 gallons of water or oil and use in accordance with manufacturers' directions for the type of equipment selected. Dosages vary with different types of applicators, but many special generators are designed to give most effective results when the material is used at the rate of 1 pint to each 8000 - 15,000 cubic feet of space. In all cases, the dosage should be sufficient to fill thoroughly the enclosure with fog or vapor. Keep the room closed for at least 10 minutes after spraying.

Do not remain in treated areas and ventilate the area after treatment is completed. Remove pets, birds, and cover fish aquariums before spraying.

**CAUTION**

Harmful if swallowed. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when plant is not in operation.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by perforating or crushing.