

ACCEPTED

AUG 2 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 30943-4

LEA 1235 DISINFECTANT

DISINFECTANT • DETERGENT
STAPHYSOCIDAL • PSEUDOMONACIDAL
TUBERCULOCIDAL • SALMONELLACIDAL
CONDUCTIVE • FUNGICIDAL

DESCRIPTION

Lea 1235 disinfectant is a broad spectrum, powerful germicide and deodorant formulated with multiple germicidal agents to provide potent activity and detergency. For use in hospitals, meat packing and food processing plants, hotels, motels, schools, poultry houses, hatcheries, veterinary animal hospitals.

Lea 1235 removes mildew stains from hard surfaces.

Lea 1235 is effective against the following organisms at ½ ounce per gallon of water (1:256 dilution) using the AOAC USE-DILUTION METHOD, 11th Edition.

Staphylococcus aureus	Salmonella typhosa
Pseudomonas aeruginosa, PRD-10	Proteus vulgaris
Salmonella choleraesuis	Streptococcus mitis
Salmonella pullorum	Escherichia coli
Salmonella typhimurium	

AOAC TUBERCULOCIDAL TEST, 11th EDITION
Mycobacterium tuberculosis

AOAC Official Fungicidal Test, 11th Edition
Trichophyton Indigitale at 1:2.56

Lea 1235 is recommended for use in fogging operations in closed rooms to reduce airborne bacteria. Fogging is to be used as an adjunct to acceptable manual cleaning and disinfecting of room surfaces. Fogging with 1 ounce of Lea 1235 to 1 gallon of water 6 minutes per 1000 cubic feet of space will effectively reduce bacteria. Allow a minimum of two hours after fogging has stopped before room can be occupied.

Lea 1235 is conductive—may be used on conductive floorings as it does not interfere with electrical conductivity, as specified in the procedures in accordance with Paragraph 252, "Conductive Flooring of the National Board of Fire Underwriters," Specifications N. 56.

ACTIVE INGREDIENTS:

Isopropyl alcohol, 11.65%; Sodium xylene sulfonate, 6.00%; Sodium ortho-benzyl-para-chlorophenate, 5.17%; Sodium para-tertiary-butylphenate, 4.60%; Tetrasodium ethylene-diamine-tetraacetate, 4.00%; Sodium lauryl sulfate, 3.00%; Sodium ortho-phenylphenate, 2.60%; Sodium mono and dimethyl naphthalene sulfonate, 1.94%; Sodium 4-chloro-2-cyclopentylphenate, 1.01%.

INERT INGREDIENTS: 60.03%

EPA Reg. No. 30943-4 EPA Est. 30943-FL-1

DANGER
KEEP OUT OF REACH OF CHILDREN

CORROSIVE. Causes eye or skin damage. Protect eyes when handling. May be absorbed through skin. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call physician immediately.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

Net Contents _____ Gallons

H-73

DIS-4

DIRECTIONS

1. For disinfecting, cleaning, and deodorizing in food processing plants and equipment, use a solution ½ ounce per gallon (1:256). Mop, wipe or swab this solution on surfaces. Leave in contact 10 minutes. All treated food contact surfaces and/or equipment must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse.
2. For disinfecting and cleaning garbage and trash receptacles, sickroom equipment, floors, wall, patient rooms, use ½ ounce to 1 gallon of water (1:256 dilution). For porous surfaces, increase concentration to 1 ounce per gallon of water.
3. For non-food disinfection in animal and poultry houses, hatcheries, stockyards, zoos, veterinary animal hospitals: Do not use in milking stalls, milk parlors or milk houses. Remove all poultry, animals and feeds from the premises. Remove all litter and manure from floors and other surfaces, empty all water troughs and feed racks. Saturate all surfaces with a solution ½ ounce per gallon (1:256). Ventilate buildings and other closed spaces. Do not house poultry, livestock, or use equipment until treatment has been absorbed or dried. All treated feeders, fountains and waterers must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse.

DOT: Corrosive Liquid, NOS
ICC: Disinfectant in bulk, a/t medicinal

Lea Chemicals, Inc.

P. O. Box 868
Marianna, Florida 32446