

# LEA 310

## Disinfectant Sanitizer Concentrate

**General:** Prior to sanitation or disinfection, clean all surfaces with a suitable detergent and rinse thoroughly with potable water. Follow the recommendation of your local Health Department regarding sanitation and disinfection of surfaces.

**Disinfection Solution:** In hospitals, public rooms, and homes clean all surfaces with detergent and rinse them thoroughly. Wipe, mop or scrub equipment, floors, walls and woodwork thoroughly using 3½ ounces to 5 gallons of water. This solution will be effective against *Pseudomonas aeruginosa* PRD-10.

**Sanitation of Meat Packing and Food Processing Equipment:** Clean and rinse equipment thoroughly, then apply sanitizing solution of 1 oz. per 4 gallons of water. Rinse thoroughly.

**Sanitation of Dairy Equipment:** Clean and rinse equipment thoroughly, then apply sanitizing solution of 1 oz. per 4 gallons of water. Rinse thoroughly.

**Restaurants and Bar Rinse:** Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent, rinse thoroughly and then immerse in a solution containing 1 oz. to 4 gallons of water (195 ppm).

**Sanitation of Beauty Parlor and Barber Shop Equipment:** Wash thoroughly in soap and rinse. Soak combs, brushes, and razors for 10 minutes in solution of 1 oz. concentrate per gallon of water.

Rinse empty container thoroughly with water and discard.

### ACTIVE INGREDIENTS

n-Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium chloride 10.0%

INERT INGREDIENTS: . . . . . 90.0%

**DANGER**  
**KEEP OUT OF REACH OF CHILDREN**

**Corrosive.** Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

Net Contents \_\_\_\_\_ Gallons

J-73

DIS-5

30943-10

### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician immediately. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

**ACCEPTED**  
**JUN 19 1974**  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 30943-10 SUBJECT  
TO ATTACHED COMMENTS.

EPA Reg. No. 30943-10 EPA Est. 30943-FL-1

ICC: Liquid Cleaning Compound

**Lea Chemicals, Inc.**

P. O. Box 868  
Marianna, Florida 32446