USE DIRECTIONS

FOR CLEANING

Lightly soiled areas surfaces to be cleaned should be mopped or brushed with a sobtion containing I ounce of FORMULA 76 per gallon of water Rinse cleaned area with fresh water

Heavily soiled areas mop or brush soiled surface with a solution containing 2 ounces of FORMULA 76 per gallon of water. Rinse cleaned surface with fresh water.

GENERAL PURPOSE DISINFECTION

To disinfect walls, floors and other hard surfaces in homes, schools, restaurants, rest rooms and other public areas, mop or brush surface to be treated with a solution containing 1 ounce of FORMULA 76 per gallon of water. Surfaces that are heavily soiled should be cleaned with 2 ounces of FORMULA 76 per gallon of water and then disinfected. This product should not be used on food contact surfaces. Those surfaces which may later come in contact with food surfaces must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse.


To disinfect locker rooms, shower stalls, walkways around pools and other areas against pathogenic fungi, mop area with a solution containing 1 ounce in 1 gallon of water. This solution will destroy Trichophyton interdigitale, a causative agent of athlete's foot.

HOSPITAL DISINFECTION

To disinfect walls, floors, furniture and other hard surfaces in hospitals and nursing homes, mop or brush surface to be treated with a solution containing 1 ounce of FORMULA 76 per gallon of water. Those surfaces that are heavily soiled with blood, fecal material or exudates should be thoroughly scrubbed with a solution containing 2 ounces per gallon of water and then rinsed with a fresh solution containing 2 ounces per gallon of water before disinfection.

SANITIZATION

To sanitize walls, floors and equipment in food processing plants, first clean thoroughly with a solution containing 1 ounce of FOR-MULA 76 per gallon of water. If surface is heavily soiled, use FORMULA 76 at a rate of 2 ounces per gallon to insure thorough cleaning. Sanitize cleaned surface



Phenol Coeff: S. aureus – 15 S. typhosa - 9

DISINFECTANT-CLEANER-SANITIZER-FUNGICIDE-DEODORANT

ACCEPTED

NOV 20 1973

UNDER THE FEDERAL INSECTICIDE

FUNGICIDE AND RODENTICIDE ACT

ACTIVE INGREDIENTS:

FOR ECONOMIC POISON REGISTERED UNDER NO. 3 () Isopropyl Alcohol 10.00% sodium o-phenylphenate..... 5.60% tetrasodium ethylene diamine tetraacetate 0.20%

EPA Reg. No. 30948-1

DANGER KEEP OUT OF REACH OF CHILDREN

See first Aid statement and other precautions on side panel.

Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

DO NOT USE, POUR, SPILL OR STORE NEAR OPEN FLAME.

MANUFACTURED BY

NET CONTENTS

Bionomical Chemicals & Services, Inc. 1003 Pineville Road Chattanooga, Tennessee 37405

with a rinse solution containing I ounce of FORMULA 76 per gallon of water.

This product should not be used on food contact surfaces. Those surfaces which may later come in contact with food surfaces must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse.

DEODORIZATION

To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 2 ounces of FORMULA 76 per gation of water.

FORMULA 76 is an effective antibacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, FORMULA 76 will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general purpose antibacterial-antifungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial action is desired. See left panel for use directions.

DANGER **KEEP OUT OF REACH** OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.