This DISINFECTANT is effective against a wide variety of gram-positive and gram-negative bacteria and pathogenic fungi.

THIS DISINFECTANT is also an excellent deodorant. It is especially advantageous to control odors that are bacterial in origin.

THIS DISINFECTANT mixes readily with water and makes a clear, stable solution. In use dilution, it is non-corrosive and non-staining to plastic, vinyl, synthetics, enamel, tile and most common metals. Has a pleasant lemon odor.

# DISI



CAUTION

### **KEEP OUT OF REACH OF CHILDREN**

Harmful if swallowed. Avoid getting in eyes or on skin. In case of contact, wash thoroughly with water. If irritation persists, get medical attention. Avoid contamination of food or foodstuffs. Avoid breathing spray mist.

Rinse empty container thoroughly with water and discard it.

•

BIONOMICAL CHEMICALS AND SERVICES, INC. 1003 PINEVILLE ROAD CHATTANOOGA, TENNESSEE 37405

| ACCEPTED   |  |
|--|--|
| SEP 7 1974   |  |
| UNDER THE FEDERAL INSECTICIDE<br>EUROPOINTICIDE ACT<br>FOR ECONOMIC POISON REGISTER-<br>ED UNDER NO. 3 C / V - VSUBJECT<br>TO ATTACHED COMMENTS. | Use in<br>ber an<br>disinfe<br>lain, s   |
| INFECTANT- DETERGENT   | 1. Flu                                   |
| ANITIZER-DEODORIZER  | 2. Cle<br>per<br>3. Rin<br>4. Apj<br>all |
| Phenol Coefficient using A.O.A.C. method<br>— Salmonella typhosa — 7<br>— Staphylococcus aureus — 10<br>— Escherichia coli — 6                   | ma<br>TAI<br>diff<br>disi                |
| ACTIVE INGREDIENTS:   Alkyl ( $C_{14}$ , 58%; $C_{16}$ , 28%; $C_{12}$ , 14%)   dimethyl benzyl ammonium chloride   Isopropanol   Essential oils | per<br>5. Sui<br>witl<br>reu             |
| Total Active Ingredients3.25%INERT INGREDIENTS:96.75%TOTAL INGREDIENTS100.00%  | For ga<br>of 16<br>surfac                |
| <b>CAUTION:</b><br>KEEP OUT OF REACH OF CHILDREN   | Use o<br>mildev<br>ment (                |
| (See other precautions on side panel)  | NET (                                    |
| E.P.A. REG. NO. 30948-4<br>E.P.A. EST. NO. 30948-TN-1  | LOT                                      |

#### ACCEPTED SEP 1974 variety of athogenic UNDER THE FEDERAL INSECTICIDE FUNCICIDE AND RODENTICIDE ACT LEMON FOR ECONOMIC POISON REGISTER-TO ATTACHED COMMENTS. rant. It is DISINFECTANT- DETERGEN are bac-SANITIZER-DEODORIZER nd makes corrosive amel, tile Phenol Coefficient using A.O.A.C. method odor. - Salmonella typhosa - 7 - Staphylococcus aureus - 10 - Escherichia coli - 6 **ACTIVE INGREDIENTS:** Alkyl ( $C_{14}$ , 58%; $C_{16}$ , 28%; $C_{12}$ , 14%) N dimethyl benzyl ammonium chloride ..... 2.00% 1.00% skin. In irritation 3.25%

nation of

and dis-

NC.

## **CAUTION:** KEEP OUT OF REACH OF CHILDREN (See other precautions on side panel)

E.P.A. REG. NO. 30948-4 E.P.A. EST. NO. 30948-TN-1

#### DIRECTIONS

Use in hospitals, public rooms, homes, restaurants, barber and beauty shops and pet animal quarters for general disinfection of walls, floors, glass, metal, plastic, porcelain, synthetics and finished wood surfaces and furnishing.

#### FOR DISINFECTION

- 1. Flush away surface soils with water where possible.
- 2. Clean with a solution of 5 ounces of DISINFECTANT per gallon of water.
- **3.** Rinse with clear water.
- 4. Apply disinfecting solution so as to thoroughly wet all surfaces. For non-porous, easily cleaned areas, make a disinfecting solution of 5 ounces of DISINFEC-TANT per gallon of water. For porous surfaces, areas difficult to clean, or contagious disease areas, make a disinfecting solution using 8 ounces of DISINFECTANT per gallon of water.
- 5. Surfaces contacting food must be scrubbed thoroughly with detergent and rinsed with potable water prior to reuse.

#### FOR DEODORIZING

For garbage cans and similar refuse areas, use a solution of 16 ounces per gallon of water. Spray or wet all surfaces.

#### FOR MILDEW CONTROL

Use on enamel, procelain, tile and plastics to control mildew. Follow directions for disinfection. Repeat treatment every seven days, or when new growth appears.

NET CONTENTS \_\_\_\_\_ GALLONS

LOT NO.

96.75%

TOTAL INGREDIENTS 100.00%