Read Label Carefully Before Using:

Description

Meneral Pulp in the foliation of the solution of the Manufacture against files of the Manufacture of the Man

Directions:


I. Indoor Applications: Flies, Mosquitoes, Gnats, Fleas, and Flying Moths — Close all doors and windows to area to be treated. Foods should be removed or carefully covered during treatment. All food processing surfaces and utensils should be carefully covered during treatment or thoroughly cleaned with detergent and water before using. When using this product in food processing areas, apply only when plant is not in operation. Use equipment that will supply a good fine mist. Discharge spray mist vigorously in all parts of room, using about two sunces for each 1000 cubic feet of space until room is filled with mist, then leave room. Do not remain in treated area. Keep windows and doors closed at least 15-30 minutes. Ventilate the area for two (2) hours after treatment is completed. Repeat applications as needed.

Contact Spray - (Flies, Mosquitoes, Roaches, Waterbugs and Gnats — Apply at the rate of 1½ gallons per 1000 square feet surface area. Thoroughly wet surfaces of resting places as well as cracks and crevices. Allow to dry thoroughly.

II. Outdoor Applications:

Fogging — This product is ready for use in foggers. Adjust to "Dry Fog" mist. When fogging, make application in still air about dusk when wind is less than five (5) M.P.H. and the ground temperature is lower than the air a few feet above ground level. Do not fog near fire or open flame. Keep fog out of any body of water.

Wasps — Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.



GENERAL PURPOSE INSECTICIDE

Synergized Pyrethrins Insect Spray For Indoor and Outdoor Use

Active Ingredients:

Pyrethrins	0.10%
Piperonyl Butoxide Technical*	1.00%
Petroleum Distillate	98.90%
Total	100.00%

*Equivalent to 0.80% (butylcarbityl) (6-propylpiperonyl) ether plus 0.20% related compounds.

CAUTION:

Keep Out of Reach of Children
Contains Petroleum Distillates. Harmful if
Swallowed. Do Not Use, Pour, Spill or Store Near
Heat or Open Flame. (see other precautions on side
panel)

E.P.A. Est. No. 30948-TN-1	1
E.P.A. Reg. No. 30948-10	· ·

Lot No.	 	
Net Contents	 	 Gallons

Manufactured By:

Bionomical Chemicals & Services, Inc.

1003 Pineville Road
Chattanooga, Tennessee 37405

Caution: Keep Out of Reach of Children Contains Petroleum Distillates. Harmful if Swallowed. If swallowed do not induce vomiting. Keep victim warm and get immediate medical attention. For contact with eyes, flush immediately with water for at least 15 minutes and get medical attention. Wash hands thoroughly with soap or detergent and water after using or handling.

Combustible mixture.. Do not use, pour, spill or store near heat or open flame.

Do not remain in treated areas and ventilate the area for 2 hours after treatment is completed. In hospitals, patients should be removed from room prior to treatment. Remove all children, pets, birds, and cover fish aquariums before spraying.

Avoid contamination of feed and foodstuffs. Foods and food utensils should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned with detergent and water before using. Use in food processing plants only when plant is not in operation.

Environmental Cautions

This product is toxic to fish and wildlife. birds and other wildlife in treated areas may be killed. Keep out of lakes, ponds, and streams. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. Do not reuse container. Destroy by perforating or crushing and bury in a safe place or return drums to drum reconditioner. Do not burn.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.