

DIRECTIONS

SURFACE TREATMENT: To kill and control exposed or accessible stages of **hide (or leather) beetles, larder beetles and carpet beetles:** Using a coarse wet spray, make localized application, treating around base of machinery, floors, baseboards, and walls with special attention to hiding places such as cracks and crevices. Spray infested hides and insects directly whenever possible.

SPACE TREATMENT

AS A MIST, VAPOR OR FOG:

For rapid control of **flies, fruit flies, gnats, mosquitoes, skipper flies, wasps, hornets, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, and tobacco moths:** Close doors and windows and shut off ventilating systems. Apply with conventional thermal, mechanical or compressed air equipment adjusted to deliver a fine mist or fog. Direct spray at an upward angle, distributing it uniformly throughout the entire area at a rate of 1 to 2 ounces per 1000 cubic feet of space. Keep area closed for at least 10 to 15 minutes after treating. Do not remain in treated areas. Ventilate the area after treatment is completed.

NET CONTENTS: Gallons

J-H TANNER'S INSECTICIDE

**For Use in Tanneries and in Hide and Leather Storage and Transportation.
To Kill and Control Exposed or Accessible Stages of Hide (or Leather) Beetle,
Larder Beetle and Carpet Beetle.**

| ACTIVE INGREDIENTS | 100% |
|---------------------------------------------------------------------------------------------------|--------------|
| Malathion, (O, O-dimethy dithiophosphate of diethyl mercaptosuccinate) | 2.00% |
| Pyrethrins | 0.15% |
| *Piperonyl Butoxide, Technical | 0.75% |
| Aromatic Petroleum Solvent | 20.00% |
| Petroleum Distillate | 76.99% |
| INERT INGREDIENTS | 0.11% |
| *Equivalent to 0.60% (butylcarbityl) (6-propylpiperonyl) ether and to 0.15% of related compounds. | |

CAUTION

KEEP OUT OF REACH OF CHILDREN

See rear panel for additional precautions

Manufactured by

JOHNSON-HAYWORTH CHEMICAL CO.

LA GRANGE, ILLINOIS 50525

NET CONTENTS: Gallons

J-H TANNER'S INSECTICIDE

Use in Tanneries and in Hide and Leather Storage and Transportation.
Kill and Control Exposed or Accessible Stages of Hide (or Leather) Beetle,
Larder Beetle and Carpet Beetle.

| ACTIVE INGREDIENTS | 100% |
|-------------------------------------------------------------------------|--------|
| Malathion, (O, O-dimethyl dithiophosphate of diethyl mercaptosuccinate) | 2.00% |
| Pyrethrins | 0.15% |
| *Piperonyl Butoxide, Technical | 0.75% |
| Aromatic Petroleum Solvent | 20.00% |
| Petroleum Distillate | 76.99% |

| INERT INGREDIENTS | 0.11% |
|---------------------------------------------------------------------------------------------------|-------|
| *Equivalent to 0.60% (butylcarbityl) (6-propylpiperonyl) ether and to 0.15% of related compounds. | |

CAUTION

KEEP OUT OF REACH OF CHILDREN

See rear panel for additional precautions

Manufactured by

JOHNSON-HAYWORTH CHEMICAL CO.

LA GRANGE, ILLINOIS 60525

CAUTION:

Harmful if swallowed. Do not use in food processing plants or restaurants. Avoid contamination of feed and foodstuffs. Avoid breathing of spray mist. Contact with skin, eyes, or clothing should be avoided. Wash after handling. This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not reuse this container. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.



EPA Reg. No. 31268-10

Establishment No.