SERVICE NOT PROMISES

### CAUTION Keep out of the reach of children

もいがいないないないでもの

St. Sing.

Harmful if swallowed. Avoid contact with skin and eyes. In case of contact flush with plenty of water for at least 15 minutes. If eye irritation persists get medical attention. Avoid contamination of food.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of waste. Use only as directed on label. Do not reuse con tainer. Destroy when empty.

EPA Reg. No. 31964-2

C

APPLICATION-GESSCOCIDE 15 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime and other deposits. An initial slug addition of 4.0 to 10.0 fluid ounces of GESSCOCIDE 15 per 1000 gallons of water to provide a concentration of 32 to 30 parts per million of GESSCOCIDE 15 based on the total weight of water in the system is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 1.0 to 10.0 fluid ounces of GESSCOCIDE 15 per 1000 gallons of water (8 to 80 ppm of GESSCOCIDE 15) should be employed every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

#### COMPOSITION

	Percent by weight
Active ingredient	15.0 percent
Poly (oxyethylene (dimethyliminio) ethylene (dimethyliminio) ethylen	
dichloride)	15.0 percent
Inert ingredient	
Weight per gallon	
Weight of active ingredient	
per gallon	1.29 pounds

# **GESSCOCIDE 15**





## CAUTION


a gour of the mach of children


. . .

. .



NEW ORLEADS - HOUSTON - NEW IBERIA - SHREVEPORT







#### COMPOSITION

composition			
	• · ·		
and the second state of a second		. •	
المراجعة (1993)، من من من المراجع المراجع (1993)، من من من المراجع (1993)، من من من من من من من من م			
and the second			
1 · · · · · · · · · · · · · · · · · · ·			
and the second		1. <u>1</u> . 1. 1.	
		, r	
and the second			
$f_{i}(\mathbf{C}) = f_{i}(\mathbf{C}) \cdot \mathbf{C}^{i}$	1		

## **GESSCOCIDE 15**

APPLICATION

 $\bigcirc$ 

