

32240-4

ACCEPTED

JUN 17 1985

32240-4

Crop Cure®

Cut'N Dry®

A HAY CONDITIONER

Speeds hay drying for earlier harvest

ACTIVE INGREDIENTS:

Potassium Carbonate	31.3%
Sodium Carbonate	31.3%
Sodium Sesquicarbonate	31.3%

INERT INGREDIENTS

6.1%

Patent Pending

KEEP OUT OF REACH OF CHILDREN:

WARNING:

See back panel for additional precautionary information



Domain, Inc.
New Richmond, WI 54017

Net Wt. 50 lbs.

CROP CURE

CUT'N DRY®

A chemical hay conditioning treatment to speed field drying of alfalfa, clover, birdsfoot trefoil.

Cut'N Dry

A HAY CONDITIONER

Speeds hay drying for earlier harvest

ACTIVE INGREDIENTS:

Potassium Carbonate	31.3%
Sodium Carbonate	31.3%
Sodium Sesquicarbonate	31.3%

INERT INGREDIENTS

6.1%

Patent Pending

KEEP OUT OF REACH OF CHILDREN:

WARNING:

See side panel for additional precautionary statements.

Manufactured by:



Domain, Inc.

New Richmond, WI 54017

Establishment No. 32240-WI-1

EPA Registration No. 32240-U

Net Weight: 50 Pounds

WARNING:

**KEEP OUT OF REACH OF CHILDREN
PRECAUTIONARY STATEMENTS**

Hazards to Humans (and Domestic Animals)

May cause eye and skin irritation.

Direct ingestion may be harmful.

Avoid contact with eyes, skin and clothing.

Avoid breathing dust.

Do not take internally.

Wash thoroughly after handling.

FIRST AID: In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, call a physician. For skin, wash thoroughly after handling. Wash contaminated clothing before reuse.

DIRECTIONS FOR USE: Cut'N Dry® is a chemical Hay Conditioning Treatment.

To speed up the field drying of alfalfa, clover and birdsfoot trefoil hay, follow directions on right side of label.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

STORAGE: Store in cool, dry place.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or local procedures.

CONTAINER DISPOSAL: Paper and plastic bags:

Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

JUN 6 1983

1-54

General Directions:

Directions for use on alfalfa, clover, and birdsfoot trefoil.

**IMPORTANT
DISSOLVE CUT'N DRY®
POWDER WITH WATER
IN SPRAY TANK. AGITA-
TION DURING MIXING
IS RECOMMENDED.**

Mixing Table

Amount of Mixed Spray	CUT'N DRY POWDER
100 gallons	25 lbs.
200 gallons	50 lbs.
300 gallons	75 lbs.
400 gallons	100 lbs.
500 gallons	125 lbs.

Application Rate

25-35 gallons of mixed spray per acre of hay depending on yield.

How to Apply

CUT'N DRY should be applied at the time of harvest using a CROP CURE® approved spraying system.

CUT'N DRY speeds drying by assisting moisture movement from the hay stems. Caution should be taken to avoid overdrying hay. Moisture monitoring should begin 50% earlier. CUT'N DRY hay should be handled just as normal cut hay. Do not bale CUT'N DRY hay at higher than normal baling moistures unless a mold-inhibitor such as CROP CURE® for baled hay is used at the time of baling.

WARRANTY STATEMENT: Domain, Inc. is not responsible for a loss caused by use inconsistent with directions on this label.

JUN - 6 1985