



32342-2  
PM 21

Pg. 1 of 1  
VAT  
1786

# SUL-CIDE™ D-93 dusting sulfur

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

irritant if swallowed, inhaled, or absorbed through skin. If swallowed, do not induce vomiting. Avoid breathing spray mist. Avoid contact with eyes, skin, and clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling and before eating or smoking. Do not apply this product in such a manner as to directly, or through drift, expose workers or other persons. The area being treated must be vacated by protected persons.

### STATEMENT OF PRACTICAL TREATMENT

**SWALLOWED:** Do not induce vomiting. Promptly drink a large quantity of water, egg whites, or gelatin solutions. Get medical attention immediately.  
**ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.  
**IN EYES:** Flush with plenty of water. Get medical attention.

### ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands (swamps, bogs, marshes, and oxbowes). Do not apply when weather conditions favor drift from target areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

### PHYSICAL HAZARDS

Keep away from heat, sparks, or flame. Do not smoke while applying this product.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### RE-ENTRY STATEMENT

Do not enter treated areas for 24 hours unless appropriate protective clothing is worn. Because certain states may require more restrictive re-entry, consult your State Department of Agriculture for further information. Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must be given if there is a reason to believe that written warnings cannot be understood by workers. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written or oral warnings must include the following information:

### CAUTION

(Insert area or field description) treated with SUL-CIDE™ D-93 wettable sulfur on (insert date of application). Do not enter treated areas for 24 hours unless appropriate protective clothing is worn. Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

This product is formulated for use in dust mixtures or alone as dust when a 325 mesh dust is required. For best results apply when wind is calm. Dust often enough to keep foliage and fruit covered with a light uniform coating. Consult with your State Agricultural Experiment Station or your State Agricultural Extension Service for additional information consistent with the label cautions and directions.

### APPLICATION INSTRUCTIONS

**APPLES:** To control scab and powdery mildew apply 30 to 40 lbs. per acre from the green tip to pink bud stage. Continue with cover sprays at 7 day intervals as required. Use on sulfur tolerant varieties only.

**PEACH AND NECTARINE:** To control brown rot, corky blight, rust, silver scale and powdery mildew apply 30 to 60 lbs. per acre from post-bloom to harvest. Repeat at weekly intervals.

**CHERRY AND PLUM:** To control brown rot and leaf spot apply 35 to 50 lbs. per acre, starting 5 weeks before harvest and continuing at weekly intervals.

**BEANS AND PEAS:** To control powdery mildew, rust and spider mites apply 15 to 30 lbs. per acre. Start application as soon as the first true leaves appear and continue at weekly intervals until blossom time. NOTE: May cause injury to some varieties of beans.

**COTTON:** To control Atlantic mite and cotton rust apply 25 to 30 lbs. per acre. Start application as soon as the first true leaves form and continue at weekly intervals until blossom time.

**MELONS:** (Honeydew and sulfur resistant melons only.) As a preventative measure, to control powdery mildew and spider mites, apply 20 to 25 lbs. per acre. Begin treatment 40 to 60 days after planting and continue at 7 to 10 day intervals or as required.

**PEANUTS:** As a preventative measure, to control rust and leaf spot, apply 30 lbs. per acre. Begin treatment 40 to 60 days after planting and continue at 7 to 10 day intervals or as required.

**CITRUS:** As a preventative measure to control six-spotted and citrus mites apply 80 lbs. per acre (1/2 to 1 lb. per tree, depending on size, for rust mites in Florida). As a preventative measure to control citrus flat Yuma spider mites apply 100 lbs. per acre. Begin treatments at the first appearance of mites and continue as required from November through May at 7 to 10 day intervals. Do not apply within 3 to 6 weeks of an oil spray.

**NOTICE:** Follow directions carefully. Timing and method of application and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use. Storage and handling of this material not in strict accordance with directions.

### STORAGE AND DISPOSAL

**STORAGE:** Store in a cool dry place.  
**PESTICIDE DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration allowed by State and local authorities, by burning. If burned, stay downwind.

### ACTIVE INGREDIENT:

Sulfur as S

93%

### INERT INGREDIENTS

7%

TOTAL

100%

Fineness: Not less than 93% passing 325 mesh.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statements

Do not use sulfur within 3 to 6 weeks of an oil spray. Do not use sulfur when temperatures exceed or are likely to exceed 90° F.

NET WEIGHT 50 POUNDS



CHEMICAL  
ENTERPRISES, INC.  
8582 Katy Freeway  
Suite 202  
Houston, Texas 77024  
Phone: 713/461-0606

ACCEPTED

AUG 21 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered for the use of...