EPA Form 8570-6 (Rev. 5-76)

1/2

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

91994:I:Pringle:K-14:KENCO:12/01/87:12/9/87:CB:vo:ek:rw:

Punile 121

SWIMFREE POOL SANITIZER

EASY TO USE . JUST BROADCAST ONTO POOL . COMPLETELY SOLUBLE HIGHLY EFFECTIVE BACTERICIDE AND DISINFECTANT . SIMPLIFIES MAINTENANCE

FUR THE BEST IN SWIMMING POOL CARE

Swimfree Pool Sanitizer is a specially formulated germicide derived from Lithium. Swimfree Pool Sanitizer eliminates many of the disadvantages found in other pool sanitizers

Active ingredient: lithium hypochlorite...29% Inert ingredients......71%

CONTAINS 35% AVAILABLE CHLORINE

EPA Reg. No. 32460

EPA Est. No. 32460-NY-1

HOW TO USE SWIMFREE POOL SANTTIZER: To start your pool: 1. Backwash filter. 2. Utilizing your pool test kit adjust pH of pool water to 7.2-7.6. Add soda ash or sodium bicarbonate to correct an acid condition (less than 7.2). Add sodium bisulfate if the pH is greater than 7.6. Maintain pH range of 7.2-7.6 for a minimum of six hours before the addition of Butinfree Pool Smittizer and during the entire season. 3. Use two cups of Butinfree Pool Smittizer per 5,000 gallons of water.

After the proper pH range (7.2-7.6) and chlorine residuals (1.0-1.5) have been established, it is beneficial to add a chlorine stabilizer (cyanuric acid) to the pool to prevent extreme fluctuations in the chlorine level. Cyanuric acid is available at most pool dealers and should be added in accordance to the instruction on the package for maximum stabilization of the pool water.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

HOW TO MAINTAIN THE PROPER CHLORINE RE-SIDUAL: The chlorine residual should be maintained between 1.0 and 1.5 ppm available chlorine as determined by the chlorine test kit. Under normal conditions, this residual can be maintained by the daily addition of about 1/3 cup (2.7 ounces) of <u>Bulmfree Pool Smittzer</u> for each 5.000 gallons of pool water—if the pool water is properly stabilized with 30-50 ppm of cyanutic acid pool stabilizer. Severe conditions, such as high temperature or continued use by many people, will require higher daily dosage, whereas smaller doses may suffice in spring and fall or when the pool is not being subjected to normal bathing loads.

The pool water should be super-chlorinated about once each week. Five times the normal daily addition, or a minimum of one cup (eight ounces) per 5,000 gallons of pool water should be added in the evening when the pool will not be used for a minimum of 12 hours. Test the chlorine residual and if above 2.0 ppm do not allow swimming until residual has decreased.

SOLD BY:

HYDROLOGY 'ABORATORIES, INC. BOHEMIA, N.Y. 11716

DANGER

KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER; Highly corrosive. May cause skin and eye damage. May be fatal if swallowed Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streems, ponds, or public waters unless in accordance with an NPDES Permit. For guidance, contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fixe or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

PRACTICAL TREATMENT (First Aid) It swallowed Feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately if on skin. Brush off excess chemical and flush with cold water for at least 15 minutes. If irritation persists, get medical attention. If in eyes. Flush with cold water for at least 15 minutes, Get medical attention.

STORAGE AND DISPOSAL; Store in a cool, dry place. Do not transfer into unlabeled containers. Close container tightly after each use. Protect from moisture and heat. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then drapose of liner in a sanitary landfill or by incineration if allowed by the State and local authorities. If drum is not to be reused or is contaminated and cannot be reused, dispose of in the same manner. Do not contaminate water, food or feed by storage or disposal.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

DEC 0 7 1987

Under the Federal Insecticide, Fungicide, and Radenticide Act as amended, for the pesticide registered under EPA Rey, No.

